

Производные биотина, бора

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70










Казахстан +7(7172)727-132


Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>

Biotin


Biotin is widely used throughout the biotechnology industry to conjugate proteins for biochemical assays. Biotin, also called vitamin H or vitamin B7, is a water-soluble B vitamin.. Reference standards of Biotin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

	Biotin - API Standards	Catalogue No.: PA 02 75000	CAS : 58-85-5	Molecular Formula : C₁₀H₁₆N₂O₃S	Molecular Weight : 244.31
	Biotin - Impurity A	Catalogue No.: PA 02 75010	CAS : 1163708-46-0	Molecular Formula : C₁₈H₂₈N₄O₄S₂	Molecular Weight : 428.57
	Biotin - Impurity E	Catalogue No.: PA 02 75050	CAS : NA	Molecular Formula : C₃₄H₄₄N₄O₆S₂	Molecular Weight : 668.87
	Biotin Sulfoxide	Catalogue No.: PA 02 75510	CAS : 3376-83-8	Molecular Formula : C₁₀H₁₆N₂O₄S	Molecular Weight : 260.31
	Biotin Sulfone	Catalogue No.: PA 02 75520	CAS : 40720-05-6	Molecular Formula : C₁₀H₁₆N₂O₅S	Molecular Weight : 276.31
	(+)-Biotin (+)-Sulfoxide	Catalogue No.: PA 02 75530	CAS : 10406-89-0	Molecular Formula : C₁₀H₁₆N₂O₄S	Molecular Weight : 260.31
	rac Biotin-d4	Catalogue No.: PA STI 012840	CAS : 1217850-77-5	Molecular Formula : C₁₀H₁₂D₄N₂O₃S	Molecular Weight : 248.34
	5-[2-Biotinylamidoethyl]-dithiopropionamido]-3,7-diaza-4,6-diketnonanoic Acid Bis-N-sulfosuccinimidy Ester-d4 Disodium Salt	Catalogue No.: PA STI 012850	CAS : NA	Molecular Formula : C₃₀H₃₄D₄N₈Na₂O₁₉S₅	Molecular Weight : 1024.99
	6-[2-Biotinylamidoethyl]-dithiopropionamido]-4,8-diaza-5,7-diketoundecanoic Acid Bis-N-sulfosuccinimidy Ester-d4 Disodium Salt	Catalogue No.: PA STI 012860	CAS : NA	Molecular Formula : C₃₂H₃₈D₄N₈Na₂O₁₉S₅	Molecular Weight : 1053.05
	6-[2-Biotinylamidoethyl]-dithiopropionamido]-5,9-diaza-6,8-diketotridecanoic Acid Bis-N-sulfosuccinimidy Ester-d4 Disodium Salt				



Catalogue No.: **PA STI 012870** CAS : **NA**

Molecular Formula : **C₃₄H₄₂D₄N₈Na₂O₁₉S₅** Molecular Weight : **1081.10**




3'-N-Benzyl Biotin

Catalogue No.: **PA 02 75550**

CAS : **57229-92-2**

Molecular Formula : **C₁₇H₂₂N₂O₃S**

Molecular Weight : **334.43**




Biocytin

Catalogue No.: **PA 02 75560**

CAS : **576-19-2**

Molecular Formula : **C₁₆H₂₈N₄O₄S**

Molecular Weight : **372.48**




5-((2S,3S,4R)-4-Amino-3-(5-((3aS,4S,6aR)-2-oxohexahydro-1H-thieno[3,4-d]imidazol-4-yl)pentanamido)tetrahydrothiophen-2-yl)pentanoic Acid

Catalogue No.: **PA 02 75590**

CAS : **NA**

Molecular Formula : **C₁₉H₃₂N₄O₄S₂**

Molecular Weight : **444.61**




5-((2S,3S,4R)-3-Amino-4-(5-((3aS,4S,6aR)-2-oxohexahydro-1H-thieno[3,4-d]imidazol-4-yl)pentanamido)tetrahydrothiophen-2-yl)pentanoic Acid

Catalogue No.: **PA 02 75600**

CAS : **NA**

Molecular Formula : **C₁₉H₃₂N₄O₄S₂**

Molecular Weight : **444.61**




5-((6S)-2-(4-((3aS,4S,6aR)-2-Oxohexahydro-1H-thieno[3,4-d]imidazol-4-yl)butyl)-3a,4,6,6a-tetrahydro-1H-thieno[3,4-d]imidazol-6-yl)pentanoic Acid

Catalogue No.: **PA 02 75610**

CAS : **NA**

Molecular Formula : **C₁₉H₃₀N₄O₃S₂**

Molecular Weight : **426.59**




rac-Trimethaphan Bromide

Catalogue No.: **PA 02 75630**

CAS : **60209-10-1**

Molecular Formula : **C₂₂H₂₅BrN₂OS**

Molecular Weight : **445.42**




(3aS,4S,5RS,6aR)-Hexahydro-2-oxo-1H-thieno[3,4-d]imidazole-4-pentanoic Acid 5-Oxide

Catalogue No.: **PA 02 75660**

CAS : **23015-53-4**

Molecular Formula : **C₁₀H₁₆N₂O₄S**

Molecular Weight : **260.31**




(+)-Trimethaphan Camphorsulfonate

Catalogue No.: **PA 02 75670**

CAS : **87335-42-0**

Molecular Formula : **C₃₂H₄₁N₂O₅S₂⁺**

Molecular Weight : **597.81**



N-(5-Aminopentyl)-5-((3aS,4S,6aR)-2-oxohexahydro-1H-thieno[3,4-d]imidazol-4-yl)pentanamide

Catalogue No.: **PA 02 0751013**


CAS : **115416-38-1**

Molecular Formula : **C₁₅H₂₈N₄O₂S**

Molecular Weight : **328.48**

Ranitidine Hydrochloride

An H2 histamine receptor antagonist, Ranitidine is used in the treatment of peptic ulcer disease and gastroesophageal reflux disease. It works by blocking histamine and decreasing the amount of acid released by cells of the stomach. Reference standards of Ranitidine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Ranitidine Hydrochloride -Impurity D

Catalogue No.: **PA 18 06040**

CAS : **117846-02-3**


Molecular Formula : **C₁₂H₁₉N₃O₄S**

Molecular Weight : **301.36**

SIMILAR PRODUCTS ✓

Abiraterone Acetate

An active metabolite of Abiraterone Acetate, it is a steroidal antiandrogen and used in the treatment of metastatic castration-resistant prostate cancer. It is sold under the brand name of Zytiga, Abiratas, Abretone, Abirapro. Reference standards of Abiraterone Acetate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




4-(Diethylboranyl)pyridine

Catalogue No.: **PA 01 04780**

CAS : **93830-58-1**

Molecular Formula : **C₉H₁₄BN**

Molecular Weight : **147.03**




2-(Diethylboryl)pyridine

Catalogue No.: **PA 01 04790**

CAS : **385804-67-1**

Molecular Formula : **C₉H₁₄BN**

Molecular Weight : **147.03**



Methoxydiethylborane

Catalogue No.: **PA 01 04820**


CAS : **7397-46-8**

Molecular Formula : **C₅H₁₃BO**

Molecular Weight : **99.97**

Dasabuvir

Dasabuvir is a direct acting antiviral medication. It is used as part of combination therapy to treat chronic Hepatitis C, an infectious liver disease caused by infection with Hepatitis C Virus. Dasabuvir, sold under the trade name Exviera. Reference standards of Dasabuvir API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



6-Hydroxynaphthalene-2-boronic Acid


Catalogue No.: **PA 31 07550**

CAS : **173194-95-1**

Molecular Formula : **C₁₀H₉BO₃**

Molecular Weight : **187.99**

Quinazolinone



(5-Amino-6-(methoxy-d3)pyrazin-2-yl)boronic Acid

Catalogue No.: **PA STI 006460**


CAS : **NA**

Molecular Formula : **C₅H₅D₃BN₃O₃**

Molecular Weight : **171.96**


Bortezomib

Bortezomib was approved for medical use in the United States in 2003 and in Europe in 2004. Bortezomib, sold under the brand name Velcade among others, is an anti-cancer medication used to treat multiple myeloma and mantle cell lymphoma.. Reference standards of Bortezomib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




N-[(1S)-2-[(3-Methylbutyl)amino]-2-oxo-1-(phenylmethyl)ethyl]-2-pyrazinecarboxamide

Catalogue No.: **PA 02 79560** CAS : **1446194-56-4** Molecular Formula : **C₁₉H₂₄N₄O₂** Molecular Weight : **340.42**




N-(1-(Isopentylamino)-1-oxo-3-phenylpropan-2-yl)pyrazine-2-carboxamide

Catalogue No.: **PA 02 79580** CAS : **NA** Molecular Formula : **C₁₉H₂₄N₄O₂** Molecular Weight : **340.42**




(4-Hydroxy-1-((S)-3-phenyl-2-(pyrazine-2-carboxamido)propanamido)butyl)boronic Acid

Catalogue No.: **PA 02 79590** CAS : **NA** Molecular Formula : **C₁₈H₂₃BN₄O₅** Molecular Weight : **386.21**




N-(1-(((1-(3a,5-Dimethylhexahydro-4,6-methanobenzo[d][1,3,2]dioxaborol-2-yl)-3-methylbutyl)amino)-1-oxo-3-phenylpropan-2-yl)pyrazine-2-carboxamide

Catalogue No.: **PA 02 79600** CAS : **NA** Molecular Formula : **C₂₈H₃₇BN₄O₄** Molecular Weight : **504.43**




(R)-2-(N-Methylpyrazine-2-carboxamido)-3-phenylpropanoic Acid

Catalogue No.: **PA 02 79610** CAS : **NA** Molecular Formula : **C₁₅H₁₅N₃O₃** Molecular Weight : **285.3**




Bortezomib ((1R,2S)-Bortezomib)

Catalogue No.: **PA 02 79690** CAS : **390800-88-1** Molecular Formula : **C₅₇H₆₉BN₁₂O₉** Molecular Weight : **1098.67**




(1R)-(1S,2S,3R,5S)-Pinanediol-N-(N-pyrazinylphenylalaninoyl)-1-amino-3-methyl-butane-1-boronate

Catalogue No.: **PA 02 79700** CAS : **205393-22-2** Molecular Formula : **C₂₉H₃₉BN₄O₄** Molecular Weight : **518.46**



(R,R)-Hydroxy Des(boric Acid) Bortezomib









Catalogue No.: **PA 02 79710** CAS : **NA** Molecular Formula : **C₁₉H₂₄N₄O₃** Molecular Weight : **356.42**



Bortezomib-D8 (Major)


Catalogue No.: **PA STI 014210** CAS : **NA** Molecular Formula : **C₁₉H₁₇D₈BN₄O₄** Molecular Weight : **392.29**

(1R,2R)-Bortezomib-d5

	Catalogue No.: PA STI 014220	CAS : NA	Molecular Formula : C₁₉H₂₀D₅BN₄O₄	Molecular Weight : 389.27
	(1S,2R)-Bortezomib-d5			
	Catalogue No.: PA STI 014230	CAS : NA	Molecular Formula : C₁₉H₂₀D₅BN₄O₄	Molecular Weight : 389.27
	(1S,2S)-Bortezomib-d5			
	Catalogue No.: PA STI 014240	CAS : NA	Molecular Formula : C₁₉H₂₀D₅BN₄O₄	Molecular Weight : 389.27
	(1R)-(1S,2S,3R,5S)-Pinanediol-N-(N-pyrazinylphenylalaninoyl)-1-amino-3-methylbutane-1-boronate-d5			
	Catalogue No.: PA STI 073740	CAS : NA	Molecular Formula : C₂₉H₃₁D₈BN₄O₄	Molecular Weight : 526.50
	Bortezomib L-Phenylalanyl Analog			
	Catalogue No.: PA 02 79720	CAS : 1194235-41-0	Molecular Formula : C₂₈H₃₄BN₅O₅	Molecular Weight : 531.42
	(αR)-(1S,2S,3R,5S)-Pinanediol-1-amino-3-methylbutane-1-boronate Trifluoroacetic Acid Salt			
	Catalogue No.: PA 02 79750	CAS : 179324-87-9	Molecular Formula : C₁₇H₂₉BF₃NO₄	Molecular Weight : 379.23
	(αS)-α-Amino-N-[(1R)-1-[(3aS,4S,6S,7aR)-hexahydro-3a,5,5-trimethyl-4,6-methano-1,3,2-benzodioxaborol-2-yl]-3-methylbutyl]-benzenepropanamide Monohydrochloride			
	Catalogue No.: PA 02 79840	CAS : 205393-21-1	Molecular Formula : C₂₃H₃₆BClN₂O₃	Molecular Weight : 434.81
	N-((R)-1-(((R)-1-Hydroxy-3-methylbutyl)amino)-1-oxo-3-phenylpropan-2-yl)pyrazine-2-carboxamide			
	Catalogue No.: PA 02 0791038	CAS : NA	Molecular Formula : C₁₉H₂₄N₄O₃	Molecular Weight : 356.43


Alosetron Hydrochloride

Alosetron Hydrochloride is a 5-HT₃ antagonist used only for the management of severe diarrhoea-predominant irritable bowel syndrome in women. It was patented in 1987 and approved for medical use in 2002. Reference standards of Alosetron Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	1-Methyl-3-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)indole			
	Catalogue No.: PA 28 22540	CAS : 683229-61-0	Molecular Formula : C₁₅H₂₀BNO₂	Molecular Weight : 257.14

Ledipasvir

Ledipasvir is most commonly used in combination with sofosbuvir for treatment in chronic hepatitis C genotype 1 patients. Reference standards of Ledipasvir API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




tert-Butyl (1R,3R,4S)-3-(6-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-benzo[d]imidazol-2-yl)-2-azabicyclo[2.2.1]heptane-2-carboxylate

Catalogue No.: **PA 12 77510**

CAS : **NA**

Molecular Formula : **C₂₄H₃₄BN₃O₄**

Molecular Weight : **439.36**



tert-Butyl (1S,3S,4R)-3-(6-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-benzo[d]imidazol-2-yl)-2-azabicyclo[2.2.1]heptane-2-carboxylate

Catalogue No.: **PA 12 77520**


CAS : **NA**

Molecular Formula : **C₂₄H₃₄BN₃O₄**

Molecular Weight : **439.36**

Crisaborole

Crisaborole is sold under the brand name Eucrisa, is a nonsteroidal topical medication used for the treatment of mild-to-moderate atopic dermatitis in people two years or older.. Reference standards of Crisaborole API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




3-[(1-Hydroxy-1,3-dihydro-2H-benzoxaborole-5-yl)oxy]benzonitrile

Catalogue No.: **PA 56 45560**

CAS : **906673-42-5**

Molecular Formula : **C₁₄H₁₀BNO₃**

Molecular Weight : **251.05**



Crisaborole o-Isomer

Catalogue No.: **PA 56 45570**


CAS : **906673-30-1**

Molecular Formula : **C₁₄H₁₀BNO₃**

Molecular Weight : **251.05**

Boric Acid

Boric acid, also known as hydrogen borate. However, some of its behaviour towards some chemical reactions suggest it to be tribasic acid in Bronsted sense as well. It is often used as an antiseptic, insecticide, flame retardant, neutron absorber, or precursor to other chemical compounds. Reference standards of Boric Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Boric Acid - API Standards

Catalogue No.: **PA 29 12000**

CAS : **10043-35-3**

Molecular Formula : **BH₃O₃**

Molecular Weight : **61.83**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>