

Аналоги наркотиков

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>

Abacavir

Abacavir is a chiral purine carbocyclic nucleoside, which is a prodrug of the guanosine analog (-) carbovir, Abacavir or ABC is an antiretroviral medication used to prevent and treat HIV/AIDS. Reference standards of Abacavir API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Abacavir 5'-Phosphate

Catalogue No.: **PA 01 01570**


CAS : **136470-77-4**

Molecular Formula : **C₁₄H₁₉N₆O₄P**

Molecular Weight : **366.31**

Artemisinin

Artemisinin can be used alone, but this leads to a high rate of recrudescence and other drugs are required to clear the body of all parasites and prevent recurrence.. Reference standards of Artemisinin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




Deoxy Artemisinin

Catalogue No.: **PA 01 99520**

CAS : **72826-63-2**

Molecular Formula : **C₁₅H₂₂O₄**

Molecular Weight : **266.33**



Deoxy Artemisinin-d3

Catalogue No.: **PA STI 025900**


CAS : **NA**

Molecular Formula : **C₁₅H₁₉D₃O₄**

Molecular Weight : **269.35**

Etilefrine Hydrochloride

A hydrochloride salt of Etilefrine, which is an antihypotensive drug. It is a stimulator of both α and β adrenergic receptors. This Sympathomimetic agent is used for treatment of neurological, cardiovascular, endocrine or metabolic origin orthostatic hypotension. . Reference standards of Etilefrine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Etilefrine hydrochloride - API Standards

Catalogue No.: **PA 05 34000**

CAS : **943-17-9**


Molecular Formula : **C₁₀H₁₅NO₂ClH**

Molecular Weight : **217.69**

SIMILAR PRODUCTS

Ampicillin

Ampicillin used to prevent and treat a number of bacterial infections, such as respiratory tract infections, urinary tract infections, meningitis, salmonellosis, and endocarditis. It is an antibiotic. Reference standards of Ampicillin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Lenampicillin-d5 Hydrochloride

Catalogue No.: **PA STI 056330**


CAS : **1356847-85-2**

Molecular Formula : **C₂₁H₁₉D₅ClN₃O₇S**

Molecular Weight : **502.98**

Arotinolol

Arotinolol marketed under the tradename Almarl. It is an α - and β -receptor blocker developed in Japan. It is a thiopropanolamine with a tertiary butyl moiety. Reference standards of Arotinolol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Arotinolol-D5

Catalogue No.: **PA STI 008730**


CAS : **2514848-15-6**

Molecular Formula : **C₁₅H₁₆D₅N₃O₂S₃**

Molecular Weight : **376.57**

Cabazitaxel

Cabazitaxel was developed by Sanofi-Aventis and was approved by the U.S. FDA for the treatment of hormone-refractory prostate cancer on June 17, 2010. It is a semi-synthetic derivative of a natural taxoid. It is a microtubule inhibitor, and the fourth taxane to be approved as a cancer therapy. Reference standards of Cabazitaxel API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




(2'S,3'R)-Cabazitaxel

Catalogue No.: **PA 03 01550**

CAS : **1714967-27-7**

Molecular Formula : **C₄₅H₅₇NO₁₄**

Molecular Weight : **835.93**




(2'S, 3'R)-Cabazitaxel-D6

Catalogue No.: **PA STI 016880**

CAS : **NA**

Molecular Formula : **C₄₅H₅₁D₆NO₁₄**

Molecular Weight : **841.97**




4-Deacetyl-4-propionyl Cabazitaxel-D6

Catalogue No.: **PA STI 024550**

CAS : **NA**

Molecular Formula : **C₄₆H₅₃D₆NO₁₄**

Molecular Weight : **856.00**



Cabazitaxel - Impurity G

Catalogue No.: **PA 04 97670**


CAS : **NA**

Molecular Formula : **C₅₈H₇₂N₂O₁₈**

Molecular Weight : **1085.21**

Bendroflumethiazide

Bendroflumethiazide used in the treatment of familial hyperkalemia, hypertension, edema, and urinary tract disorders. A thiazide diuretic with actions and uses similar to those of hydrochlorothiazide. Reference standards of Bendroflumethiazide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



6-Destrifluoromethyl-5-trifluoromethyl Bendroflumethiazide-D5 (Impurity)

Catalogue No.: **PA STI 010200**


CAS : **2714413-40-6**

Molecular Formula : **C₁₅H₉D₅F₃N₃O₄S₂**

Molecular Weight : **426.45**

Bunitrolol

Bunitrolol is a beta-adrenergic antagonist that can be used for treatment of coronary heart disease. It improves cardiac performance after beta-blockade in patients with coronary artery disease. Reference standards of Bunitrolol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Bunitrolol-D5

Catalogue No.: **PA STI 015520**


CAS : **2714437-51-9**

Molecular Formula : **C₁₄H₁₅D₅N₂O₂**

Molecular Weight : **253.35**

Cromolyn Disodium

Cromolyn Disodium is used to treat the symptoms of a condition called mastocytosis, which can cause diarrhea, nausea, vomiting, headaches, stomach pain, itchy skin, and flushing. Reference standards of Cromolyn Disodium API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Sodium Cromoglicate - Impurity B

Catalogue No.: **PA 03 77020**

CAS : **16150-45-1**


Molecular Formula : **C₂₇H₂₄O₁₁**

Molecular Weight : **524.47**

Ixazomib


Ixazomib is used in combination with lenalidomide and dexamethasone for the treatment of multiple myeloma in adults after at least one prior therapy. It is taken by mouth in form of capsules. Reference standards of Ixazomib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Ixazomib - API Standards




Catalogue No.: **PA 09 55000** CAS : **1072833-77-2** Molecular Formula : **C₁₄H₁₉BCl₂N₂O₄** Molecular Weight : **361.03**

Ixazomib Citrate




Catalogue No.: **PA 09 55510** CAS : **1239908-20-3** Molecular Formula : **C₂₀H₂₃BCl₂N₂O₉** Molecular Weight : **517.12**

(2,5-Dichlorobenzoyl)glycine




Catalogue No.: **PA 09 0551001** CAS : **667403-46-5** Molecular Formula : **C₉H₇Cl₂NO₃** Molecular Weight : **248.06**

2,5-Dichloro-N-(2-(isopentylamino)-2-oxoethyl)benzamide




Catalogue No.: **PA 09 0551002** CAS : **2872629-73-5** Molecular Formula : **C₁₄H₁₈Cl₂N₂O₂** Molecular Weight : **317.21**

N-(2-Amino-2-oxoethyl)-2,5-dichlorobenzamide




Catalogue No.: **PA 09 0551003** CAS : **1378314-08-9** Molecular Formula : **C₉H₈Cl₂N₂O₂** Molecular Weight : **247.08**

(R)-(1-(2,5-Dichlorobenzamido)-3-methylbutyl)boronic Acid




Catalogue No.: **PA 09 0551004** CAS : **2806031-79-6** Molecular Formula : **C₁₂H₁₆BCl₂NO₃** Molecular Weight : **303.97**

(R)-2,5-Dichloro-N-(2-(((1-hydroxy-3-methylbutyl)amino)-2-oxoethyl)benzamide




Catalogue No.: **PA 09 0551005** CAS : **NA** Molecular Formula : **C₁₄H₁₈Cl₂N₂O₃** Molecular Weight : **333.21**

2,5-Dichloro-N-(2-(((R)-3-methyl-1-((3aS,4S,6S,7aR)-3a,5,5-trimethylhexahydro-4,6-methanobenzo[d][1,3,2]dioxaborol-2-yl)butyl)amino)-2-oxoethyl)benzamide



Catalogue No.: **PA 09 0551006** CAS : **NA** Molecular Formula : **C₂₄H₃₃BCl₂N₂O₄** Molecular Weight : **495.25**

2,5-Dichloro-N-(2-(((R)-3-methyl-1-((3aS,4S,6S,7aR)-3a,5,5-trimethylhexahydro-4,6-methanobenzo[d][1,3,2]dioxaborol-2-yl)butyl)amino)-2-oxoethyl)benzamide




Catalogue No.: **PA 09 0551007** CAS : **1201903-02-7** Molecular Formula : **C₂₄H₃₃BCl₂N₂O₄** Molecular Weight : **495.25**

Dampa

Dampa or Dampha Tiger Reserve is a tiger reserve of western Mizoram, India. It was declared a tiger reserve in 1994 and is part of Project Tiger. It covers an area of about 500 km².. Reference standards of Dampa API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

DAMPA - API Standards




Catalogue No.: **PA 04 05000**

CAS : **19741-14-1**

Molecular Formula : **C₁₅H₁₅N₇O₂**

Molecular Weight : **325.33**

DAMPA Ethyl Ester




Catalogue No.: **PA 04 05520**

CAS : **43111-51-9**

Molecular Formula : **C₁₇H₁₉N₇O₂**

Molecular Weight : **353.38**

DAMPA Methyl Ester




Catalogue No.: **PA 04 05530**

CAS : **23853-09-0**

Molecular Formula : **C₁₆H₁₇N₇O₂**

Molecular Weight : **339.35**

N,N'-Diacetyl DAMPA Ethyl Ester




Catalogue No.: **PA 04 05540**

CAS : **1330265-87-6**

Molecular Formula : **C₂₁H₂₃N₇O₄**

Molecular Weight : **437.45**

DAMPA-d3



Catalogue No.: **PA STI 024160**

CAS : **1794780-00-9**


Molecular Formula : **C₁₂H₁₂D₃N₇O₂**

Molecular Weight : **328.34**

Cefuroxime Axetil

Cefuroxime Axetil is sold under the brand name Zinnat among others, is a second generation oral cephalosporin antibiotic. It is used to treat a wide variety of bacterial infections.. Reference standards of Cefuroxime Axetil API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Cefuroxime Axetil - Impurity A (Freebase)




Catalogue No.: **PA 03 98010**

CAS : **123458-61-7**

Molecular Formula : **C₂₀H₂₂N₄O₁₀S**

Molecular Weight : **510.47**

(2R)-2-((2R)-4-((1-Acetoxyethoxy)carbonyl)-5-((carbamoyloxy)methyl)-3,6-dihydro-2H-1,3-thiazin-2-yl)-2-((Z)-2-(furan-2-yl)-2-(methoxyimino)acetamido)acetic Acid



Catalogue No.: **PA 03 0981003**

CAS : **NA**


Molecular Formula : **C₂₀H₂₄N₄O₁₁S**

Molecular Weight : **528.49**

Kynurenine

Kynurenine is synthesized by the enzyme tryptophan dioxygenase, which is made primarily but not exclusively in the liver, and indoleamine 2,3-dioxygenase, which is made in many tissues in response to immune activation. It is a metabolite of the amino acid. Reference standards of Kynurenine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

4-Chloro Kynurenine-13C2, 15N



Catalogue No.: **PA STI 019900**


CAS : **1391051-72-1**

Molecular Formula : **C₈H₇ClN₁₅O₃**

Molecular Weight : **245.64**


Idarubicin Hydrochloride

Idarubicin Hydrochloride is used for treatment of acute lymphoblastic leukemia and Chronic myelogenous leukemia in blast crisis. It is an anthracycline antileukemic drug. It is distributed under the trade names Zavedos and Idamycin. Reference standards of Idarubicin Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Idarubicin Hydrochloride - API Standards

Catalogue No.: **PA 09 31000** CAS : **57852-57-0** Molecular Formula : **C₂₆H₂₈ClNO₉** Molecular Weight : **533.95**




Idarubicin Aglycone

Catalogue No.: **PA 09 31510** CAS : **60660-75-5** Molecular Formula : **C₂₀H₁₆O₇** Molecular Weight : **368.33**



13-Deoxycarminomycin

Catalogue No.: **PA 09 31530** CAS : **76034-18-9** Molecular Formula : **C₂₆H₂₉NO₉** Molecular Weight : **499.52**




13-Deoxycarminomycin Hydrochloride

Catalogue No.: **PA 09 31540** CAS : **NA** Molecular Formula : **C₂₆H₃₀ClNO₉** Molecular Weight : **535.97**


Fluocinolone Acetonide

Fluocinolone Acetonide has been used extensively in dermatological preparations and it has also been investigated thoroughly for its use in implantable corticosteroid devices. Reference standards of Fluocinolone Acetonide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Clocortolone Caproate

Catalogue No.: **PA 06 65510** CAS : **4891-71-8** Molecular Formula : **C₂₈H₃₈ClFO₅** Molecular Weight : **509.05**




21-Acetyl-6α-chlorotriamcinolone Acetonide

Catalogue No.: **PA 06 65520** CAS : **1181-32-4** Molecular Formula : **C₂₆H₃₂ClFO₇** Molecular Weight : **510.98**

Gefarnate

Gefarnate used for the treatment of gastric ulcers. It is a drug. It also has been proposed for use in the treatment of dry eye syndrome. Reference standards of Gefarnate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Gefarnate - API Standards

Catalogue No.: **PA 07 47000** CAS : **51-77-4** Molecular Formula : **C₂₇H₄₄O₂** Molecular Weight : **400.64**

Flumazenil

Flumazenil benefits patients who become excessively drowsy after use of benzodiazepines for either diagnostic or therapeutic procedures. It is an imidazobenzodiazepine derivative and a potent benzodiazepine receptor antagonist. Reference standards of Flumazenil API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Flumazenil - Impurity A

Catalogue No.: **PA 06 92010**

CAS : **84378-44-9**

Molecular Formula : **C₁₃H₁₀FN₃O₃**

Molecular Weight : **275.24**




Flumazenil - Impurity B

Catalogue No.: **PA 06 92020**

CAS : **131666-45-0**

Molecular Formula : **C₁₅H₁₅N₃O₄**

Molecular Weight : **301.30**




Defluoro 8-Hydroxy Flumazenil-D3 (Impurity)

Catalogue No.: **PA STI 024920**

CAS : **NA**

Molecular Formula : **C₁₅H₁₂D₃N₃O₄**

Molecular Weight : **304.32**



Flumazenil-D5

Catalogue No.: **PA STI 041600**


CAS : **2700278-14-2**

Molecular Formula : **C₁₅H₉D₅FN₃O₃**

Molecular Weight : **308.32**

Emtricitabine

Emtricitabine is a drug which is used for the treatment of HIV and a nucleoside reverse transcriptase inhibitor (NRTI). It shows activity against hepatitis B virus (HBV). An analog of cytidine and inhibits reverse transcriptase. Reference standards of Emtricitabine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Emtricitabine 5-Fluorouracil Analog

Catalogue No.: **PA 05 02670**

CAS : **145986-11-4**

Molecular Formula : **C₈H₉FN₂O₄S**

Molecular Weight : **248.23**



5-Fluoro-1-((2R,5R)-2-(hydroxymethyl)-1,3-oxathiolan-5-yl)pyrimidine-2,4(1H,3H)-dione

Catalogue No.: **PA 05 0021041**


CAS : **145986-12-5**

Molecular Formula : **C₈H₉FN₂O₄S**

Molecular Weight : **248.23**

Kynurenic Acid

Kynurenic Acid used in patients with depression. Kynurenic acid is a product of the normal metabolism of amino acid L-tryptophan. Reference standards of Kynurenic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



4-Chloro Kynurenine

Catalogue No.: **PA 11 08510**


CAS : **75802-84-5**

Molecular Formula : **C₁₀H₁₁ClN₂O₃**

Molecular Weight : **242.66**

Ezetimibe

An anti-hyperlipidemic medication, it is used for cholesterol lowering that decreases the absorption of cholesterol in the small intestine. Ezetimibe is hence used for treating high cholesterol. Reference standards of Ezetimibe API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Ezetimibe - Impurity A

Catalogue No.: **PA 05 41550**

CAS : **1593543-07-7**

Molecular Formula : **C₂₄H₂₁F₂NO₃**

Molecular Weight : **409.43**




Ezetimibe - Impurity B

Catalogue No.: **PA 05 41560**

CAS : **163380-16-3**

Molecular Formula : **C₂₄H₂₁F₂NO₃**

Molecular Weight : **409.43**




Sch 58053-d4

Catalogue No.: **PA STI 078850**

CAS : **NA**

Molecular Formula : **C₂₆H₁₉D₄ClFNO₃**

Molecular Weight : **455.95**



Sch 58053-d4 Benzyl Ether

Catalogue No.: **PA STI 078860**


CAS : **NA**

Molecular Formula : **C₃₃H₂₅D₄ClFNO₃**

Molecular Weight : **546.06**

Idarubicin

The compound has shown activity against breast cancer, lymphomas and leukemias, together with the potential for reduced cardiac toxicity. An orally administered anthracycline antineoplastic. Reference standards of Idarubicin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Idarubicin-d3

Catalogue No.: **PA STI 052510**

CAS : **NA**

Molecular Formula : **C₂₆H₂₄D₃NO₉**

Molecular Weight : **500.51**




Idarubicinol-d4 (Mixture of Diastereomers)

Catalogue No.: **PA STI 052520**

CAS : **NA**

Molecular Formula : **C₂₆H₂₅D₄NO₉**

Molecular Weight : **503.53**



Idarubicin - API Standards

Catalogue No.: **PA 09 1530000**

CAS : **58957-92-9**


Molecular Formula : **C₂₆H₂₇NO₉**

Molecular Weight : **497.5**

Dimenhydrinate

An antiemetic drug which is used for the treatment of motion sickness. Dimenhydrinate is an over-the-counter drug. It is a combination of two drugs: diphenhydramine and 8-chlorotheophylline.. Reference standards of Dimenhydrinate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Dimenhydrinate - API Standards




Catalogue No.: **PA 04 27000**

CAS : **523-87-5**

Molecular Formula : **C₂₄H₂₈ClN₅O₃**

Molecular Weight : **469.96**

Dimenhydrinate-d12




Catalogue No.: **PA STI 033310**

CAS : **1346598-96-6**

Molecular Formula : **C₂₄H₁₆D₁₂ClN₅O₃**

Molecular Weight : **482.04**

8-Chloro-1,3-dimethyl-9-nitroso-3,9-dihydro-1H-purine-2,6-dione compound with 2-(benzhydryloxy)-N,N-dimethylethan-1-amine (1:1)



Catalogue No.: **PA 04 0271006**

CAS : **NA**


Molecular Formula : **C₂₄H₂₇ClN₆O₄**

Molecular Weight : **498.97**

Flecainide Acetate

An antiarrhythmic drug which is used for the treatment of paroxysmal atrial fibrillation, ventricular arrhythmia, and paroxysmal supra ventricular tachycardia. It is a blocker of Nav1. 5 sodium channel in the heart. Reference standards of Flecainide Acetate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Flecainide - Impurity C



Catalogue No.: **PA 06 58030**

CAS : **152171-74-9**


Molecular Formula : **C₁₇H₂₀F₆N₂O₄**

Molecular Weight : **430.34**

Cromolyn Disodium

Cromolyn Disodium is used to treat the symptoms of a condition called mastocytosis, which can cause diarrhea, nausea, vomiting, headaches, stomach pain, itchy skin, and flushing.. Reference standards of Cromolyn Disodium API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Sodium Cromoglicate - Impurity B



Catalogue No.: **PA 03 77020**

CAS : **16150-45-1**


Molecular Formula : **C₂₇H₂₄O₁₁**

Molecular Weight : **524.47**

Dimercaprol

Dimercaprol is a traditional chelating agent. Dimercaprol is used to treat arsenic, gold, or mercury poisoning.. Reference standards of Dimercaprol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Dimercaprol - API Standards



Catalogue No.: **PA 04 99000**


CAS : **59-52-9**

Molecular Formula : **C₃H₈OS₂**

Molecular Weight : **124.23**

Evogliptin

Evogliptin is an antidiabetic drug. It is used in trials studying the treatment and screening of Osteoporosis, Renal Impairment, Type 2 Diabetes Mellitus, Diabetes Mellitus Type 2, and Diabetes Mellitus. Reference standards of Evogliptin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Evogliptin - API Standards

Catalogue No.: **PA 32 45000**

CAS : **1222102-29-5**


Molecular Formula : **C₁₉H₂₆F₃N₃O₃**

Molecular Weight : **401.43**

SIMILAR PRODUCTS ▼

Fenofibrate

Fenofibrate is used for primary hypercholesterolemia or mixed dyslipidemia. It is sold under the brand name Tricor. It is less preferred to statin medications as does not appear to reduce the risk of heart disease or death.. Reference standards of Fenofibrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



(4-Chlorophenyl)[4-(1-methylethoxy)phenyl]methanone-D7

Catalogue No.: **PA STI 020330**


CAS : **2733862-66-1**

Molecular Formula : **C₁₆H₈D₇ClO₂**

Molecular Weight : **281.79**

Lamivudine

A drug which is active against both HIV1 and HIV2 virus, Lamivudine is also known as 3TC, is an antiretroviral medication. It is used for the treatment of HIV/AIDS and hepatitis. Lamivudine is an analogue of cytidine. Reference standards of Lamivudine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



5-epi Emtricitabine

Catalogue No.: **PA 12 03720**

CAS : **145986-26-1**


Molecular Formula : **C₈H₁₀FN₃O₃S**

Molecular Weight : **247.25**

SIMILAR PRODUCTS

Lysergic Acid

lysergic acid, seeds containing the alkaloids d-lysergic and d-isolysergic acids (similar to LSD), and the seeds are traditionally used among Mexico's Zapotec peoples for ceremonial and curative purposes. Reference standards of Lysergic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Ethyl Norlysergic Acid-d5 N,N-Diethylamide

Catalogue No.: **PA STI 039820**


CAS : **NA**

Molecular Formula : **C₂₁H₂₂D₅N₃O**

Molecular Weight : **342.49**

Metronidazole

A nitroimidazole class of drug, Metronidazole is an antibiotic and antiprotozoal medication. It works by inhibiting the nucleic acid synthesis by disrupting the DNA of microbial cells. Metronidazole is used in the treatment of pelvic inflammatory disease, endocarditis, and bacterial vaginosis. Reference standards of Metronidazole API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Metronidazole - Impurity E

Catalogue No.: **PA 13 38050**





CAS : **705-19-1**

Molecular Formula : **C₆H₉N₃O₃**

Molecular Weight : **171.15**



Modafinil

Modafinil used in the treatment of narcolepsy. It is a stimulant drug marketed as a 'wakefulness promoting agent' and is one of the stimulants. Reference standards of Modafinil API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Dibenzhydryl Disulfide Catalogue No.: PA 13 99520 CAS : 112111-45-2 Molecular Formula : C₁₅H₁₄O₃S Molecular Weight : 274.33
	Modafinil Methyl Ester Impurity Catalogue No.: PA 13 99530 CAS : 713134-72-6 Molecular Formula : C₁₆H₁₆O₃S Molecular Weight : 288.36
	(R)-Modafinil-d10 Carboxylate Methyl Ester Catalogue No.: PA STI 065450 CAS : 1217748-02-1 Molecular Formula : C₁₆H₆D₁₀O₃S Molecular Weight : 298.42
	(S)-Modafinil-d10 Carboxylate Methyl Ester Catalogue No.: PA STI 065460 CAS : 1329651-14-0 Molecular Formula : C₁₆H₆D₁₀O₃S Molecular Weight : 298.42


Nitrendipine

A calcium channel blocker, Nitrendipine is a dihydropyridine drug which is used for the treatment of hypertension. Nitrendipine also acts as an antagonist of the mineralocorticoid receptor. Reference standards of Nitrendipine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Nitrendipine Dipropyl-d7 Ester Catalogue No.: PA STI 067860 CAS : NA Molecular Formula : C₂₁H₁₉D₇N₂O₆ Molecular Weight : 409.48
	Nitrendipine Propyl-d7 Ester Catalogue No.: PA STI 067870 CAS : NA Molecular Formula : C₁₉H₁₅D₇N₂O₆ Molecular Weight : 381.43


Olmesartan Dehydro

It is a derivative of Olmesartan. Olmesartan is an antihypertensive agent, which belongs to the class of medications called angiotensin II receptor blockers. Reference standards of Olmesartan Dehydro API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Olmesartan Medoxomil - Impurity D Catalogue No.: PA 15 04040 CAS : 1020157-01-0 Molecular Formula : C₄₈H₄₄N₆O₆ Molecular Weight : 800.90
---	--

Nalmefene


Nalmefene used primarily in the management of alcohol dependence. It is an opioid antagonist. Reference standards of Nalmefene API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Nalmefene - API Standards


Catalogue No.: **PA 14 89000** CAS : **55096-26-9** Molecular Formula : **C₂₁H₂₅NO₃** Molecular Weight : **339.43**

SIMILAR PRODUCTS ✓




2,2'-Bisnalmefene

Catalogue No.: **PA 14 89510** CAS : **176220-84-1** Molecular Formula : **C₄₂H₄₈N₂O₆** Molecular Weight : **676.84**



7,8-Dehydro Nalmefene

Catalogue No.: **PA 14 89520** CAS : **91598-83-3** Molecular Formula : **C₂₁H₂₃NO₃** Molecular Weight : **337.41**



Nalmefene-d3

Catalogue No.: **PA STI 066750** CAS : **NA** Molecular Formula : **C₂₁H₂₂D₃NO₃** Molecular Weight : **342.45**

Orlistat

Orlistat trade name is Xenical, Orlistat is used for the treatment of obesity. orlistat is available for sale without a prescription. Reference standards of Orlistat API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




(3S,4S)-3-Hexyl-4-[(2R)-2-hydroxytridecyl]-2-oxetanone

Catalogue No.: **PA 15 11510** CAS : **104872-06-2** Molecular Formula : **C₂₂H₄₂O₃** Molecular Weight : **354.57**

Ondansetron Hydrochloride Dihydrate

A serotonin type 3 receptor antagonist. It is Used in the treatment of nausea and vomiting caused by cancer chemotherapy, radiation therapy, and surgery. Reference standards of Ondansetron Hydrochloride Dihydrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Ondansetron Hydrochloride Dihydrate - API Standards

Catalogue No.: **PA 15 07000** CAS : **103639-04-9** Molecular Formula : **C₁₈H₂₄ClN₃O₃** Molecular Weight : **365.55**

SIMILAR PRODUCTS ✓

Protriptyline Hydrochloride

Protriptyline Hydrochloride, sold under the brand name Vivactil. Protriptyline hydrochloride is a tricyclic antidepressant that is used to improve mood in people with depression. Reference standards of Protriptyline Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Prothipendyl-d6 Hydrochloride

Catalogue No.: **PA STI 075840** CAS : **1346604-67-8** Molecular Formula : **C₁₆H₁₄D₆ClN₃S** Molecular Weight : **327.91**

Vardenafil

Vardenafil is used to treat erectile dysfunction in men. It is an oral therapy for the treatment of erectile dysfunction. It is sold under the trade names Levitra, Staxyn, and Vivanza. Reference standards of Vardenafil API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Hydroxythiovardenafl




Catalogue No.: **PA 22 14510**

CAS : **912576-30-8**

Molecular Formula : **C₂₃H₃₂N₆O₄S₂**

Molecular Weight : **520.67**

Hydroxythiovardenafl-d8




Catalogue No.: **PA STI 051800**

CAS : **NA**

Molecular Formula : **C₂₃H₂₄D₈N₆O₄S₂**

Molecular Weight : **528.72**

Thiovardenafl-d5




Catalogue No.: **PA STI 082910**

CAS : **NA**

Molecular Formula : **C₂₃H₂₇D₅N₆O₃S₂**

Molecular Weight : **509.70**

Vardenafil Acetyl-d5 Analogue




Catalogue No.: **PA STI 086710**

CAS : **1330171-51-1**

Molecular Formula : **C₂₅H₂₉D₅N₆O₃**

Molecular Weight : **471.61**

Vardenafil Oxopiperazine-D6 (Impurity)




Catalogue No.: **PA STI 086720**

CAS : **NA**

Molecular Formula : **C₂₁H₂₀D₆N₆O₅S**

Molecular Weight : **480.57**

Vardenafil Acetyl Analogue




Catalogue No.: **PA 22 14690**

CAS : **1261351-28-3**

Molecular Formula : **C₂₅H₃₄N₆O₃**

Molecular Weight : **466.58**

Vardenafil Oxopiperazine (Impurity)



Catalogue No.: **PA 22 14700**

CAS : **448184-58-5**


Molecular Formula : **C₂₁H₂₆N₆O₅S**

Molecular Weight : **474.53**

Sulfadimidine

Sulfadimidine is widely used in veterinary medicine in combination with chlortetracycline and penicillin in pigs for maintenance of weight gain in the presence of atrophic rhinitis, growth promotion and increased feed efficiency. Sulfadimidine or sulfamethazine is a sulfonamide antibacterial. Reference standards of Sulfadimidine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

3-(5-Nitro-2-thiophene)acrylic Acid-d4 Sulfadimidine Amide



Catalogue No.: **PA STI 068750**

CAS : **1795138-17-8**


Molecular Formula : **C₁₉H₁₃D₄N₅O₅S₂**

Molecular Weight : **463.52**

Tamsulosin Hydrochloride

An alpha-blocker drug, Tamsulosin is used to treat symptoms of a prostate gland condition called BPH (benign prostatic hyperplasia). It is a selective α_1 receptor antagonist. It is also used to treat acute urinary retention. Reference standards of Tamsulosin Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Tamsulosin Hydrochloride (HCl) - Impurity C



Catalogue No.: **PA 20 05030**


CAS : **2724727-15-3**

Molecular Formula : **C₁₈H₂₅ClN₂O₄S**

Molecular Weight : **400.92**

SIMILAR PRODUCTS ▼

Tamsulosin Hydrochloride (Freebase) - Impurity C



Catalogue No.: **PA 20 05031**


CAS : **2244986-82-9**

Molecular Formula : **C₁₈H₂₄N₂O₄S**

Molecular Weight : **364.46**

SIMILAR PRODUCTS ▼

Tamsulosin Hydrochloride - Impurity D



Catalogue No.: **PA 20 05040**

CAS : **1798904-07-0**

Molecular Formula : **C₁₉H₂₇ClN₂O₅S**


Molecular Weight : **430.95**

SIMILAR PRODUCTS

Sulfamethoxazole

A sulfanilamide antibacterial agent used to treat infections caused by both gram positive and gram negative bacteria. Sulfamethoxazole is a structural analog of para-aminobenzoic acid (PABA) and works by inhibiting enzyme dihydropteroate synthetase. Reference standards of Sulfamethoxazole API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Sulfamethoxazole - Impurity B




Catalogue No.: **PA 19 29020**

CAS : **135529-16-7**

Molecular Formula : **C₁₆H₁₆N₄O₅S₂**

Molecular Weight : **408.45**

N-(4-Aminobenzenesulfonyl) Sulfamethoxazole-d4



Catalogue No.: **PA STI 005200**

CAS : **1346603-52-8**


Molecular Formula : **C₁₆H₁₂D₄N₄O₅S₂**

Molecular Weight : **412.48**

Rosiglitazone

A thiazolidinedione class of drug, used in the treatment of type 2 diabetes mellitus. Rosiglitazone is an insulin sensitizer and works by binding to the PPAR in fat cells, making the cells more responsive to insulin. Also shows anti-inflammatory effect. Reference standards of Rosiglitazone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

5-([4-[2-(N-methyl-N-2-pyridinyl) amino] ethoxy benzylidene]-2,4-thiazolidine dione




Catalogue No.: **PA 18 19510**

CAS : **122320-74-5**

Molecular Formula : **C₁₈H₁₇N₃O₃S**

Molecular Weight : **355.41**

5-[4-[2-((Methyl-d3)pyridin-2-ylamino)ethoxy]benzylidene]thiazolidine-2,4-dione



Catalogue No.: **PA STI 063610**


CAS : **1185245-57-1**

Molecular Formula : **C₁₈H₁₄D₃N₃O₃S**

Molecular Weight : **358.43**

Trimethoprim

Trimethoprim used mainly in the treatment of bladder infections. It is available as a generic medication and is not very expensive. Reference standards of Trimethoprim API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Trimethoprim - Impurity A

Catalogue No.: **PA 20 57010**

CAS : **213745-86-9**

Molecular Formula : **C₁₅H₂₀N₄O₃**

Molecular Weight : **304.34**




Trimethoprim - Impurity C

Catalogue No.: **PA 20 57030**

CAS : **29606-06-2**

Molecular Formula : **C₁₄H₁₈N₄O₄**

Molecular Weight : **306.32**




Trimethoprim - Impurity G

Catalogue No.: **PA 20 57070**

CAS : **78025-68-0**

Molecular Formula : **C₁₅H₂₀N₄O₃**

Molecular Weight : **304.34**




3-Desmethyl Trimethoprim

Catalogue No.: **PA 20 57560**

CAS : **27653-69-6**

Molecular Formula : **C₁₃H₁₆N₄O₃**

Molecular Weight : **276.29**




N2-Methyl Trimethoprim-D3 (Impurity)

Catalogue No.: **PA STI 064680**

CAS : **NA**

Molecular Formula : **C₁₅H₁₇D₃N₄O₃**

Molecular Weight : **307.36**




4-O-Desmethyl 4-O-Ethyl Trimethoprim-D5

Catalogue No.: **PA STI 028840**

CAS : **NA**

Molecular Formula : **C₁₅H₁₅D₅N₄O₃**

Molecular Weight : **309.38**



α-Hydroxy Trimethoprim-D3 (Impurity)

Catalogue No.: **PA STI 051960**


CAS : **NA**

Molecular Formula : **C₁₄H₁₅D₃N₄O₄**

Molecular Weight : **309.34**

Sulfadimidine

Sulfadimidine is widely used in veterinary medicine in combination with chlortetracycline and penicillin in pigs for maintenance of weight gain in the presence of atrophic rhinitis, growth promotion and increased feed efficiency. Sulfadimidine or sulfamethazine is a sulfonamide antibacterial. Reference standards of Sulfadimidine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



3-(5-Nitro-2-thiophene)acrylic Acid-d4 Sulfadimidine Amide

Catalogue No.: **PA STI 068750**





CAS : **1795138-17-8**

Molecular Formula : **C₁₉H₁₃D₄N₅O₅S₂**

Molecular Weight : **463.52**



Tamoxifen

A selective estrogen-receptor modulator (SERM), Tamoxifen is used in the treatment of breast cancer and uterine cancer. Reference standards of Tamoxifen API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	β-Hydroxy Tamoxifen	Catalogue No.: PA 20 04570	CAS : 97151-03-6	Molecular Formula : C₂₆H₂₉NO₂	Molecular Weight : 387.51
	(E/Z)-4,4'-Dihydroxy-N-desmethyl Tamoxifen-d3	Catalogue No.: PA STI 032780	CAS : 1246832-93-8	Molecular Formula : C₂₅H₂₄D₃NO₃	Molecular Weight : 392.51
	(E)-3-Hydroxy Tamoxifen-d5	Catalogue No.: PA STI 051710	CAS : 1185245-32-2	Molecular Formula : C₂₆H₂₄D₅NO₂	Molecular Weight : 392.54
	(Z)-4-Hydroxy Tamoxifen-d5	Catalogue No.: PA STI 051730	CAS : 164365-20-2	Molecular Formula : C₂₆H₂₄D₅NO₂	Molecular Weight : 392.54


Ranitidine Hydrochloride

An H2 histamine receptor antagonist, Ranitidine is used in the treatment of peptic ulcer disease and gastroesophageal reflux disease. It works by blocking histamine and decreasing the amount of acid released by cells of the stomach. Reference standards of Ranitidine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Ranitidine Hydrochloride -Impurity A	Catalogue No.: PA 18 06010	CAS : 72126-78-4	Molecular Formula : C₂₂H₃₅N₅O₄S₂	Molecular Weight : 497.67
	Ranitidine Hydrochloride -Impurity D (Sodium Salt)	Catalogue No.: PA 18 06041	CAS : 112251-56-6	Molecular Formula : C₁₂H₁₈N₃NaO₄S	Molecular Weight : 323.34
SIMILAR PRODUCTS					


Vincristine Sulfate

Vincristine is delivered via intravenous infusion for use in various types of chemotherapy regimens. It is also known as leurocristine and marketed under the brandname Oncovin. Reference standards of Vincristine Sulfate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Vincristine Sulfate - Impurity B	Catalogue No.: PA 22 38020	CAS : 68135-16-0	Molecular Formula : C₄₆H₅₆N₄O₉	Molecular Weight : 808.96
---	---	-----------------------------------	-------------------------	---	----------------------------------

Quetiapine


This compound is also known as QUETIAPINE DIMER present as an impurity in antipsychotic drug Quetiapine. Reference standards of Quetiapine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Quetiapine - API Standards


Catalogue No.: **PA 17 02000** CAS : **111974-69-7** Molecular Formula : **C₂₁H₂₅N₃O₂S** Molecular Weight : **383.51**

SIMILAR PRODUCTS ▼




Quetiapine - Impurity L

Catalogue No.: **PA 17 02120** CAS : **1371638-11-7** Molecular Formula : **C₂₁H₂₄ClN₃O₂S** Molecular Weight : **417.95**



Quetiapine - Impurity O


Catalogue No.: **PA 17 02150** CAS : **844639-06-1** Molecular Formula : **C₄₀H₃₉N₃O₂S** Molecular Weight : **625.82**



Quetiapine - Impurity P (Dihydrochloride Salt)


Catalogue No.: **PA 17 02161** CAS : **2518203-12-6** Molecular Formula : **C₁₉H₂₃Cl₂N₃S** Molecular Weight : **396.38**

SIMILAR PRODUCTS ▼



Quetiapine - Impurity T


Catalogue No.: **PA 17 02200** CAS : **5747-46-6** Molecular Formula : **C₁₇H₁₆N₂OS** Molecular Weight : **296.39**



Quetiapine - Impurity U


Catalogue No.: **PA 17 02210** CAS : **5786-26-5** Molecular Formula : **C₁₃H₁₀N₂S** Molecular Weight : **226.30**

SIMILAR PRODUCTS ▼




Quetiapine - Impurity W

Catalogue No.: **PA 17 02230** CAS : **1800608-95-0** Molecular Formula : **C₃₄H₃₂N₄O₂S₂** Molecular Weight : **592.77**




9-Chloro Quetiapine-D8

Catalogue No.: **PA STI 019650** CAS : **NA** Molecular Formula : **C₂₁H₁₆D₈ClN₃O₂S** Molecular Weight : **426**




O-Dibenzo[b,f][1,4]thiazepinyl Quetiapine-D8

Catalogue No.: **PA STI 037960** CAS : **NA** Molecular Formula : **C₃₄H₂₄D₈N₄O₂S** Molecular Weight : **600.82**




O-Triphenylmethoxy Quetiapine-D8

Catalogue No.: **PA STI 085600** CAS : **NA** Molecular Formula : **C₄₀H₃₁D₈N₃O₂S** Molecular Weight : **633.87**




Dibenzo[b,f][1,4]thiazepin-11(10H)-one 5-oxide

Catalogue No.: **PA 17 0021019** CAS : **20290-48-6** Molecular Formula : **C₁₃H₉NO₂S** Molecular Weight : **243.28**



Quetiapine Ethyl Ether

Catalogue No.: **PA 17 0021021** CAS : **1011758-06-7** Molecular Formula : **C₂₃H₂₉N₃O₂S** Molecular Weight : **411.56**




11-(4-(2-(2-hydroxyethoxy)ethyl)piperazin-1-yl)-10,11-dihydrodibenzo[b,f][1,4]thiazepin-11-ol

Catalogue No.: **PA 17 0021024** CAS : **1241800-24-7** Molecular Formula : **C₂₁H₂₇N₃O₃S** Molecular Weight : **401.53**

Serotonin Hydrochloride

A monoamine neurotransmitter derived from tryptophan. It is found in the gastrointestinal tract (GI tract), blood platelets, and the central nervous system (CNS) of animals and humans. Reference standards of Serotonin Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




α,α-Dimethyl Serotonin Hydrochloride

Catalogue No.: **PA 19 05510** CAS : **1016-44-0** Molecular Formula : **C₁₂H₁₇ClN₂O** Molecular Weight : **240.73**

SIMILAR PRODUCTS ▼

Ranitidine

An H₂ histamine receptor antagonist, Ranitidine is used in the treatment of peptic ulcer disease and gastroesophageal reflux disease. It works by blocking histamine and decreasing the amount of acid released by cells of the stomach. Reference standards of Ranitidine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Demethylamino Ranitidine-d₆ Acetamide Sodium

Catalogue No.: **PA STI 025550** CAS : **1346606-56-1** Molecular Formula : **C₁₂H₁₂D₆N₃NaO₄S** Molecular Weight : **329.38**


Prucalopride

A serotonin (5-HT₄) receptor agonist, Prucalopride is used for the treatment of chronic constipation. Prucalopride belongs to dihydro-benzofuran-carboxamide class and helps in stimulating colonic mass movements. Reference standards of Prucalopride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




4-Amino-5-chloro-N-(1-(3-methoxypropyl)piperidin-4-yl)benzofuran-7-carboxamide

Catalogue No.: **PA 43 35530** CAS : **1900715-96-9** Molecular Formula : **C₁₈H₂₄ClN₃O₃** Molecular Weight : **365.85**




4-Amino-5-chloro-2,3-dihydro-N-4-piperidinyl-7-benzofurancarboxamide

Catalogue No.: **PA 43 35540** CAS : **137211-64-4** Molecular Formula : **C₁₄H₁₈ClN₃O₂** Molecular Weight : **295.76**



4-Amino-5-chloro-2,3-dihydro, 7-Benzofurancarboxamide

Catalogue No.: **PA 43 35550** CAS : **182808-16-8** Molecular Formula : **C₉H₉ClN₂O₂** Molecular Weight : **212.63**




4-(4-Amino-5-chloro-2,3-dihydrobenzofuran-7-carboxamido)-1-(3-methoxypropyl)piperidine 1-oxide

Catalogue No.: **PA 43 35560** CAS : **1900715-98-1** Molecular Formula : **C₁₈H₂₆ClN₃O₄** Molecular Weight : **383.87**


Paclitaxel

Paclitaxel is a chemotherapeutic agent marketed under the brand name Taxol. It is approved in the UK for ovarian, breast, lung, bladder, prostate, melanoma, esophageal, and other types of solid tumor cancers as well as Kaposi's sarcoma. Reference standards of Paclitaxel API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




2'-O-Methyl Paclitaxel

Catalogue No.: **PA 16 01700** CAS : **156413-67-1** Molecular Formula : **C₄₈H₅₃NO₁₄** Molecular Weight : **867.93**




Paclitaxel - Impurity C

Catalogue No.: **PA 16 01710** CAS : **153415-45-3** Molecular Formula : **C₄₆H₅₇NO₁₄** Molecular Weight : **847.94**



Paclitaxel - Impurity M

Catalogue No.: **PA 16 01720** CAS : **932042-85-8** Molecular Formula : **C₄₇H₅₃NO₁₅** Molecular Weight : **871.92**



2'-O-Methyl-d3 Paclitaxel

Catalogue No.: **PA STI 063720** CAS : **NA** Molecular Formula : **C₄₈H₅₀D₃NO₁₄** Molecular Weight : **870.95**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>