

Олигосахариды

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132


Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>

Acarbose


Acarbose is composed of anacardiosin moiety with a maltose at the reducing terminus. It is an anti-diabetic drug. It is a starch blocker and inhibits alpha glucosidase, that releases glucose from larger carbohydrates. Reference standards of Acarbose API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Acarbose - API Standards




Catalogue No.: **PA 01 07000** CAS : **56180-94-0** Molecular Formula : **C₂₅H₄₃NO₁₈** Molecular Weight : **645.6**

Acarbose - Impurity A (Freebase)




Catalogue No.: **PA 01 07010** CAS : **1013621-79-8** Molecular Formula : **C₂₅H₄₃NO₁₈** Molecular Weight : **645.6**

Acarbose-d4



Catalogue No.: **PA STI 001110** CAS : **1260619-60-0** Molecular Formula : **C₂₅H₃₉D₄NO₁₈** Molecular Weight : **649.63**

Acarviosine-glucose




Catalogue No.: **PA 01 0071003** CAS : **68128-53-0** Molecular Formula : **C₁₉H₃₃NO₁₃** Molecular Weight : **483.47**

Amikacin Sulfate

Amikacin Sulfate was patented in 1971 and came into commercial use in 1976. It is an antibiotic used for a number of bacterial infections. It is also used for the treatment of multidrug-resistant tuberculosis. Reference standards of Amikacin Sulfate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Amikacin Sulfate - API Standards




Catalogue No.: **PA 28 27000** CAS : **39831-55-5** Molecular Formula : **C₂₂H₄₇N₅O₂₁S₂** Molecular Weight : **781.76**

SIMILAR PRODUCTS

Beta Cyclodextrin Hydrate

Beta Cyclodextrin Hydrate are produced from starch by enzymatic conversion. They are used in food, pharmaceutical, drug delivery, and chemical industries. Beta Cyclodextrin Hydrate are composed of 5 or more α-D-glucopyranoside units linked 1->4, as in amylose.. Reference standards of Beta Cyclodextrin Hydrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below


beta-Cyclodextrin Hydrate - API Standards



Catalogue No.: **PA 02 81000** CAS : **68168-23-0** Molecular Formula : Molecular Weight : **1134.98**

SIMILAR PRODUCTS


β-Cyclodextrin Sulfobutyl Ethers Sodium Salts



Catalogue No.: **PA 02 81510** CAS : **182410-00-0** Molecular Formula : **C₄₂H₇₀O₃₅•xNa•x(C₄H₉O₃S)** Molecular Weight : **(1134.99).x(22.99).x(137.17)**

Cetirizine

Cetirizine is sold under the brand name Zyrtec among others, is a second generation antihistamine used to treat allergic rhinitis (hay fever), dermatitis, and urticaria.. Reference standards of Cetirizine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




((2R,3R,4S,5R,6S)-3,4,5-Trihydroxy-6-(((2R,3S,4R,5R,6R)-4,5,6-trihydroxy-2-(hydroxymethyl)tetrahydro-2H-pyran-3-yl)oxy)tetrahydro-2H-pyran-2-yl)methyl 2-(2-(4-((4-chlorophenyl)(phenyl)methyl)piperazin-1-yl)ethoxy)acetate Hydrochloride

Catalogue No.: **PA 30 51530**

CAS : **NA**

Molecular Formula : **C₃₃H₄₆Cl₂N₂O₁₃**

Molecular Weight : **749.63**



Cetirizine Lactose Ester


Catalogue No.: **PA 03 36590**

CAS : **NA**

Molecular Formula : **C₃₃H₄₅ClN₂O₁₃**

Molecular Weight : **713.17**

SIMILAR PRODUCTS ▼



Cetirizine 6,6'-O-Lactose Ester (6,6'-Mixture)

Catalogue No.: **PA 03 36620**


CAS : **NA**

Molecular Formula : **C₆₆H₉₀Cl₂N₄O₂₆**

Molecular Weight : **1426.34**

Alfadex

alfadex-Cyclodextrin is a 6 member dextrin ring used as an encapsulation agent for bioactive compounds and pharmaceuticals. Reference standards of Alfadex API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Alfadex - Impurity A

Catalogue No.: **PA 28 65010**

CAS : **7585-39-9**


Molecular Formula : **C₄₂H₇₀O₃₅**

Molecular Weight : **1134.98**

SIMILAR PRODUCTS ▼

Clarithromycin

Clarithromycin may be bacteriostatic or bactericidal depending on the organism and drug concentration. It is a semisynthetic macrolide antibiotic derived from erythromycin, inhibits bacterial protein synthesis by binding to the bacterial 50S ribosomal subunit. Binding inhibits peptidyl transferase activity and interferes with amino acid translocation during the translation and protein assembly process.. Reference standards of Clarithromycin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



6-O-Methylerythromycin A 9-(E)-O-(1-isopropoxycyclohexyl)-oxime

Catalogue No.: **PA 03 60520**


CAS : **156715-14-9**

Molecular Formula : **C₄₇H₈₆N₂O₁₄**

Molecular Weight : **903.19**

Epilactose

Epilactose, as well as fructooligosaccharide, inhibited the conversion of primary bile acids to secondary bile acids, which are suggested to be promoters of colon cancer. Reference standards of Epilactose API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Epilactose

Catalogue No.: **PA 05 96000**

CAS : **50468-56-9**

Molecular Formula : **C₁₂H₂₂O₁₁**

Molecular Weight : **342.3**



4-O-β-D-Galactopyranosyl-D-mannopyranose

Catalogue No.: **PA 05 0961000**


CAS : **20869-27-6**

Molecular Formula : **C₁₂H₂₂O₁₁**

Molecular Weight : **342.3**

Amikacin

Amikacin is an antibiotic from the group of aminoglycosides that has a bactericidal effect against gram-negative aerobic germs. Amikacin's unique property is that it exerts activity against more resistant gram-negative bacilli such as *Acinetobacter baumannii* and *Pseudomonas aeruginosa*. Reference standards of Amikacin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Amikacin - Impurity A


Catalogue No.: **PA 28 28010**

CAS : **50725-24-1**

Molecular Formula : **C₂₂H₄₃N₅O₁₃**

Molecular Weight : **585.6**

SIMILAR PRODUCTS ▼



Amikacin - Impurity A (Sulfate Salt)


Catalogue No.: **PA 28 28011**

CAS : **NA**

Molecular Formula : **C₂₂H₄₃N₅O₁₃ xH₂SO₄**

Molecular Weight : **585.6**

SIMILAR PRODUCTS ▼




Amikacin - Impurity C

Catalogue No.: **PA 28 28030**

CAS : **50725-25-2**

Molecular Formula : **C₂₂H₄₃N₅O₁₃**

Molecular Weight : **585.60**



Amikacin - Impurity F


Catalogue No.: **PA 28 28060**

CAS : **197909-67-4**

Molecular Formula : **C₂₆H₅₀N₆O₁₅**

Molecular Weight : **686.71**

SIMILAR PRODUCTS ▼



Amikacin - Impurity F (Sulfate Salt)


Catalogue No.: **PA 28 28061**

CAS : **NA**

Molecular Formula : **C₂₆H₅₀N₆O₁₅ xH₂SO₄**

Molecular Weight : **686.71**

SIMILAR PRODUCTS ▼




Amikacin - Impurity G

Catalogue No.: **PA 28 28070**

CAS : **50896-99-6**

Molecular Formula : **C₂₂H₄₃N₅O₁₃**

Molecular Weight : **585.6**



Amikacin - Impurity H


Catalogue No.: **PA 28 28080**

CAS : **48237-20-3**

Molecular Formula : **C₂₂H₄₄N₆O₁₂**

Molecular Weight : **584.62**

SIMILAR PRODUCTS ▼



Amikacin - Impurity H (Sulfate Salt)


Catalogue No.: **PA 28 28081**

CAS : **NA**

Molecular Formula : **C₂₂H₄₆N₆O₁₆S**

Molecular Weight : **682.7**

SIMILAR PRODUCTS ▼



Amikacin-d5 Sulfate

Catalogue No.: **PA STI 005120**


CAS : **NA**

Molecular Formula : **C₂₂H₄₂D₅N₅O₂₁S₂**

Molecular Weight : **786.79**

Digoxin

A cardiac glycoside, which is used to treat various conditions related to heart like atrial fibrillation, atrial flutter and heart attack. It is an inhibitor of the sodium potassium adenosine triphosphatase. It is extracted from the foxglove plant.. Reference standards of Digoxin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




Digoxin - Impurity H

Catalogue No.: **PA 04 25080**

CAS : **17575-22-3**

Molecular Formula : **C₄₉H₇₆O₂₀**

Molecular Weight : **985.12**




Digoxin - Impurity I

Catalogue No.: **PA 04 25090**

CAS : **5511-98-8**

Molecular Formula : **C₄₃H₆₆O₁₅**

Molecular Weight : **822.99**




Digoxin - Impurity J

Catalogue No.: **PA 04 25100**

CAS : **5355-48-6**

Molecular Formula : **C₄₃H₆₆O₁₅**

Molecular Weight : **822.99**



Digoxin - Impurity A

Catalogue No.: **PA 04 0250010**


CAS : **71-63-6**

Molecular Formula : **C₄₁H₆₄O₁₃**

Molecular Weight : **764.94**

Diosmetin

A naturally occurring O-methylated flavone, which is a weak TrkB receptor agonist. Diosmetin is a diosmin (phlebotropic drug) aglycone.. Reference standards of Diosmetin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




Diosmetin 7-O-β-D-Glucuronide Sodium Salt

Catalogue No.: **PA 04 29520**

CAS : **NA**

Molecular Formula : **C₂₂H₁₉NaO₁₂**

Molecular Weight : **498.37**



Diosmin

Catalogue No.: **PA 04 29560**


CAS : **520-27-4**

Molecular Formula : **C₂₈H₃₂O₁₅**

Molecular Weight : **608.54**

Fondaparinux

Fondaparinux is used to prevent a type of blood clot called deep vein thrombosis (DVT), which can lead to blood clots in the lungs. It is marketed by GlaxoSmithKline. Reference standards of Fondaparinux API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Fondaparinux - API Standards

Catalogue No.: **PA 33 36000**

CAS : **104993-28-4**

Molecular Formula : **C₃₁H₅₃N₃O₄₉S₈**

Molecular Weight : **1508.22**


SIMILAR PRODUCTS

114870-03-0(Decasodium salt)

Diosmin

Diosmin is a dietary supplement used to aid treatment of hemorrhoids and venous diseases.. Reference standards of Diosmin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Diosmin - API Standards




Catalogue No.: **PA 04 70000**

CAS : **520-27-4**

Molecular Formula : **C₂₈H₃₂O₁₅**

Molecular Weight : **608.54**

Diosmin - Impurity D




Catalogue No.: **PA 04 70040**

CAS : **1431536-92-3**

Molecular Formula : **C₂₈H₃₁O₁₅**

Molecular Weight : **734.44**

Diosmin-d3




Catalogue No.: **PA STI 035360**

CAS : **2515498-74-3**

Molecular Formula : **C₂₈H₂₉D₃O₁₅**

Molecular Weight : **611.56**

2-[3-(Acetyloxy)-4-methoxyphenyl]-5-hydroxy-6-iodo-7-[[2,3,4-tri-O-acetyl-6-O-(2,3,4-tri-O-acetyl-6-deoxy-α-L-mannopyranosyl)-β-D-glucopyranosyl]oxy]-4H-1-Benzopyran-4-one




Catalogue No.: **PA 04 70530**

CAS : **705974-42-1**

Molecular Formula : **C₄₂H₄₅I O₂₂**

Molecular Weight : **1028.7**

2-[3-(Acetyloxy)-4-methoxyphenyl]-5-hydroxy-7-[[2,3,4-tri-O-acetyl-6-O-(2,3,4-tri-O-acetyl-6-deoxy-α-L-mannopyranosyl)-β-D-glucopyranosyl]oxy]-4H-1-benzopyran-4-one




Catalogue No.: **PA 04 70540**

CAS : **705974-40-9**

Molecular Formula : **C₄₂H₄₆O₂₂**

Molecular Weight : **902.8**

4-Methylumbelliferyl 2-Acetamido-2-deoxy-a-D-glucopyranoside




Catalogue No.: **PA 04 0701000**

CAS : **80265-04-9**

Molecular Formula : **C₁₈H₂₁NO₈**

Molecular Weight : **379.37**

5-(2-Hydroxyethoxy)-2-(3-(2-hydroxyethoxy)-4-methoxyphenyl)-7-(((2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(((2R,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyltetrahydro-2H-pyran-2-yl)oxy)methyl)tetrahydro-2H-pyran-2-yl)oxy)-4H-chromen-4-one




Catalogue No.: **PA 04 0701001**

CAS : **80604-69-9**

Molecular Formula : **C₃₂H₄₀O₁₇**

Molecular Weight : **696.66**

3'-O-(β-Hydroxyethyl)diosmin



Catalogue No.: **PA 04 0701002**


CAS : **80604-68-8**

Molecular Formula : **C₃₀H₃₆O₁₆**

Molecular Weight : **652.6**


Framycetin Sulphate

Framycetin is used mostly as a topical preparation and is poorly absorbed. It is the sulfate salt form of framycetin, an aminoglycoside antibiotic isolated from *Streptomyces lavendulae*, mainly containing neomycin B, with broad-spectrum antibacterial activity. Reference standards of Framycetin Sulphate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Framycetin Sulfate - Impurity E

Catalogue No.: **PA 06 62050** CAS : **NA** Molecular Formula : **C₂₃H₄₅N₅O₁₄** Molecular Weight : **615.63**



Framycetin Sulfate - Impurity F

Catalogue No.: **PA 06 62060** CAS : **51795-47-2** Molecular Formula : **C₂₃H₄₅N₅O₁₄** Molecular Weight : **615.63**




Framycetin Sulfate - Impurity G

Catalogue No.: **PA 06 62070** CAS : **NA** Molecular Formula : **C₂₅H₄₈N₆O₁₄** Molecular Weight : **656.68**

Gentamicin Sulfate

Gentamicin Sulfate, sold under brand name Garamycin among others, it is an antibiotic, which is used to treat several types of bacterial infections. Reference standards of Gentamicin Sulfate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Gentamicin Sulfate - API Standards

Catalogue No.: **PA 07 19000** CAS : **1405-41-0** Molecular Formula : **C₆₀H₁₂₅N₁₅O₂₅S** Molecular Weight : **1488.79**

SIMILAR PRODUCTS ✓


Sucralfate

Sucralfate is widely used to prevent and treat a number of diseases in the gastrointestinal tract such as duodenal ulcers. It is sold under many brands and is available in both tablet and suspension forms. Reference standards of Sucralfate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Sucralfate - API Standards

Catalogue No.: **PA 46 08000** CAS : **54182-58-0** Molecular Formula : **C₁₂H₅₄Al₁₆O₇₅S₈** Molecular Weight : **2086.72**




Sucrose Octasulfate-d6 Potassium Salt

Catalogue No.: **PA STI 089321** CAS : **NA** Molecular Formula : **C₁₂H₈D₆K₈O₃₅S₈** Molecular Weight : **1293.51**

Streptomycin Sulfate

An antibacterial drug. It works by inhibiting the protein synthesis. Reference standards of Streptomycin Sulfate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Streptomycin Sulfate - API Standards

Catalogue No.: **PA 19 78000** CAS : **3810-74-0** Molecular Formula : **C₂₁H₄₃N₇O₂₀S₂** Molecular Weight : **777.73**

SIMILAR PRODUCTS ✓

Tobramycin

An aminoglycoside antibacterial agent derived from *Streptomyces tenebrarius*. A Gram-negative antibacterial therapeutic agent. Reference standards of Tobramycin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Tobramycin - API Standards


Catalogue No.: **PA 20 99000**

CAS : **32986-56-4**

Molecular Formula : **C₁₈H₃₇N₅O₉**

Molecular Weight : **467.51**

SIMILAR PRODUCTS ▼




Tobramycin Deuterated

Catalogue No.: **PA STI 083420**

CAS : **NA**

Molecular Formula : **C₁₈H₃₇N₅O₉ for undeuterated**

Molecular Weight : **467.51**



Nebrosamine


Catalogue No.: **PA 20 99570**

CAS : **736893-76-8**

Molecular Formula : **C₆H₁₄N₂O₃**

Molecular Weight : **162.19**

SIMILAR PRODUCTS ▼



Nebrosamine Dihydrochloride

Catalogue No.: **PA 20 0991000**


CAS : **111170-72-0**

Molecular Formula : **C₆H₁₆Cl₂N₂O₃**

Molecular Weight : **235.11**

Rutin

A naturally occurring flavonoid found in citrus fruits. Chemically, Rutin is a glycoside of the flavonoid quercetin and it acts as a ligand by supplying nutrients from the soil to the cells in plants. Acts as an antioxidant in humans. Rutin is an ingredient of numerous multivitamin preparations and herbal remedies. Reference standards of Rutin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Rutin - API Standards


Catalogue No.: **PA 18 36000**

CAS : **153-18-4**

Molecular Formula : **C₂₇H₃₀O₁₆**

Molecular Weight : **610.52**

SIMILAR PRODUCTS ▼



Rutin-d3 (Major)

Catalogue No.: **PA STI 078610**


CAS : **NA**

Molecular Formula : **C₂₇H₂₇D₃O₁₆**

Molecular Weight : **613.54**

Rebaudioside A

Rebaudioside A is found in baked goods, candy, chewing gum, desserts and as a tabletop sweetener. Reference standards of Rebaudioside A API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Rebaudioside A - API Standards

Catalogue No.: **PA 18 90000**


CAS : **58543-16-1**

Molecular Formula : **C₄₄H₇₀O₂₃**

Molecular Weight : **967.02**


Oleandomycin

Oleandomycin is a macrolide antibiotic. It is synthesized from strains of *Streptomyces antibioticus*. It used to be sold under the brand name Sigmamycin, combined with tetracycline. Reference standards of Oleandomycin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Oleandomycin Phosphate

Catalogue No.: **PA 15 0871001** CAS : **7060-74-4** Molecular Formula : **C₃₅H₆₄NO₁₆P** Molecular Weight : **785.86**



Oleandomycin-API

Catalogue No.: **PA 15 0870000** CAS : **3922-90-5** Molecular Formula : **C₃₅H₆₁NO₁₂** Molecular Weight : **687.87**




Oleandomycin hydrochloride

Catalogue No.: **PA 15 0871000** CAS : **6696-47-5** Molecular Formula : **C₃₅H₆₂ClNO₁₂** Molecular Weight : **724.33**


Troxeutin

Troxeutin used for the therapy of chronic venous insufficiency, since has hepatoprotective properties and thus protects the liver from a possible lipid peroxidation caused by coumarin. It is a flavonol. Reference standards of Troxeutin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Troxeutin - API Standards

Catalogue No.: **PA 47 08000** CAS : **7085-55-4** Molecular Formula : **C₃₃H₄₂O₁₉** Molecular Weight : **742.68**




Troxeutin-d12

Catalogue No.: **PA STI 085940** CAS : **NA** Molecular Formula : **C₃₃H₃₀D₁₂O₁₉** Molecular Weight : **754.75**

Memantine Hydrochloride

Memantine Hydrochloride is used to treat moderate-to-severe Alzheimer's disease, especially for people who are intolerant of or have a contraindication to AChE inhibitors. It is available as a generic medication. Reference standards of Memantine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Memantine Lactose Adduct

Catalogue No.: **PA 13 15590** CAS : **1159637-28-1** Molecular Formula : **C₂₄H₄₁NO₁₀** Molecular Weight : **503.58**

Kanamycin

Kanamycin is used to treat serious bacterial infections in many different parts of the body. Kanamycin, is an antibiotic. Reference standards of Kanamycin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Kanamycin A Deuterated

Catalogue No.: **PA STI 054860** CAS : **1174286-24-8** Molecular Formula : **C₁₈H₃₆N₄O₁₁ for undeuterated**

Sucrose

A naturally occurring carbohydrate used as a sweetener. Extracted from sugarcane or sugarbeet. Sucrose is a nonreducing disaccharide composed of glucose and fructose linked via their anomeric carbons. Reference standards of Sucrose API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Sucrose - API Standards




Catalogue No.: **PA 19 21000**

CAS : **57-50-1**

Molecular Formula : **C₁₂H₂₂O₁₁**

Molecular Weight : **342.30**

6-Octanoyl Sucrose




Catalogue No.: **PA 19 21510**

CAS : **13039-39-9**

Molecular Formula : **C₂₀H₃₆O₁₂**

Molecular Weight : **468.49**

Sucrose 6'-Acetate




Catalogue No.: **PA 19 21520**

CAS : **936001-72-8**

Molecular Formula : **C₁₄H₂₄O₁₂**

Molecular Weight : **384.33**

Sucrose Heptasulfate, Potassium Salt,



Catalogue No.: **PA 19 21530**


CAS : **386229-69-2**

Molecular Formula : **C₁₂H₁₅K₇O₃₂S₇**

Molecular Weight : **1169.46**

SIMILAR PRODUCTS ▼

Sucrose Hexasulfate, Potassium Salt, Technical Grade




Catalogue No.: **PA 19 21540**

CAS : **386229-70-5**

Molecular Formula : **C₁₂H₁₆K₆O₂₉S₆**

Molecular Weight : **1051.46**

Sucrose 4,6-Methyl Orthoester




Catalogue No.: **PA 19 21550**

CAS : **116015-72-6**

Molecular Formula : **C₁₅H₂₆O₁₂**

Molecular Weight : **398.36**

Sucrose Octasulfate Ammonium Salt



Catalogue No.: **PA 19 21560**


CAS : **74135-13-0**

Molecular Formula : **C₁₂H₄₆N₈O₃₅S₈**

Molecular Weight : **1119.05**

SIMILAR PRODUCTS ▼

Sucrose Octasulfate Potassium Salt



Catalogue No.: **PA 19 21570**


CAS : **73264-44-5**

Molecular Formula : **C₁₂H₁₄K₈O₃₅S₈**

Molecular Weight : **1287.55**

SIMILAR PRODUCTS ▼

Sucrose Octasulfate Sodium Salt



Catalogue No.: **PA 19 21580**

CAS : **74135-10-7**

Molecular Formula : **C₁₂H₁₄Na₈O₃₅S₈**

Molecular Weight : **1158.66**

SIMILAR PRODUCTS ▼


Sucrose 1,6,6'-Tricarboxylate Trimethyl Ester

Catalogue No.: **PA 19 21590**


CAS : **289711-92-8**

Molecular Formula : **C₁₅H₂₂O₁₄**

Molecular Weight : **526.33**



1',6,6'-Tri-O-tritylsucrose




Catalogue No.: **PA 19 21610**

CAS : **35674-14-7**

Molecular Formula : **C₆₉H₆₄O₁₁**

Molecular Weight : **1069.24**

1,6,6'-Tri-O-tritylsucrose Pentaacetate




Catalogue No.: **PA 19 21620**

CAS : **35867-26-6**

Molecular Formula : **C₇₉H₇₄O₁₆**

Molecular Weight : **1279.42**

Sucrose Heptasulfate



Catalogue No.: **PA 19 0211000**


CAS : **194420-01-4**

Molecular Formula : **C₁₂H₂₂O₃₂S₇**

Molecular Weight : **902.7**

SIMILAR PRODUCTS ▼

Isomelezitose



Catalogue No.: **PA 19 0211001**

CAS : **70711-92-1**


Molecular Formula : **C₁₈H₃₂O₁₆**

Molecular Weight : **504.44**

Lactulose

Lactulose is used by mouth for constipation and either by mouth or in the rectum for hepatic encephalopathy. It is available as a generic and brand-name product. Reference standards of Lactulose API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Lactulose - Impurity A



Catalogue No.: **PA 12 46010**

CAS : **50468-56-9**


Molecular Formula : **C₁₂H₂₂O₁₁**

Molecular Weight : **342.30**

Hidiosmin

Hidiosmin, is the labelled analogue of Hidiosmin (H325700), a derivative of Diosmin (D485200), which is a semisynthetic drug and a member of the flavonoid family. It is used for the treatment of venous diseases. Reference standards of Hidiosmin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Hidiosmin - API Standards



Catalogue No.: **PA 08 40000**

CAS : **115960-14-0**


Molecular Formula : **C₃₀H₃₆O₁₆**

Molecular Weight : **652.60**

Gentamicin

Gentamicin, sold under brand name Garamycin among others, it is an antibiotic, which is used to treat several types of bacterial infections. Reference standards of Gentamicin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Gentamicin - API Standards



Catalogue No.: **PA 07 43000**


CAS : **1403-66-3**

Molecular Formula : **C₂₁H₄₃N₅O₇**

Molecular Weight : **477.59**

SIMILAR PRODUCTS ▼

Gentamicin C1a



Catalogue No.: **PA 07 43510**


CAS : **26098-04-4**

Molecular Formula : **C₁₉H₃₉N₅O₇**

Molecular Weight : **449.54**

SIMILAR PRODUCTS ▼

Gentamicin C1



Catalogue No.: **PA 07 43520**


CAS : **25876-10-2**

Molecular Formula : **C₂₁H₄₃N₅O₇**

Molecular Weight : **477.6**

SIMILAR PRODUCTS ▼

Gentamicin C2




Catalogue No.: **PA 07 43530**

CAS : **25876-11-3**

Molecular Formula : **C₂₀H₄₁N₅O₇**

Molecular Weight : **463.57**

Gentamicin C2b




Catalogue No.: **PA 07 43540**

CAS : **52093-21-7**

Molecular Formula : **C₂₀H₄₁N₅O₇**

Molecular Weight : **463.57**

tetra-N-Carboxybenzyl Gentamicin




Catalogue No.: **PA 07 19510**

CAS : **NA**

Molecular Formula : **C₅₁H₆₁N₅O₁₅**

Molecular Weight : **984.05**

Gentamicin Deuterated (C Complex) Pentaacetate Salt (Contains d0)




Catalogue No.: **PA STI 044140**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

N-Nitroso Gentamicin-2




Catalogue No.: **PA 07 0431009**

CAS : **NA**

Molecular Formula : **C₂₁H₄₁N₇O₉**

Molecular Weight : **535.6**

N-(((2R,3S,4R,5R)-2-(((1S,2R,3R,4S,6R)-4,6-Diamino-3-(((2R,3R,6S)-3-amino-6-(1-(methylamino)ethyl)tetrahydro-2H-pyran-2-yl)oxy)-2-hydroxycyclohexyl)oxy)-3,5-dihydroxy-5-methyltetrahydro-2H-pyran-4-yl)-N-methylnitrous Amide



Catalogue No.: **PA 07 0431010**

CAS : **NA**

Molecular Formula : **C₂₁H₄₂N₆O₈**

Molecular Weight : **506.6**


N-Nitroso Gentamicin-3

Catalogue No.: **PA 07 0431011**

CAS : **NA**

Molecular Formula : **C₂₁H₄₂N₆O₈**


Molecular Weight : **506.6**



Gentamine C1

Catalogue No.: **PA 07 0431012** CAS : **1086901-92-9** Molecular Formula : **C₁₄H₃₀N₄O₄**

Molecular Weight : **318.42**



Kanamycin Acid Sulfate


Kanamycin Acid Sulfate is an antibiotic used to treat severe bacterial infections and tuberculosis. It is in the aminoglycoside family of medications. Reference standards of Kanamycin Acid Sulfate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Kanamycin Acid Sulfate - API Standards

Catalogue No.: **PA 11 09000** CAS : **64013-70-3** Molecular Formula : **C₁₈H₄₀N₄O₁₉S₂**

Molecular Weight : **680.66**


SIMILAR PRODUCTS ▼



Kanamycin A Sulfate

Catalogue No.: **PA 11 09520** CAS : **25389-94-0** Molecular Formula : **C₁₈H₃₈N₄O₁₅S**

Molecular Weight : **582.58**



Kanamycin Sulfate (Mixture of Kanamycin A, Kanamycin B, Kanamycin C)

Catalogue No.: **PA 11 0091002** CAS : **70560-51-9** Molecular Formula : **NA**

Molecular Weight : **NA**


Sucralose

A low calorie artificial sweetener used in food and beverages. A substitute of sugar. Reference standards of Sucralose API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Sucralose - API Standards

Catalogue No.: **PA 19 64000** CAS : **56038-13-2** Molecular Formula : **C₁₂H₁₉Cl₃O₈**


Molecular Weight : **397.64**



Sucralose - Impurity B

Catalogue No.: **PA 19 64020** CAS : **40631-75-2** Molecular Formula : **C₁₂H₁₉Cl₃O₈**


Molecular Weight : **397.63**



Sucralose - Impurity H

Catalogue No.: **PA 19 64080** CAS : **78508-21-1** Molecular Formula : **C₆H₁₀Cl₂O₄**


Molecular Weight : **217.04**



Sucralose - Impurity I

Catalogue No.: **PA 19 64090** CAS : **848642-13-7** Molecular Formula : **C₆H₁₁ClO₅**

Molecular Weight : **198.60**



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>