

Глюкурониды, глицерины

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>

Alprostadi

Alprostadi is produced endogenously and causes vasodilation by means of a direct effect on vascular and ductus arteriosus (DA) smooth muscle, preventing or reversing the functional closure of the DA that occurs shortly after birth. It is also used in maintaining a patent ductus arteriosus in newborns. Reference standards of Alprostadi API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Alprostadi - Impurity C

Catalogue No.: **PA 28 39030**


CAS : **22973-19-9**

Molecular Formula : **C₂₀H₃₂O₅**

Molecular Weight : **352.47**

Ascorbic Acid

It is one of the form of Vitamin C . Ascorbic acid is a naturally occurring organic compound with antioxidant properties. Ascorbic acid is classed as a reductone. It is taken as a nutrient by humans.. Reference standards of Ascorbic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Ascorbyl Palmitate

Catalogue No.: **PA 01 77510**


CAS : **137-66-6**

Molecular Formula : **C₂₂H₃₈O₇**

Molecular Weight : **414.53**

Colfosceril Palmitate

Colfosceril Palmitate is used as a replacement for endogenous lung surfactant. Colfosceril Palmitate is a lung surfactant agent. Reference standards of Colfosceril Palmitate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Colfosceril-d9 Palmitate

Catalogue No.: **PA STI 022450**

CAS : **NA**

Molecular Formula : **C₄₀H₇₁D₉NO₈P**

Molecular Weight : **743.09**

Colfosceril Palmitate - API Standards



Catalogue No.: **PA 82 20000**


CAS : **63-89-8**

Molecular Formula : **C₄₀H₈₀NO₈P**

Molecular Weight : **734.05**

Sesame Oil

A cooking oil, taste enhancer and a massage oil, sesame is derived from sesame seeds which are nutrient-rich seeds. Sesame oil contains vitamin K as an essential nutrient in significant content. Reference standards of Sesame Oil API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



1,2-Dilinoleoyl-3-oleoyl-rac-glycerol

Catalogue No.: **PA 19 59510**


CAS : **2190-21-8**

Molecular Formula : **C₅₇H₁₀₀O₆**

Molecular Weight : **881.4**

Piroxicam

Piroxicam is a Non-steroidal anti-inflammatory drug and it belongs to the class of oxicam family. It is used in the treatment of rheumatoid and osteoarthritis. Piroxicam is a non-selective COX inhibitor with analgesic and antipyretic properties. Reference standards of Piroxicam API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



1,3-Dipalmitoyl-2-chloropropanediol-d5

Catalogue No.: **PA STI 035450**

CAS : **1426395-62-1**

Molecular Formula : **C₃₅H₆₂D₅ClO₄**

Molecular Weight : **592.39**

Eicosapentaenoic Acid

It serves as the precursor for the prostaglandin-3 and thromboxane-3 families. A diet rich in eicosapentaenoic acid lowers serum lipid concentration, reduces incidence of cardiovascular disorders, prevents platelet aggregation, and inhibits arachidonic acid conversion into the thromboxane-2 and prostaglandin-2 families.. Reference standards of Eicosapentaenoic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Eicosapentaenoic Acid Ethyl Ester



Catalogue No.: **PA 32 19510**

CAS : **86227-47-6**

Molecular Formula : **C₂₂H₃₄O₂**

Molecular Weight : **330.5**

all-cis-7,10,13,16,19-Docosapentaenoic Acid




Catalogue No.: **PA 32 19520**

CAS : **24880-45-3**

Molecular Formula : **C₂₂H₃₄O₂**

Molecular Weight : **330.5**

Eicosapentaenoic Acid-d5



Catalogue No.: **PA STI 036820**

CAS : **1197205-73-4**

Molecular Formula : **C₂₀H₂₅D₅O₂**

Molecular Weight : **307.48**

Eicosapentaenoic Acid-d5 Ethyl Ester



Catalogue No.: **PA STI 036830**

CAS : **1185247-85-1**

Molecular Formula : **C₂₂H₂₉D₅O₂**

Molecular Weight : **335.53**

(8Z,11Z,14Z,17Z)-2-(Methylperoxy)icosa-1,8,11,14,17-pentaene



Catalogue No.: **PA 32 19530**

CAS : **132712-70-0**

Molecular Formula : **C₂₁H₃₄O₂**

Molecular Weight : **318.5**

Ethyl (4Z,7Z,10Z,13Z,16Z)-docosa-4,7,10,13,16-pentaenoate



Catalogue No.: **PA 32 0191006**

CAS : **142828-42-0**

Molecular Formula : **C₂₄H₃₈O₂**

Molecular Weight : **358.57**

Ethyl (4Z,7Z,10Z,13Z)-hexadeca-4,7,10,13-tetraenoate



Catalogue No.: **PA 32 0191007**

CAS : **151259-46-0**

Molecular Formula : **C₁₈H₂₈O₂**

Molecular Weight : **276.42**

Ethyl (5Z,8Z,11Z,14Z,17Z)-nonadeca-5,8,11,14,17-pentaenoate



Catalogue No.: **PA 32 0191008**

CAS : **2347415-07-8**

Molecular Formula : **C₂₁H₃₂O₂**

Molecular Weight : **316.49**

Ethyl (5Z,8Z,11Z,14Z,17E)-icosa-5,8,11,14,17-pentaenoate

Catalogue No.: **PA 32 0191009**

CAS : **125827-48-7**

Molecular Formula : **C₂₂H₃₄O₂**

Molecular Weight : **330.51**



Ethyl (5Z,8Z,11Z,14E,17Z)-icosa-5,8,11,14,17-pentaenoate

Catalogue No.: **PA 32 0191010** CAS : **NA**

Molecular Formula : **C₂₂H₃₄O₂**

Molecular Weight : **330.51**



Ethyl (5E,8Z,11Z,14Z,17Z)-icosa-5,8,11,14,17-pentaenoate

Catalogue No.: **PA 32 0191011** CAS : **125827-50-1**

Molecular Formula : **C₂₂H₃₄O₂**

Molecular Weight : **330.51**



Ethyl (5Z,8E,11Z,14Z,17Z)-icosa-5,8,11,14,17-pentaenoate

Catalogue No.: **PA 32 0191012** CAS : **125827-49-8**

Molecular Formula : **C₂₂H₃₄O₂**

Molecular Weight : **330.51**



Methyl (6Z,9Z,12Z,15Z,18Z)-henicosa-6,9,12,15,18-pentaenoate

Catalogue No.: **PA 32 0191013** CAS : **65919-53-1**

Molecular Formula : **C₂₂H₃₄O₂**

Molecular Weight : **330.51**



Ethyl (5Z,8Z,11Z,14Z)-nonadeca-5,8,11,14-tetraenoate

Catalogue No.: **PA 32 0191014** CAS : **860629-94-3**

Molecular Formula : **C₂₁H₃₄O₂**

Molecular Weight : **318.5**




Ethyl 9-(3-methyl-5-pentylfuran-2-yl)nonanoate

Catalogue No.: **PA 32 0191015** CAS : **2159059-31-9**

Molecular Formula : **C₂₁H₃₆O₃**

Molecular Weight : **336.52**



Ethyl (7Z,10Z,13Z,16Z)-icosa-7,10,13,16,19-pentaenoate

Catalogue No.: **PA 32 0191016** CAS : **2447131-66-8**

Molecular Formula : **C₂₂H₃₄O₂**

Molecular Weight : **330.51**



Ethyl (5Z,8Z,11E,14Z,17Z)-icosa-5,8,11,14,17-pentaenoate

Catalogue No.: **PA 32 0191017** CAS : **NA**

Molecular Formula : **C₂₂H₃₄O₂**

Molecular Weight : **330.51**




Resolvin E1

Catalogue No.: **PA 32 0191018** CAS : **552830-51-0**

Molecular Formula : **C₂₀H₃₀O₅**

Molecular Weight : **350.46**



Resolvin E2

Catalogue No.: **PA 32 0191019** CAS : **865532-70-3**

Molecular Formula : **C₂₀H₃₀O₄**

Molecular Weight : **334.46**

Resolvin E4




Catalogue No.: **PA 32 0191020** CAS : **1781227-87-9** Molecular Formula : **C₂₀H₃₀O₄**

Molecular Weight : **334.46**

Retinol


Retinol is used to treat vitamin A deficiency. It is available as a generic medication and over the counter. Reference standards of Retinol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



9-cis-Retinyl Oleate-d17

Catalogue No.: **PA STI 077810** CAS : **1795134-64-3** Molecular Formula : **C₃₈H₄₅D₁₇O₂**


Molecular Weight : **568.00**



9-cis-Retinyl Palmitate-d5

Catalogue No.: **PA STI 077830** CAS : **NA** Molecular Formula : **C₃₆H₅₅D₅O₂**


Molecular Weight : **529.89**



9-cis-Retinyl Stearate-d5

Catalogue No.: **PA STI 077850** CAS : **1331643-11-8** Molecular Formula : **C₃₈H₅₉D₅O₂**

Molecular Weight : **557.94**



9-cis-Retinyl Stearate-d5


Catalogue No.: **PA STI 077860** CAS : **NA** Molecular Formula : **C₃₈H₅₉D₅O₂**

Molecular Weight : **557.94**

Ubidecarenone

Ubidecarenone is sold as a dietary supplement and is not FDA approved as a drug thus, it is not meant to treat, cure or prevent any disease. Reference standards of Ubidecarenone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.


Ubidecarenone - API Standards



Catalogue No.: **PA 21 01000** CAS : **303-98-0** Molecular Formula : **C₅₉H₉₀O₄**

Molecular Weight : **863.34**


Vatiquinone



Catalogue No.: **PA 21 0011002** CAS : **1213269-98-7** Molecular Formula : **C₂₉H₄₄O₃**

Molecular Weight : **440.67**


Ubidecarenone - Impurity B



Catalogue No.: **PA 21 0010020** CAS : **303-95-7** Molecular Formula : **C₄₄H₆₆O₄**

Molecular Weight : **659.01**


Ubidecarenone - Impurity C



Catalogue No.: **PA 21 0010030** CAS : **2394-68-5** Molecular Formula : **C₄₉H₇₄O₄**

Molecular Weight : **727.13**

5-Demethoxy Coenzyme Q10



Catalogue No.: **PA 21 0011003** CAS : **2006296-15-5** Molecular Formula : **C₅₈H₈₈O₃**

Molecular Weight : **833.34**

Glycerol


Glycerol is also used as filler in commercially prepared low-fat foods and as a thickening agent in liqueurs. Glycerol is a simple polyol compound. Reference standards of Glycerol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

2-Arachidonyl Glycerol-d5




Catalogue No.: **PA STI 008540** CAS : **1215168-37-8** Molecular Formula : **C₂₃H₃₃D₅O₄** Molecular Weight : **383.58**

1,3-O-Bis(triisopropylsilyl) 2-Oleoyl Glycerol-d5




Catalogue No.: **PA STI 013710** CAS : **1331658-79-7** Molecular Formula : **C₃₉H₇₅D₅O₄Si₂** Molecular Weight : **674.25**

Glycerol-d5 1,3-Dipalmitate




Catalogue No.: **PA STI 045510** CAS : **65615-82-9** Molecular Formula : **C₃₅H₆₃D₅O₅** Molecular Weight : **573.94**

D-Glycerol-1-13C




Catalogue No.: **PA STI 045520** CAS : **NA** Molecular Formula : **C₂₁₃CH₈O₃** Molecular Weight : **93.09**

D-Glycerol-3-13C




Catalogue No.: **PA STI 045530** CAS : **154278-20-3** Molecular Formula : **C₂₁₃CH₈O₃** Molecular Weight : **93.09**

rac-Glycerol-1-13C




Catalogue No.: **PA STI 045540** CAS : **98292-00-3** Molecular Formula : **C₁₁₃CH₈O₃** Molecular Weight : **93.05**

1-Linoleoyl-rac-glycerol-d5




Catalogue No.: **PA STI 056790** CAS : **1795137-84-6** Molecular Formula : **C₂₁H₃₃D₅O₄** Molecular Weight : **359.55**

2-Myristoylglycerol-d5



Catalogue No.: **PA STI 066610** CAS : **NA** Molecular Formula : **C₁₇H₂₉D₅O₄** Molecular Weight : **307.48**

1-Octanoyl-rac-glycerol-d5



Catalogue No.: **PA STI 069640** CAS : **1794835-68-9** Molecular Formula : **C₁₁H₁₇D₅O₄** Molecular Weight : **223.32**


rac 1-Oleoyl Glycerol-d5

Catalogue No.: **PA STI 070000** CAS : **565183-24-6** Molecular Formula : **C₂₁H₃₅D₅O₄** Molecular Weight : **361.57**




2-Oleoyl Glycerol-d5

Catalogue No.: **PA STI 070010** CAS : **946524-37-4** Molecular Formula : **C₂₁H₃₅D₅O₄** Molecular Weight : **361.57**




1-Palmitoyl-rac-glycerol-d5

Catalogue No.: **PA STI 071250** CAS : **NA** Molecular Formula : **C₁₉H₃₃D₅O₄** Molecular Weight : **335.53**




1-Palmitoyl-2-oleoyl-sn-glycerol-3-phosphocholine-13C18

Catalogue No.: **PA STI 071300** CAS : **NA** Molecular Formula : **C₂₄₁₃C₁₈H₈₃NO₈P** Molecular Weight : **778.95**




1-Palmitoyl-2-oleoyl-3-stearoyl-rac-glycerol-d5

Catalogue No.: **PA STI 071310** CAS : **NA** Molecular Formula : **C₅₅H₉₉D₅O₆** Molecular Weight : **866.44**




(R,S)-1-Tosyl Glycerol-d5

Catalogue No.: **PA STI 083990** CAS : **928623-32-9** Molecular Formula : **C₁₀H₉D₅O₅S** Molecular Weight : **251.31**



1,2-Dipalmitoyl-sn-glycerol

Catalogue No.: **PA 07 21560** CAS : **30334-71-5** Molecular Formula : **C₃₅H₆₈O₅** Molecular Weight : **568.92**




1,2-Dioleoyl-3-palmitoyl-rac-glycerol

Catalogue No.: **PA 07 0211000** CAS : **2190-30-9** Molecular Formula : **C₅₅H₁₀₂O₆** Molecular Weight : **859.42**




1-O-Hexylglycerol

Catalogue No.: **PA 07 0211001** CAS : **10305-38-1** Molecular Formula : **C₉H₂₀O₃** Molecular Weight : **176.26**




2-(β-Glucosyl)glycerol

Catalogue No.: **PA 07 0211002** CAS : **10588-30-4** Molecular Formula : **C₉H₁₈O₈** Molecular Weight : **254.24**




2-Benzyloxy-1,3-propanediol

Catalogue No.: **PA 07 0211005** CAS : **14690-00-7** Molecular Formula : **C₁₀H₁₄O₃** Molecular Weight : **182.22**



2-Hydroxypropane-1,3-diyl bis(4-phenylbutanoate)



Catalogue No.: **PA 07 0211006**


CAS : **864811-35-8**

Molecular Formula : **C₂₃H₂₈O₅**

Molecular Weight : **384.47**

Piroxicam

Piroxicam is a Non-steroidal anti-inflammatory drug and it belongs to the class of oxycam family. It is used in the treatment of rheumatoid and osteoarthritis. Piroxicam is a non-selective COX inhibitor with analgesic and antipyretic properties. Reference standards of Piroxicam API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



1,3-Dipalmitoyl-2-chloropropanediol-d5

Catalogue No.: **PA STI 035450**

CAS : **1426395-62-1**

Molecular Formula : **C₃₅H₆₂D₅ClO₄**

Molecular Weight : **592.39**

Oleic Acid

Oleic Acid is the most common fatty acid in nature. The principal use of oleic acid is as a component in many foods, in the form of its triglycerides. It is a fatty acid that occurs naturally in various animal and vegetable fats and oils. Reference standards of Oleic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Oleic Acid - API Standards




Catalogue No.: **PA 15 48000**

CAS : **112-80-1**

Molecular Formula : **C₁₈H₃₄O₂**

Molecular Weight : **282.46**




2-Hydroxy Oleic Acid-d17

Catalogue No.: **PA STI 050430**

CAS : **1346606-40-3**

Molecular Formula : **C₁₈H₁₇D₁₇O₃**

Molecular Weight : **315.57**



Oleic Acid-d17

Catalogue No.: **PA STI 069940**

CAS : **223487-44-3**

Molecular Formula : **C₁₈H₁₇D₁₇O₂**

Molecular Weight : **299.57**



Oleic Acid-13C

Catalogue No.: **PA STI 069950**

CAS : **82005-44-5**


Molecular Formula : **C₁₇₁₃H₃₄O₂**

Molecular Weight : **283.45**

Spilanthol

A naturally occurring fatty acid amide which is responsible for the local anesthetic properties of the plant. Reference standards of Spilanthol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Spilanthol - API Standards



Catalogue No.: **PA 19 97000**

CAS : **25394-57-4**


Molecular Formula : **C₁₄H₂₃NO**

Molecular Weight : **221.34**

Octanoic Acid

Octanoic Acid is used commercially in the production of esters used in perfumery and also in the manufacture of dyes. It is an oily liquid with a slightly unpleasant rancid-like smell that is minimally soluble in water. Reference standards of Octanoic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Octanoic Acid - API Standards



Catalogue No.: **PA 15 55000**


CAS : **124-07-2**

Molecular Formula : **C₈H₁₆O₂**

Molecular Weight : **144.21**

SIMILAR PRODUCTS ✓

3-Hydroxyoctanoic Acid-d12




Catalogue No.: **PA STI 050860**

CAS : **1215622-76-6**

Molecular Formula : **C₈H₄D₁₂O₃**

Molecular Weight : **172.28**

Octanoic Acid-D15



Catalogue No.: **PA STI 069620**

CAS : **69974-55-6**


Molecular Formula : **C₈HD₁₅O₂**

Molecular Weight : **159.30**

Myristic Acid

Myristic Acid has a variety of uses in the beauty industry, including as a Fragrance Ingredient Opacifying Agent Surfactant Cleansing Agent and Emulsifier. It is a fatty acid. Reference standards of Myristic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Myristic Acid - API Standards




Catalogue No.: **PA 40 25000**

CAS : **544-63-8**

Molecular Formula : **C₁₄H₂₈O₂**

Molecular Weight : **228.37**

(R)-3-Benzoyloxy Myristic Acid




Catalogue No.: **PA 40 25510**

CAS : **87357-67-3**

Molecular Formula : **C₂₁H₃₄O₃**

Molecular Weight : **334.49**

Myristic Acid N-Hydroxysuccinimide Ester-13C14




Catalogue No.: **PA STI 066590**

CAS : **NA**

Molecular Formula : **C₄₁₃C₁₄H₃₁NO₄**

Molecular Weight : **339.34**

Myristoleic Acid



Catalogue No.: **PA 40 0251001**

CAS : **544-64-9**


Molecular Formula : **C₁₄H₂₆O₂**

Molecular Weight : **226.36**

Sodium Stearyl Fumarate

Sodium Stearyl Fumarate useful in situations where other lubricating agents fail to provide tablets of adequate stability, hardness, content uniformity, disintegration and dissolution rate. Reference standards of Sodium Stearyl Fumarate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Sodium Stearyl Fumarate - API Standards



Catalogue No.: **PA 46 01000**

CAS : **4070-80-8**


Molecular Formula : **C₂₂H₃₉NaO₄**

Molecular Weight : **390.53**

Misoprostol

Misoprostol used to reduce the risk of NSAID related ulcers, manage miscarriages, prevent post partum hemorrhage, and also for first trimester abortions. It is a prostaglandin analog. It is available as a generic medication. Reference standards of Misoprostol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Misoprostol - Impurity C




Catalogue No.: **PA 40 09030**

CAS : **58682-86-3**

Molecular Formula : **C₂₂H₃₆O₄**

Molecular Weight : **364.52**

Misoprostol - Impurity D




Catalogue No.: **PA 40 09040**

CAS : **1788085-79-9**

Molecular Formula : **C₂₂H₃₆O₄**

Molecular Weight : **364.52**

Misoprostol - Impurity E




Catalogue No.: **PA 40 09050**

CAS : **58717-36-5**

Molecular Formula : **C₂₂H₃₈O₅**

Molecular Weight : **382.53**

Misoprostol Impurity (A-Form)




Catalogue No.: **PA 40 09510**

CAS : **NA**

Molecular Formula : **C₂₂H₃₆O₄**

Molecular Weight : **364.52**

8-Iso Misoprostol




Catalogue No.: **PA 40 09520**

CAS : **1256643-55-6**

Molecular Formula : **C₂₂H₃₈O₅**

Molecular Weight : **382.53**

(Z)-Misoprostol (Mixture of Diastereomers)




Catalogue No.: **PA 40 09530**

CAS : **58717-37-6**

Molecular Formula : **C₂₂H₃₈O₅**

Molecular Weight : **382.53**

(8R,11R,12R,16RS)-Misoprostol-d5




Catalogue No.: **PA STI 065320**

CAS : **NA**

Molecular Formula : **C₂₂H₃₃D₅O₅**

Molecular Weight : **387.56**

(8R,11R,12R,16RS)-Misoprostol Acid-d5




Catalogue No.: **PA STI 065330**

CAS : **1337917-44-8**

Molecular Formula : **C₂₁H₃₁D₅O₅**

Molecular Weight : **373.54**

Misoprostol Acid



Catalogue No.: **PA 40 0091000**

CAS : **112137-89-0**

Molecular Formula : **C₂₁H₃₆O₅**

Molecular Weight : **368.51**

2-Hydroxy-5-oxo-1-cyclopentene-1-heptanoic Acid

Catalogue No.: **PA 40 0091001**


CAS : **23535-02-6**

Molecular Formula : **C₁₂H₁₈O₄**

Molecular Weight : **226.27**

Docosahexaenoic Acid

A mixture of fish oil and primrose oil, doconexent is used as a high-docosahexaenoic acid supplement. it is an omega-3 fatty acid.. Reference standards of Docosahexaenoic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Docosahexaenoic Acid-d5

Catalogue No.: **PA STI 036020** CAS : **1197205-71-2** Molecular Formula : **C₂₂H₂₇D₅O₂** Molecular Weight : **333.52**




Docosahexaenoic Acid-d5 Ethyl Ester

Catalogue No.: **PA STI 036030** CAS : **159146-01-7** Molecular Formula : **C₂₄H₃₁D₅O₂** Molecular Weight : **361.57**





Docosahexaenoic Acid Ethyl-d5 Ester

Catalogue No.: **PA STI 036040** CAS : **2692624-15-8** Molecular Formula : **C₂₄H₃₁D₅O₂** Molecular Weight : **361.57**




Maresin 1

Catalogue No.: **PA 31 0411002** CAS : **1268720-28-0** Molecular Formula : **C₂₂H₃₂O₄** Molecular Weight : **360.49**





Maresin 2

Catalogue No.: **PA 31 0411003** CAS : **1639809-46-3** Molecular Formula : **C₂₂H₃₂O₄** Molecular Weight : **360.49**




(7S)-Maresin 1

Catalogue No.: **PA 31 0411004** CAS : **1268720-66-6** Molecular Formula : **C₂₂H₃₂O₄** Molecular Weight : **360.49**



Resolvin D3

Catalogue No.: **PA 31 0411005** CAS : **916888-47-6** Molecular Formula : **C₂₂H₃₂O₅** Molecular Weight : **376.49**




Resolvin D4

Catalogue No.: **PA 31 0411006** CAS : **1025684-60-9** Molecular Formula : **C₂₂H₃₂O₅** Molecular Weight : **376.49**




Resolvin D2

Catalogue No.: **PA 31 0411007** CAS : **810668-37-2** Molecular Formula : **C₂₂H₃₂O₅** Molecular Weight : **376.49**




Resolvin D1


Catalogue No.: **PA 31 0411008** CAS : **872993-05-0** Molecular Formula : **C₂₂H₃₂O₅** Molecular Weight : **376.49**


	Protectin D1	Catalogue No.: PA 31 0411009	CAS : 660430-03-5	Molecular Formula : C₂₂H₃₂O₄	Molecular Weight : 360.49
---	---------------------	-------------------------------------	--------------------------	--	----------------------------------


Arachidonic Acid


Arachidonic acid is important to human body. It as a starting material in the synthesis of two kinds of essential substances, the prostaglandins and the leukotrienes, both of which are also unsaturated carboxylic acids.. Reference standards of Arachidonic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below


	Arachidonic Acid - API Standards	Catalogue No.: PA 01 66000	CAS : 506-32-1	Molecular Formula : C₂₀H₃₂O₂	Molecular Weight : 304.47
--	---	-----------------------------------	-----------------------	--	----------------------------------


	12(S)-Hydroxy (5Z,8Z,10E,14Z)-Eicosatetraenoic Acid	Catalogue No.: PA 01 66510	CAS : 54397-83-0	Molecular Formula : C₂₀H₃₂O₃	Molecular Weight : 320.47
--	--	-----------------------------------	-------------------------	--	----------------------------------


	Arachidonic Acid Glycidyl Ester	Catalogue No.: PA 01 66520	CAS : 439146-24-4	Molecular Formula : C₂₃H₃₆O₃	Molecular Weight : 360.53
--	--	-----------------------------------	--------------------------	--	----------------------------------

	Ethyl Arachidonate	Catalogue No.: PA 01 66530	CAS : 1808-26-0	Molecular Formula : C₂₂H₃₆O₂	Molecular Weight : 332.52
--	---------------------------	-----------------------------------	------------------------	--	----------------------------------

	Arachidonic Acid Methyl Ester	Catalogue No.: PA 01 66540	CAS : 2566-89-4	Molecular Formula : C₂₁H₃₄O₂	Molecular Weight : 318.49
--	--------------------------------------	-----------------------------------	------------------------	--	----------------------------------


	Arachidonic Acid-d11	Catalogue No.: PA STI 008510	CAS : 1287387-84-1	Molecular Formula : C₂₀H₂₁D₁₁O₂	Molecular Weight : 315.53
--	-----------------------------	-------------------------------------	---------------------------	--	----------------------------------

	Lipoxin A4	Catalogue No.: PA 01 0661000	CAS : 89663-86-5	Molecular Formula : C₂₀H₃₂O₅	Molecular Weight : 352.47
--	-------------------	-------------------------------------	-------------------------	--	----------------------------------

	Lipoxin B4	Catalogue No.: PA 01 0661001	CAS : 98049-69-5	Molecular Formula : C₂₀H₃₂O₅	Molecular Weight : 352.47
--	-------------------	-------------------------------------	-------------------------	--	----------------------------------

Paracetamol

Paracetamol is used for reducing fever in people of all ages. Paracetamol is available as a generic medication with trade names including Tylenol and Panadol, among others. It also known as acetaminophen. Reference standards of Paracetamol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	AM 404-d4	Catalogue No.: PA STI 004980	CAS : 1185244-71-6	Molecular Formula : C₂₆H₃₃D₄NO₂	Molecular Weight : 399.60
--	------------------	-------------------------------------	---------------------------	--	----------------------------------

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>