

Производные фосфорилхолина, фотоаффинные реагенты, активаторы протеинкиназы, стандарты Японии

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>

Abacavir

Abacavir is a chiral purine carbocyclic nucleoside, which is a prodrug of the guanosine analog (-) carbovir, Abacavir or ABC is an antiretroviral medication used to prevent and treat HIV/AIDS. Reference standards of Abacavir API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Abacavir 5'-Phosphate

Catalogue No.: **PA 01 01570**


CAS : **136470-77-4**

Molecular Formula : **C₁₄H₁₉N₆O₄P**

Molecular Weight : **366.31**

Phosphatidylcholine

Phosphatidylcholines are a class of phospholipids, phosphatidylcholine to make a brain chemical called acetylcholine, there is also some interest in using it for treating brain-centered. Reference standards of Phosphatidylcholine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Stearoyl L-α-Lysolecithin

Catalogue No.: **PA 43 69550**

CAS : **19420-57-6**

Molecular Formula : **C₂₆H₅₄NO₇P**

Molecular Weight : **523.69**



Phosphatidylethanolamine

Catalogue No.: **PA 43 69560**


CAS : **39382-08-6**

Molecular Formula : **NA**

Molecular Weight : **NA**

Vemurafenib

The name vemurafenib comes from V600E mutated BRAF inhibition. Vemurafenib is used to treat certain types of melanoma. Reference standards of Vemurafenib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Vemurafenib-d5

Catalogue No.: **PA STI 086780**

CAS : **1365986-90-8**

Molecular Formula : **C₂₃H₁₃D₅ClF₂N₃O₃S**

Molecular Weight : **494.95**



Vemurafenib - API Standards

Catalogue No.: **PA 22 59000**


CAS : **918504-65-1**

Molecular Formula : **C₂₃H₁₈ClF₂N₃O₃S**

Molecular Weight : **489.92**

Tamoxifen Citrate

A citrate salt of Tamoxifen, which is a selective estrogen-receptor modulator (SERM), Tamoxifen is used in the treatment of breast cancer and uterine cancer. Reference standards of Tamoxifen Citrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Tamoxifen Citrate - API Standards


Catalogue No.: **PA 20 04000**

CAS : **54965-24-1**

Molecular Formula : **C₃₂H₃₇NO₈**

Molecular Weight : **563.64**

SIMILAR PRODUCTS



Tamoxifen Citrate - Impurity A

Catalogue No.: **PA 20 04010**


CAS : **13002-65-8**

Molecular Formula : **C₂₆H₂₉NO**

Molecular Weight : **371.51**

Tamoxifen

A selective estrogen-receptor modulator (SERM), Tamoxifen is used in the treatment of breast cancer and uterine cancer. Reference standards of Tamoxifen API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Tamoxifen - API Standards


Catalogue No.: **PA 20 03000**

CAS : **10540-29-1**

Molecular Formula : **C₂₆H₂₉NO**

Molecular Weight : **371.52**

SIMILAR PRODUCTS




Tamoxifen Citrate

Catalogue No.: **PA 20 04020**

CAS : **748-97-0**

Molecular Formula : **C₂₆H₃₁NO₂**

Molecular Weight : **389.53**




N-Demethyl-3,4-dihydroxytamoxifen-d3 Hydrochloride (Z,E mixture)

Catalogue No.: **PA STI 025690**

CAS : **2734702-87-3**

Molecular Formula : **C₂₅H₂₅D₃CINO₃**

Molecular Weight : **428.97**




N-Demethyl-3-methoxy-4-hydroxytamoxifen-d3 Hydrochloride (Z,E mixture)

Catalogue No.: **PA STI 025700**

CAS : **2734441-66-6**

Molecular Formula : **C₂₆H₂₇D₃CINO₃**

Molecular Weight : **442.99**




Tamoxifen-13C6

Catalogue No.: **PA STI 080830**

CAS : **1346606-38-9**

Molecular Formula : **C₂₀₁₃C₆H₂₉NO**

Molecular Weight : **377.47**




Tamoxifen-d5

Catalogue No.: **PA STI 080860**

CAS : **157698-32-3**

Molecular Formula : **C₂₆H₂₄D₅NO**

Molecular Weight : **376.55**




1,1,1-Trifluoromethanesulfonic Acid (E)-4-[1-[4-[2-(Dimethylamino)ethoxy]phenyl]-2-phenyl-1-buten-1-yl]phenyl Ester

Catalogue No.: **PA 20 03520**

CAS : **1370699-80-1**

Molecular Formula : **C₂₇H₂₈F₃NO₄S**

Molecular Weight : **519.58**




5-Methoxy-N,N-bis(phenylmethyl)-1H-indole-3-ethanamine

Catalogue No.: **PA 20 0031019**

CAS : **300834-81-5**

Molecular Formula : **C₂₅H₂₆N₂O**

Molecular Weight : **370.5**




(Z)-N-(2-(4-(1,2-Diphenylbut-1-en-1-yl)phenoxy)ethyl)-N-methylnitrous Amide

Catalogue No.: **PA 20 0031020** CAS : **NA**

Molecular Formula : **C₂₅H₂₆N₂O₂**

Molecular Weight : **386.5**



2-(4-(1-(4-((2-(Dimethylamino)ethoxy)phenyl)(phenyl)methyl)phenyl)-2-phenylbut-1-en-1-yl)phenoxy)-N,N-dimethylethan-1-amine


Catalogue No.: **PA 20 0031021** CAS : **2125703-03-7**

Molecular Formula : **C₄₃H₄₈N₂O₂**

Molecular Weight : **624.87**

Sulfonamide

Sulfonamide treat bacterial infections. Reference standards of Sulfonamide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Necrosulfonamide-d4


Catalogue No.: **PA STI 067170** CAS : **1795144-22-7**

Molecular Formula : **C₁₈H₁₁D₄N₅O₆S₂**

Molecular Weight : **465.50**

Sildenafil Citrate

A citrate salt of Sildenafil sold under the brand name of Viagra. Sildenafil is used for the treatment of erectile dysfunction and pulmonary arterial hypertension. Sildenafil inhibits an enzyme cGMP-specific phosphodiesterase type 5 that promotes degradation of cGMP, which regulates blood flow in the penis. Reference standards of Sildenafil Citrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



4-Ethoxy-N,N-bis(2-hydroxyethyl)-3-(1-methyl-7-oxo-3-propyl-6,7-dihydro-1H-pyrazolo[4,3-d]pyrimidin-5-yl)benzenesulfonamide

Catalogue No.: **PA 19 09590**


CAS : **226956-43-0**

Molecular Formula : **C₂₁H₂₉N₅O₆S**

Molecular Weight : **479.55**

Oleic Acid

Oleic Acid is the most common fatty acid in nature. The principal use of oleic acid is as a component in many foods, in the form of its triglycerides. It is a fatty acid that occurs naturally in various animal and vegetable fats and oils. Reference standards of Oleic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



2-Hydroxy Oleic Acid-d17

Catalogue No.: **PA STI 050430**


CAS : **1346606-40-3**

Molecular Formula : **C₁₈H₁₇D₁₇O₃**

Molecular Weight : **315.57**

Glycerol

Glycerol is also used as filler in commercially prepared low-fat foods and as a thickening agent in liqueurs. Glycerol is a simple polyol compound. Reference standards of Glycerol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Glycerol-d5 1,3-Dipalmitate

Catalogue No.: **PA STI 045510**


CAS : **65615-82-9**


Molecular Formula : **C₃₅H₆₃D₅O₅**


Molecular Weight : **573.94**

Fasudil

Fasudil is used for the treatment of cerebral vasospasm. It is a potent Rho-kinase inhibitor and vasodilator. Reference standards of Fasudil API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.


	Fasudil - API Standards			
	Catalogue No.: PA 33 33000	CAS : 103745-39-7	Molecular Formula : C₁₄H₁₇N₃O₂S	Molecular Weight : 291.37

	N-(2-Aminoethyl)-5-isoquinolinesulfonamide			
	Catalogue No.: PA 33 33510	CAS : 84468-17-7	Molecular Formula : C₁₁H₁₃N₃O₂S	Molecular Weight : 251.3

	N-(2-Aminoethyl)-5-isoquinolinesulfonamide Hydrochloride			
	Catalogue No.: PA 33 33520	CAS : 116970-50-4	Molecular Formula : C₁₁H₁₄ClN₃O₂S	Molecular Weight : 287.77


Cobimetinib

It has been approved in Switzerland and the US, in combination with vemurafenib for the treatment of patients with unresectable or metastatic BRAF V600 mutation-positive melanoma.. Reference standards of Cobimetinib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

	Cobimetinib - API Standards			
	Catalogue No.: PA 56 64000	CAS : 934660-93-2	Molecular Formula : C₂₁H₂₁F₃IN₃O₂	Molecular Weight : 531.31
SIMILAR PRODUCTS 				

Selegiline


Selegiline is used together with other medicines to treat symptoms of Parkinson's disease. Selegiline, also known as L-deprenyl and sold under the brand names Eldepryl. Reference standards of Selegiline API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	rac 4-Azido Deprenyl-d3			
	Catalogue No.: PA STI 009570	CAS : 1346819-62-4	Molecular Formula : C₁₃H₁₃D₃N₄	Molecular Weight : 231.31

Miltefosine

Miltefosine is primarily used for the treatment of visceral and New World cutaneous leishmaniasis. It is sold under the trade name Impavido. Reference standards of Miltefosine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Miltefosine - API Standards



Catalogue No.: **PA 40 41000**

CAS : **58066-85-6**

Molecular Formula : **C₂₁H₄₆NO₄P**

Molecular Weight : **407.57**

Dodecylphosphocholine




Catalogue No.: **PA 40 0411002**

CAS : **29557-51-5**

Molecular Formula : **C₁₇H₃₈NO₄P**

Molecular Weight : **351.47**

Pentadecyl(2-(trimethylammonio)ethyl)phosphate



Catalogue No.: **PA 40 0411003**

CAS : **146801-07-2**

Molecular Formula : **C₂₀H₄₄NO₄P**

Molecular Weight : **393.55**

2-Aminoethyl hexadecyl hydrogen phosphate



Catalogue No.: **PA 40 0411004**

CAS : **57303-02-3**

Molecular Formula : **C₁₈H₄₀NO₄P**

Molecular Weight : **365.49**

Heptadecyl (2-(trimethylammonio)ethyl) phosphate




Catalogue No.: **PA 40 0411005**

CAS : **139256-98-7**

Molecular Formula : **C₂₂H₄₈NO₄P**

Molecular Weight : **421.6**

Octadecylphosphocholine



Catalogue No.: **PA 40 0411006**

CAS : **65956-63-0**

Molecular Formula : **C₂₃H₅₀NO₄P**

Molecular Weight : **435.63**

Hexadecyl Phosphate



Catalogue No.: **PA 40 0411007**


CAS : **3539-43-3**

Molecular Formula : **C₁₆H₃₅O₄P**

Molecular Weight : **322.43**

Cytidine

Cytidine also known as 5'-cytidylic acid or simply cytidylate, and abbreviated CMP, is a nucleotide that is used as a monomer in RNA. It is a nucleoside molecule.. Reference standards of Cytidine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




5-Azacytidine 5'-Triphosphate

Catalogue No.: **PA 03 87560**

CAS : **2226-74-6**

Molecular Formula : **C₈H₁₅N₄O₁₄P₃**

Molecular Weight : **484.14**




Cytidine 5'-Monophosphate Disodium Salt

Catalogue No.: **PA 03 87810**

CAS : **6757-06-8**

Molecular Formula : **C₉H₁₂N₃Na₂O₈P**

Molecular Weight : **367.16**




DMT-dC(ac) Phosphoramidite

Catalogue No.: **PA 03 87840**

CAS : **154110-40-4**

Molecular Formula : **C₄₁H₅₀N₅O₈P**

Molecular Weight : **771.84**



DMT-dT Phosphoramidite

Catalogue No.: **PA 03 87850**

CAS : **98796-51-1**

Molecular Formula : **C₄₀H₄₉N₄O₈P**

Molecular Weight : **744.81**

Baclofen

GABA receptor agonist, it is used as a skeletal muscle relaxant. It is a derivative of γ-aminobutyric acid. Reference standards of Baclofen API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Baclofen (JP 0016)

Catalogue No.: **PA JP0016**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Caffeine

Caffeine is a central nervous system stimulant of the methylxanthine class. It is used to restore mental alertness or wakefulness during fatigue or drowsiness.. Reference standards of Caffeine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Melting Point Standard-Caffeine MPf 237.5 degrees (JP 0142)

Catalogue No.: **PA JP0142**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**



Caffeine (JP 0025)

Catalogue No.: **PA JP0025**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Lactose

It is a lactose adduct of Cetirizine, which exists as a mixture of diastereomers. Reference standards of Lactose API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Lactose (JP 0125)

Catalogue No.: **PA JP0125**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**



Anhydrous Lactose (JP 0126)

Catalogue No.: **PA JP0126**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Beclometasone

Beclometasone is used to prevent and control symptoms caused by asthma. It is sold under the brand name Qvar. It is available as an inhaler, cream, pills, and nasal spray. Reference standards of Beclometasone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Beclometasone Dipropionate (JP 0018)

Catalogue No.: **PA JP0018**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Diflucortolone Valerate

Diflucortolone Valerate is used to reduce redness and to relieve inflammation and itching associated with skin conditions. Reference standards of Diflucortolone Valerate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Diflucortolone Valerate (JP 0056)

Catalogue No.: **PA JP0056**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Endotoxin

Endotoxin is used to refer to a low-molecular-weight form of bacterial lipopolysaccharides. Endotoxin is also known as lipoglycans. Reference standards of Endotoxin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Endotoxin (JP 0068)

Catalogue No.: **PA JP0068**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Zidovudine

Zidovudine used to prevent and treat HIV/AIDS. It is available as a generic medication. Zidovudine also known as azidothymidine. Reference standards of Zidovudine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Zidovudine (JP 0250)

Catalogue No.: **PA JP0250**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Retinol

Retinol is used to treat vitamin A deficiency. It is available as a generic medication and over the counter. Reference standards of Retinol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Retinol Acetate (JP 0202)

Catalogue No.: **PA JP0202**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**



Retinol Palmitate (JP 0203)

Catalogue No.: **PA JP0203**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Acetaminophen

Acetaminophen is also known as Paracetamol or APAP. It relieves mild pain and reduces fever. Used in more than 600 OTC and prescription medicines. Reference standards of Acetaminophen API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Acetaminophen (JP 0001)

Catalogue No.: **PA JP0001**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Valsartan

Valsartan is used to treat high blood pressure, heart failure, and to reduce death for people with left ventricular dysfunction after having had a heart attack. It is available as a generic medication. It is sold under the trade name Diovan. Reference standards of Valsartan API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Valsartan (JP 0245)

Catalogue No.: **PA JP0245**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Ubidecarenone

Ubidecarenone is sold as a dietary supplement and is not FDA approved as a drug thus, it is not meant to treat, cure or prevent any disease. Reference standards of Ubidecarenone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Ubidecarenone (JP 0243)

Catalogue No.: **PA JP0243**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Tacalcitol

Tacalcitol is usually prescribed by a general practitioner or dermatologist for the treatment of psoriasis. It is marketed under several names, including Curatoderm and Bonalfa. Reference standards of Tacalcitol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Tacalcitol (JP 0220)

Catalogue No.: **PA JP0220**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Sarpogrelate

Sarpogrelate has been investigated for the treatment of Diabetes Mellitus, Diabetic Nephropathy, Coronary Artery Disease, and Renal Insufficiency, Chronic. Reference standards of Sarpogrelate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Sarpogrelate Hydrochloride (JP 0209)

Catalogue No.: **PA JP0209**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Quetiapine

This compound is also known as QUETIAPINE DIMER present as an impurity in antipsychotic drug Quetiapine. Reference standards of Quetiapine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Quetiapine Fumarate (JP 0198)

Catalogue No.: **PA JP0198**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Pemirolast

Pemirolast is used for the prevention of itching of the eyes caused by allergies such as hay fever, and allergic conjunctivitis. It is marketed under the tradenames Alegysal and Alamast. Reference standards of Pemirolast API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Pemirolast Potassium (JP 0174)

Catalogue No.: **PA JP0174**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Oxytocin

Oxytocin is a protein-like molecule known as peptides used by neurons to communicate with each other. It plays an important role in childbirth, reproduction, breastfeeding, uterine contractions. Oxytocin is also an anti-depressant. Reference standards of Oxytocin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Oxytocin (JP 0170)

Catalogue No.: **PA JP0170**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Nabumetone

Nabumetone is used to treat pain and inflammation. It is available under numerous brand names, such as Relafen, Relifex, and Gambaran. It is a nonsteroidal anti-inflammatory drug. Reference standards of Nabumetone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Nabumetone (JP 0158)

Catalogue No.: **PA JP0158**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Manidipine

Manidipine is used clinically as an antihypertensive. It is a calcium channel blocker. Reference standards of Manidipine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Manidipine Hydrochloride (JP 0137)

Catalogue No.: **PA JP0137**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Kallidinogenase

Kallidinogenase is used in the improvement of symptoms caused by climacterium/chorioretinal circulatory disturbance and peripheral circulatory disturbance caused by hypertension. Reference standards of Kallidinogenase API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Kallidinogenase (JP 0124)

Catalogue No.: **PA JP0124**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Filgrastim

Filgrastim is used to treat neutropenia that is caused by cancer medicines. Reference standards of Filgrastim API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Filgrastim (JP 0084)

Catalogue No.: **PA JP0084**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

Etoposide

Etoposide is used as a form of chemotherapy for cancers such as Kaposi's sarcoma, Ewing's sarcoma, lung cancer, testicular cancer, lymphoma, nonlymphocytic leukemia, and glioblastoma multiforme. It is sold under the brand name Etopophos.. Reference standards of Etoposide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Etoposide (JP 0082)

Catalogue No.: **PA JP0082**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>