

АМИНЫ

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>

Abacavir

Abacavir is a chiral purine carbocyclic nucleoside, which is a prodrug of the guanosine analog (-) carbovir, Abacavir or ABC is an antiretroviral medication used to prevent and treat HIV/AIDS. Reference standards of Abacavir API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Abacavir 5'-β-D-Glucuronide

Catalogue No.: **PA 01 01560**

CAS : **384329-76-4**

Molecular Formula : **C₂₀H₂₆N₆O₇**

Molecular Weight : **462.46**




Abacavir 5'-Phosphate

Catalogue No.: **PA 01 01570**

CAS : **136470-77-4**

Molecular Formula : **C₁₄H₁₉N₆O₄P**

Molecular Weight : **366.31**




Abacavir 5'-(2,3,4-Tri-O-isobutyryl)-β-D-glucuronic Acid Methyl Ester

Catalogue No.: **PA 01 01580**

CAS : **NA**

Molecular Formula : **C₃₃H₄₆N₆O₁₀**

Molecular Weight : **686.75**



Carbovir Triphosphate


Catalogue No.: **PA 01 01670**

CAS : **121864-74-2**

Molecular Formula : **C₁₁H₁₆N₅O₁₁P₃**

Molecular Weight : **487.19**

SIMILAR PRODUCTS




3-Hydroxy Abacavir

Catalogue No.: **PA 01 01680**

CAS : **NA**

Molecular Formula : **C₁₄H₂₀N₆O₂**

Molecular Weight : **304.35**




4-(2,6-Diamino-9H-purin-9-yl) cyclopent-2-ene-yl-methanol

Catalogue No.: **PA 01 01700**

CAS : **906626-51-5**

Molecular Formula : **C₁₁H₁₄N₆O**

Molecular Weight : **246.27**




([4-(2,5-Diamino-6-chloropyrimidin-4-ylamino)cyclopent-2-en-1-yl]methanol)

Catalogue No.: **PA 01 01710**

CAS : **NA**

Molecular Formula : **C₁₀H₁₄ClN₅O**

Molecular Weight : **255.71**




(4-(2-Amino-6-(methylamino)-9H-purin-9-yl)cyclopent-2-en-1-yl)methanol

Catalogue No.: **PA 01 01720**

CAS : **NA**

Molecular Formula : **C₁₂H₁₆N₆O**

Molecular Weight : **260.3**



(4-(2-Amino-6-methoxy-9H-purin-9-yl)cyclopent-2-en-1-yl)methanol

Catalogue No.: **PA 01 01730**

CAS : **NA**

Molecular Formula : **C₁₂H₁₅N₅O₂**

Molecular Weight : **261.28**


[(1S,4R)-4-[2-Amino-6-chloro-9H-purin-9-yl]cyclopent-2-en-1-yl]methanol

Catalogue No.: **PA 01 01740**


CAS : **136522-33-3**

Molecular Formula : **C₁₁H₁₂ClN₅O**

Molecular Weight : **265.7**



SIMILAR PRODUCTS ✓




((1S,4R)-4-(2-Amino-6-ethoxy-9H-purin-9-yl)cyclopent-2-en-1-yl)methanol Hydrochloride

Catalogue No.: **PA 01 01760**

CAS : **2211067-09-1**

Molecular Formula : **C₁₃H₁₈ClN₅O₂**

Molecular Weight : **311.77**




((1R,4S)-4-(2-Amino-6-ethoxy-9H-purin-9-yl)cyclopent-2-en-1-yl)methanol

Catalogue No.: **PA 01 01770**

CAS : **172974-74-2**

Molecular Formula : **C₁₃H₁₇N₅O₂**

Molecular Weight : **275.31**




3-((1R,4S)-4-((R)-2-Amino-4-chloro-7H-pyrrolo[3,2-d]pyrimidin-7-yl)cyclopent-2-en-1-yl)propanal

Catalogue No.: **PA 01 01780**

CAS : **NA**

Molecular Formula : **C₁₄H₁₅ClN₄O**

Molecular Weight : **290.75**



((1S,4R)-4-(2-Amino-6-ethoxy-9H-purin-9-yl)cyclopent-2-en-1-yl)methanol

Catalogue No.: **PA 01 0011019**


CAS : **2211067-08-0**

Molecular Formula : **C₁₃H₁₇N₅O₂**

Molecular Weight : **275.31**

Acesulfame Potassium

Acesulfame Potassium is prepared from acetoacetic acid. It is used as a calorie free sweetener and is 200 times more sweeter than sugar. It is also used in to give food and drinks a sweet taste without adding calories. Reference standards of Acesulfame Potassium API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Acesulfame Potassium - Impurity A

Catalogue No.: **PA 01 90010**

CAS : **5977-14-0**

Molecular Formula : **C₄H₇NO₂**

Molecular Weight : **101.10**



N-Methyl-3-oxobutanamide

Catalogue No.: **PA 01 90510**


CAS : **20306-75-6**

Molecular Formula : **C₅H₉NO₂**

Molecular Weight : **115.13**

Azathioprine Sodium

Azathioprine is converted into 6-mercaptopurine in the body where it blocks purine metabolism and DNA synthesis. Azathioprine is used alone or in combination with other immunosuppressive therapy to prevent rejection following organ transplantation. Reference standards of Azathioprine Sodium API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Azathioprine Sodium - API Standards

Catalogue No.: **PA 54 05000**

CAS : **55774-33-9**


Molecular Formula : **C₉H₇N₇NaO₂S**

Molecular Weight : **300.25**

SIMILAR PRODUCTS

Acamprosate

Acamprosate is used along with counseling and support to help people who are alcohol dependent not drink alcohol. It is sold under the brand name Campral. Reference standards of Acamprosate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Acamprosate Calcium - Impurity B (Calcium Salt)

Catalogue No.: **PA 28 15510**

CAS : **NA**

Molecular Formula : **C₈H₁₆CaN₂O₈S₂**

Molecular Weight : **372.43**




Acamprosate-d12 Calcium

Catalogue No.: **PA STI 001090**

CAS : **1225580-91-5**

Molecular Formula : **C₁₀H₈D₁₂CaN₂O₈S₂**

Molecular Weight : **412.56**




Acamprosate-d6 Calcium Trihydrate

Catalogue No.: **PA STI 001100**

CAS : **NA**

Molecular Formula : **C₁₀H₂₀D₆CaN₂O₁₁S₂**

Molecular Weight : **460.60**



Acamprosate Calcium - Impurity C (Calcium Salt)

Catalogue No.: **PA 28 15520**


CAS : **233591-26-9**

Molecular Formula : **C₁₂H₂₆CaN₂O₈S₂**

Molecular Weight : **428.18**

Amoxicillin Sodium

Amoxicillin Sodium is an antibiotic used to treat a number of bacterial infections. It is commonly prescribed with clavulanic acid as it is susceptible to beta-lactamase degradation. Reference standards of Amoxicillin Sodium API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Amoxicillin Sodium - API Standards


Catalogue No.: **PA 28 60000**

CAS : **34642-77-8**

Molecular Formula : **C₁₆H₁₈N₃NaO₅S**

Molecular Weight : **387.39**

SIMILAR PRODUCTS



N-(Penicillan-6-yl) Open Ring Amoxicillinamide Disodium Salt

Catalogue No.: **PA 28 60510**

CAS : **NA**


Molecular Formula : **C₂₄H₂₉N₅Na₂O₈S₂**

Molecular Weight : **625.63**

Acebutolol Hydrochloride

Acebutolol Hydrochloride sold under the brand names Sectral among others, is a beta blocker for the treatment of hypertension and arrhythmias. It was patented in 1967 and approved for medical use in 1973. Reference standards of Acebutolol Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Acebutolol Hydrochloride - API Standards



Catalogue No.: **PA 01 09000**


CAS : **34381-68-5**

Molecular Formula : **C₁₈H₂₉ClN₂O₄**

Molecular Weight : **372.89**

SIMILAR PRODUCTS ▼

Acebutolol Hydrochloride - Impurity A (Freebase)




Catalogue No.: **PA 01 09010**

CAS : **28197-66-2**

Molecular Formula : **C₁₅H₁₉NO₄**

Molecular Weight : **277.32**

Acebutolol - Impurity B (Hydrochloride Salt)



Catalogue No.: **PA 01 09020**


CAS : **73899-76-0**

Molecular Formula : **C₁₆H₂₅ClN₂O₄**

Molecular Weight : **344.83**

SIMILAR PRODUCTS ▼

Acebutolol Hydrochloride - Impurity C (Freebase)




Catalogue No.: **PA 01 09030**

CAS : **40188-45-2**

Molecular Formula : **C₁₂H₁₅NO₃**

Molecular Weight : **221.25**

Acebutolol Hydrochloride - Impurity D (Freebase)




Catalogue No.: **PA 01 09040**

CAS : **57898-80-3**

Molecular Formula : **C₁₄H₂₂N₂O₃**

Molecular Weight : **266.34**

Acebutolol Hydrochloride - Impurity E (Hydrochloride Salt)



Catalogue No.: **PA 01 09050**


CAS : **1432053-72-9**

Molecular Formula : **C₁₆H₂₇ClN₂O₃**

Molecular Weight : **330.85**

SIMILAR PRODUCTS ▼

Acebutolol Hydrochloride - Impurity G (Freebase)




Catalogue No.: **PA 01 09070**

CAS : **1330165-98-4**

Molecular Formula : **C₃₃H₄₇N₃O₈**

Molecular Weight : **613.74**

Acebutolol Hydrochloride - Impurity H (Freebase)




Catalogue No.: **PA 01 09080**

CAS : **1329613-31-1**

Molecular Formula : **C₂₇H₃₄N₂O₇**

Molecular Weight : **498.57**

Acebutolol Hydrochloride - Impurity I (Freebase)




Catalogue No.: **PA 01 09090**

CAS : **441019-91-6**

Molecular Formula : **C₁₇H₂₆N₂O₄**

Molecular Weight : **322.4**

Acebutolol Hydrochloride - Impurity J (Hydrochloride Salt)




Catalogue No.: **PA 01 09100**

CAS : **57898-79-0**

Molecular Formula : **C₁₇H₂₇ClN₂O₄**

Molecular Weight : **358.86**




Acebutolol Hydrochloride - Impurity K (Hydrochloride Salt)

Catalogue No.: **PA 01 09110**

CAS : **57898-71-2**

Molecular Formula : **C₂₀H₃₃ClN₂O₄**

Molecular Weight : **400.94**



Acebutolol Hydrochloride - Impurity B (Freebase)

Catalogue No.: **PA 01 0090020**


CAS : **22568-64-5**

Molecular Formula : **C₁₆H₂₄N₂O₄**

Molecular Weight : **308.38**

Anagrelide Hydrochloride

Anagrelide Hydrochloride is a drug used for the treatment of essential thrombocytosis. It is used to treat essential thrombocytosis, especially when the current treatment of the patient is insufficient. Reference standards of Anagrelide Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Ethyl-2-(6-amino-2,3-dichlorobenzylamino)acetate Hydrochloride

Catalogue No.: **PA 28 18510**

CAS : **85325-12-8**

Molecular Formula : **C₁₁H₁₄Cl₂N₂O₂·xHCl**

Molecular Weight : **277.15**




(2-Amino-5,6-dichloroquinazolin-3(4H)-yl)acetic Acid

Catalogue No.: **PA 28 18520**

CAS : **1159977-03-3**

Molecular Formula : **C₁₀H₉Cl₂N₃O₂**

Molecular Weight : **274.1**



Ethyl 2-(5,6-dichloro-2-imino-1,2-dihydroquinazolin-3(4H)-yl)acetate Hydrobromide

Catalogue No.: **PA 28 18530**


CAS : **70381-75-8**

Molecular Formula : **C₁₂H₁₄BrCl₂N₃O₂**

Molecular Weight : **383.07**

Asenapine

Asenapine has been approved by the FDA for the acute treatment of adults with schizophrenia and acute treatment of manic or mixed episodes associated with bipolar I disorder with or without psychotic features in adults.. Reference standards of Asenapine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




N-Desmethyl Asenapine Hydrochloride

Catalogue No.: **PA 01 78530**

CAS : **1170701-78-6**

Molecular Formula : **C₁₆H₁₅Cl₂NO**

Molecular Weight : **308.2**



N-Desmethyl Asenapine-d4 Hydrochloride

Catalogue No.: **PA STI 028030**

CAS : **1246820-54-1**


Molecular Formula : **C₁₆H₁₁D₄Cl₂NO**

Molecular Weight : **312.23**

Azacitidine

Azacitidine has been used as an antineoplastic agent. A pyrimidine nucleoside analogue that inhibits DNA methyltransferase, impairing DNA methylation. It is also an antimetabolite of cytidine, incorporated primarily into RNA. Reference standards of Azacitidine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

2-Acetyl Azacitidine




Catalogue No.: **PA 28 20530**

CAS : **1174733-90-4**

Molecular Formula : **C₁₀H₁₄N₄O₆**

Molecular Weight : **286.24**

2',3',5'-Triacetyl-5-Azacitidine




Catalogue No.: **PA 28 20540**

CAS : **10302-78-0**

Molecular Formula : **C₁₄H₁₈N₄O₈**

Molecular Weight : **370.31**

1-β-D-Ribofuranosyl-3-guanyurea Picrate



Catalogue No.: **PA 28 20550**


CAS : **4336-46-3**

Molecular Formula : **C₁₃H₁₇N₇O₁₂**

Molecular Weight : **463.31**

SIMILAR PRODUCTS ▼

(Z)-N-(N'-((3,4-Dihydroxy-5-(hydroxymethyl)tetrahydrofuran-2-yl)carbamoyl)carbamimidoyl)formamide




Catalogue No.: **PA 28 20560**

CAS : **NA**

Molecular Formula : **C₈H₁₄N₄O₆**

Molecular Weight : **262.22**

N-(3,4-Dihydroxy-5-(hydroxymethyl)tetrahydrofuran-2-yl)-N-(hydroxymethyl)diazene-carboximidamide




Catalogue No.: **PA 28 20570**

CAS : **NA**

Molecular Formula : **C₇H₁₄N₄O₅**

Molecular Weight : **234.21**

1-{N-[3,4-Dihydroxy-5-(hydroxymethyl)tetrahydrofuran-2-yl]carbamimidoyl}urea




Catalogue No.: **PA 28 20580**

CAS : **NA**

Molecular Formula : **C₇H₁₄N₄O₅**

Molecular Weight : **234.21**

(Z)-N-(Diaminomethylene)-N'-(3,4-dihydroxy-5-(hydroxymethyl)tetrahydrofuran-2-yl)carbamimidic Acid




Catalogue No.: **PA 28 20590**

CAS : **NA**

Molecular Formula : **C₇H₁₄N₄O₅**

Molecular Weight : **234.21**

((2R,3S,4R,5R)-5-(4-Amino-2-oxo-1,3,5-triazin-1(2H)-yl)-3,4-dihydroxytetrahydrofuran-2-yl)methyl formate




Catalogue No.: **PA 28 20600**

CAS : **NA**

Molecular Formula : **C₉H₁₂N₄O₆**

Molecular Weight : **272.21**

1-β-D-Ribofuranosyl-3-guanyurea



Catalogue No.: **PA 28 20610**


CAS : **2508-80-7**

Molecular Formula : **C₇H₁₄N₄O₅**

Molecular Weight : **234.21**

SIMILAR PRODUCTS ▼

N-(Diaminoethylene)-N'-(β-D-ribofuranosyl)-carbamimidic Acid



Catalogue No.: **PA 28 20620**

CAS : **NA**


Molecular Formula : **C₈H₁₇N₃O₅**

Molecular Weight : **235.24**

Alfuzosin Hydrochloride

Alfuzosin Hydrochloride is thus used to treat benign prostatic hyperplasia (BPH).It belongs to the $\alpha 1$ blocker class.aLFUZOSIN works by relaxing the muscles in the prostate and bladder neck, making it easier to urinate. Reference standards of Alfuzosin Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Alfuzosin Hydrochloride - API Standards



Catalogue No.: **PA 01 37000**


CAS : **81403-68-1**

Molecular Formula : **C₁₉H₂₈ClN₅O₄**

Molecular Weight : **425.91**

SIMILAR PRODUCTS ▼

Alfuzosin Hydrochloride - Impurity A



Catalogue No.: **PA 01 37010**


CAS : **98902-29-5**

Molecular Formula : **C₁₉H₂₄ClN₅O₄**

Molecular Weight : **421.88**

SIMILAR PRODUCTS ▼

Alfuzosin Hydrochloride - Impurity B




Catalogue No.: **PA 01 37020**

CAS : **23680-84-4**

Molecular Formula : **C₁₀H₁₀ClN₃O₂**

Molecular Weight : **239.66**

Alfuzosin Hydrochloride - Impurity C



Catalogue No.: **PA 01 37030**


CAS : **72104-34-8**

Molecular Formula : **C₁₉H₂₈ClN₅O₄**

Molecular Weight : **425.91**

SIMILAR PRODUCTS ▼

Alfuzosin Hydrochloride - Impurity C (Freebase)



Catalogue No.: **PA 01 37031**


CAS : **98902-34-2**

Molecular Formula : **C₁₉H₂₇N₅O₄**

Molecular Weight : **389.45**

SIMILAR PRODUCTS ▼

Alfuzosin Hydrochloride - Impurity D (Hydrochloride Salt)



Catalogue No.: **PA 01 37040**


CAS : **81403-69-2**

Molecular Formula : **C₁₄H₂₂ClN₅O₂**

Molecular Weight : **327.81**

SIMILAR PRODUCTS ▼

Alfuzosin Hydrochloride - Impurity F



Catalogue No.: **PA 01 37060**


CAS : **19216-53-6**

Molecular Formula : **C₁₂H₁₆N₄O₂**

Molecular Weight : **248.28**

SIMILAR PRODUCTS ▼

Alfuzosin Hydrochloride - Impurity F (Hydrochloride Salt)



Catalogue No.: **PA 01 37061**


CAS : **19216-68-3**

Molecular Formula : **C₁₂H₁₇ClN₄O₂**

Molecular Weight : **284.74**

SIMILAR PRODUCTS ▼

Alfuzosin Hydrochloride - Impurity G



Catalogue No.: **PA 01 37070**


CAS : **928780-95-4**


Molecular Formula : **C₂₄H₃₀N₈O₄**


Molecular Weight : **494.55**


Amitriptyline Hydrochloride


Amitriptyline Hydrochloride is used for a number of medical conditions including major depressive disorder. It is sold under the brand name Elavil among others, is a medicine primarily used to treat a number of mental illnesses. Reference standards of Amitriptyline Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Amitriptyline Hydrochloride - API Standards		
Catalogue No.: PA 01 48000	CAS : 549-18-8	Molecular Formula : C₂₀H₂₄ClN	Molecular Weight : 313.86
SIMILAR PRODUCTS ✓			

	Amitriptyline Hydrochloride - Impurity C		
Catalogue No.: PA 01 48030	CAS : 894-71-3	Molecular Formula : C₁₉H₂₂ClN	Molecular Weight : 299.84


	Amitriptyline Hydrochloride - Impurity E		
Catalogue No.: PA 01 48050	CAS : 27867-02-3	Molecular Formula : C₂₀H₃₀ClN	Molecular Weight : 319.91


	Amitriptyline Hydrochloride - Impurity F (Oxalate Salt)		
Catalogue No.: PA 01 48060	CAS : 1246833-15-7	Molecular Formula : C₂₂H₂₅NO₅	Molecular Weight : 383.44
SIMILAR PRODUCTS ✓			

	Amitriptyline Hydrochloride - Impurity F (Freebase)		
Catalogue No.: PA 01 48061	CAS : 1159-82-6	Molecular Formula : C₂₀H₂₃NO	Molecular Weight : 293.40

Alverine Citrate


Alverine Citrate is a smooth muscle relaxant. Smooth muscle is a type of muscle that is not under voluntary control; it is the muscle present in places such as the gut and uterus. Alverine is a drug used for functional gastrointestinal disorders. . Reference standards of Alverine Citrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Alverine Citrate - API Standards		
Catalogue No.: PA 01 41000	CAS : 5560-59-8	Molecular Formula : C₂₆H₃₅NO₇	Molecular Weight : 473.56
SIMILAR PRODUCTS ✓			

	Alverine Citrate - Impurity C		
Catalogue No.: PA 01 41030	CAS : 13125-63-8	Molecular Formula : C₁₁H₁₇N.Cl H	Molecular Weight : 199.72

Adenosine Monophosphate

Adenosine Monophosphate consists of a phosphate group, the sugar ribose, and the nucleobase adenine; it is an ester of phosphoric acid and the nucleoside adenosine. Adenosine monophosphate (AMP), also known as 5'-adenylic acid, is a nucleotide. Reference standards of Adenosine Monophosphate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




8-Hydroxy Adenine

Catalogue No.: **PA 01 24670**

CAS : **21149-26-8**

Molecular Formula : **C₅H₅N₅O**

Molecular Weight : **151.13**



S-Adenosylmethioninamine


Catalogue No.: **PA 01 24810**

CAS : **22365-13-5**

Molecular Formula : **C₁₄H₂₃N₆O₃S⁺**

Molecular Weight : **355.44**

SIMILAR PRODUCTS ▼




2-Amino-4-((((2R,3S,4R,5R)-5-(6-amino-9H-purin-9-yl)-3,4-dihydroxytetrahydrofuran-2-yl)methyl)(methyl)amino)butanoic Acid

Catalogue No.: **PA 01 24820**

CAS : **129828-73-5**

Molecular Formula : **C₁₅H₂₃N₇O₅**

Molecular Weight : **381.39**




4-((((2R,3S,4R,5R)-5-(6-Amino-9H-purin-9-yl)-3,4-dihydroxytetrahydrofuran-2-yl)methyl)(methyl)amino)butanehydrazide

Catalogue No.: **PA 01 24830**

CAS : **144224-34-0**

Molecular Formula : **C₁₅H₂₄N₈O₄**

Molecular Weight : **380.4**




DMT-dG(dmF) Phosphoramidite

Catalogue No.: **PA 01 24850**

CAS : **330628-04-1**

Molecular Formula : **C₄₃H₅₃N₈O₇P**

Molecular Weight : **824.92**



(2R,3S,5R)-2-((Bis(4-methoxyphenyl)(phenyl)methoxy)methyl)-5-(6-((1-(dimethylamino)ethylidene)amino)-9H-purin-9-yl)tetrahydrofuran-3-yl (2-cyanoethyl) diisopropylphosphoramidite

Catalogue No.: **PA 28 0851001**


CAS : **115973-59-6**

Molecular Formula : **C₄₄H₅₅N₈O₆P**

Molecular Weight : **822.95**

Azelastine

A histamine-H1-receptor antagonist, Azelastine is used in the treatment of rhinitis. It shows anti-histamine effect, mast-cell stabilizing effect and anti-inflammatory effect. Reference standards of Azelastine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Azelastine - Impurity A

Catalogue No.: **PA 01 98010**

CAS : **613-94-5**

Molecular Formula : **C₇H₈N₂O**

Molecular Weight : **136.15**



Azelastine - Impurity B (Hydrochloride Salt)


Catalogue No.: **PA 01 98020**

CAS : **117078-69-0**

Molecular Formula : **C₁₄H₂₂ClN₃O**

Molecular Weight : **283.8**

SIMILAR PRODUCTS ▼



N'-(1-Methylazepan-4-yl)benzohydrazine-d5

Catalogue No.: **PA STI 060420**

CAS : **1346599-80-1**


Molecular Formula : **C₁₄H₁₇D₅ClN₃O**

Molecular Weight : **288.83**

Aminocaproic Acid

Aminocaproic acid is FDA-approved for use in the treatment of acute bleeding due to elevated fibrinolytic activity. It is a derivative and analogue of the amino acid lysine, which makes it an effective inhibitor for enzymes that bind that particular residue. Reference standards of Aminocaproic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Aminocaproic Acid - API Standards




Catalogue No.: **PA 28 61000**

CAS : **60-32-2**

Molecular Formula : **C₆H₁₃NO₂**

Molecular Weight : **131.17**

Aminocaproic Acid Dimer Impurity




Catalogue No.: **PA 28 61510**

CAS : **69241-99-2**

Molecular Formula : **C₁₃H₂₅NO₃**

Molecular Weight : **243.34**

ε-Caprolactam




Catalogue No.: **PA 28 61520**

CAS : **105-60-2**

Molecular Formula : **C₆H₁₁NO**

Molecular Weight : **113.16**

Aminocaproic Acid Trimer Impurity




Catalogue No.: **PA 28 61530**

CAS : **5776-78-3**

Molecular Formula : **C₁₈H₃₅N₃O₄**

Molecular Weight : **357.49**

6-Aminocaproic Acid Dimer




Catalogue No.: **PA 28 61540**

CAS : **2014-58-6**

Molecular Formula : **C₁₂H₂₄N₂O₃**

Molecular Weight : **244.33**

ε-Aminocaproic Acid-d10 Hydrochloride




Catalogue No.: **PA STI 005480**

CAS : **1246819-49-7**

Molecular Formula : **C₆H₄D₁₀ClNO₂**

Molecular Weight : **177.7**

Aminocaproic Acid Citric Acid Adduct




Catalogue No.: **PA 28 0611003**

CAS : **NA**

Molecular Formula : **C₁₂H₁₇NO₇**

Molecular Weight : **287.27**

Caprolactam Citrate Adduct




Catalogue No.: **PA 28 0611004**

CAS : **NA**

Molecular Formula : **C₁₂H₁₇NO₇**

Molecular Weight : **287.27**

6-(3-(Carboxymethyl)-3-hydroxy-2,5-dioxopyrrolidin-1-yl)hexanoic Acid



Catalogue No.: **PA 28 0611005**

CAS : **NA**


Molecular Formula : **C₁₂H₁₇NO₇**

Molecular Weight : **287.27**

Aliskiren Hemifumarate

Aliskiren is the first in a class of drugs called direct renin inhibitors. It is used for essential hypertension. While used for high blood pressure, other better-studied medications are typically recommended. Reference standards of Aliskiren Hemifumarate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Aliskiren Hemifumarate - API Standards




Catalogue No.: **PA 28 71000**

CAS : **173334-58-2**

Molecular Formula : **C₃₂H₅₅N₃O₈**

Molecular Weight : **609.79**

8-Hydroxy Aliskiren Hemifumarate




Catalogue No.: **PA 28 71510**

CAS : **NA**

Molecular Formula : **C₃₂H₅₅N₃O₉**

Molecular Weight : **625.79**

(2S,2'S,4S,4'S,5S,5'S,7S,7'S)-7,7'-(((Propane-1,3-diylbis(oxy)))bis(4-methoxy-3,1-phenylene))bis(methylene))bis(5-amino-N-(3-amino-2,2-dimethyl-3-oxopropyl)-4-hydroxy-2-isopropyl-8-methylnonanamide)




Catalogue No.: **PA 28 71520**

CAS : **NA**

Molecular Formula : **C₅₅H₉₄N₆O₁₀**

Molecular Weight : **999.37**

(2S,4S,5S,7S)-5-Amino-N-(3-amino-2,2-dimethyl-3-oxopropyl)-4-hydroxy-7-(3-(3-hydroxypropoxy)-4-methoxybenzyl)-2-isopropyl-8-methylnonanamide




Catalogue No.: **PA 28 71530**

CAS : **949925-76-2**

Molecular Formula : **C₂₉H₅₁N₃O₆**

Molecular Weight : **537.73**

Aliskiren Carboxylic Acid




Catalogue No.: **PA 28 71540**

CAS : **173400-13-0**

Molecular Formula : **C₃₀H₅₂N₂O₇**

Molecular Weight : **552.74**

N-Boc-Aliskiren




Catalogue No.: **PA 28 71550**

CAS : **173338-07-3**

Molecular Formula : **C₃₅H₆₁N₃O₈**

Molecular Weight : **651.87**

Aliskiren Hemifumarate (SSSR Isomer) Impurity




Catalogue No.: **PA 28 71560**

CAS : **1630036-82-6**

Molecular Formula : **C₆₄H₁₁₀N₆O₁₆**

Molecular Weight : **1219.59**

(3S,5S)-5-((1S,3S)-1-Amino-3-(4-methoxy-3-(3-methoxypropoxy)benzyl)-4-methylpentyl)-3-isopropylidihydrofuran-2(3H)-one




Catalogue No.: **PA 28 71570**

CAS : **900811-48-5**

Molecular Formula : **C₂₅H₄₁NO₅**

Molecular Weight : **435.6**

Aliskiren Hemifumarate Enantiomer (RRRR Isomer) Impurity



Catalogue No.: **PA 28 0711001**


CAS : **1630036-76-8**

Molecular Formula : **C₆₄H₁₁₀N₆O₁₆**

Molecular Weight : **1219.61**


Aceclofenac

An orally administered phenyl acetic acid ester, Aceclofenac is used as anti-inflammatory drug. It is a cytokine inhibitor and used in the treatment of arthritis and spondylitis. Reference standards of Aceclofenac API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Aceclofenac - API Standards


Catalogue No.: **PA 01 10000** CAS : **89796-99-6** Molecular Formula : **C₁₆H₁₃Cl₂NO₄** Molecular Weight : **354.18**



Aceclofenac - Impurity A (Sodium Salt)

Catalogue No.: **PA 01 10010** CAS : **15307-79-6** Molecular Formula : **C₁₄H₁₀Cl₂NNaO₂** Molecular Weight : **318.13**


SIMILAR PRODUCTS ▼



Aceclofenac - Impurity A (Freebase)


Catalogue No.: **PA 01 10011** CAS : **15307-86-5** Molecular Formula : **C₁₄H₁₁Cl₂NO₂** Molecular Weight : **296.15**

SIMILAR PRODUCTS ▼




Aceclofenac - Impurity B (Freebase)

Catalogue No.: **PA 01 10020** CAS : **15307-78-5** Molecular Formula : **C₁₅H₁₃Cl₂NO₂** Molecular Weight : **310.18**




Aceclofenac - Impurity C (Freebase)

Catalogue No.: **PA 01 10030** CAS : **15307-77-4** Molecular Formula : **C₁₆H₁₅Cl₂NO₂** Molecular Weight : **324.2**




Aceclofenac - Impurity D (Freebase)

Catalogue No.: **PA 01 10040** CAS : **139272-66-5** Molecular Formula : **C₁₇H₁₅Cl₂NO₄** Molecular Weight : **368.21**




Aceclofenac - Impurity E (Freebase)

Catalogue No.: **PA 01 10050** CAS : **139272-67-6** Molecular Formula : **C₁₈H₁₇Cl₂NO₄** Molecular Weight : **382.24**




Aceclofenac - Impurity F (Freebase)

Catalogue No.: **PA 01 10060** CAS : **100499-89-6** Molecular Formula : **C₂₃H₁₉Cl₂NO₄** Molecular Weight : **444.31**




Aceclofenac - Impurity G (Freebase)

Catalogue No.: **PA 01 10070** CAS : **1215709-75-3** Molecular Formula : **C₁₈H₁₅Cl₂NO₆** Molecular Weight : **412.22**



Aceclofenac - Impurity H (Freebase)

Catalogue No.: **PA 01 10080** CAS : **1216495-92-9** Molecular Formula : **C₂₀H₁₇Cl₂NO₈** Molecular Weight : **470.26**



Aceclofenac Acyl-β-D-glucuronide

Catalogue No.: **PA 01 10510**


CAS : **NA**

Molecular Formula : **C₂₂H₂₁Cl₂NO₁₀**

Molecular Weight : **530.31**

Acetylcholine Chloride

Acetylcholine Chloride is the neurotransmitter used at the neuromuscular junction. It is an organic chemical that functions in the brain and body of many types of animals (and humans) as a neurotransmitter a chemical message released by nerve cells to send signals to other cells, such as neurons, muscle cells, and gland cells. Reference standards of Acetylcholine Chloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Acetylcholine Chloride - Impurity A


Catalogue No.: **PA 28 17010**

CAS : **67-48-1**

Molecular Formula : **C₅H₁₄ClNO**

Molecular Weight : **139.62**

SIMILAR PRODUCTS ▼




Acetylcholine Chloride - Impurity C

Catalogue No.: **PA 28 17030**

CAS : **75-50-3**

Molecular Formula : **C₃H₉N**

Molecular Weight : **59.11**



Acetylcholine Chloride - Impurity A (Bitartrate Salt)

Catalogue No.: **PA 28 17520**


CAS : **87-67-2**

Molecular Formula : **C₉H₁₉NO₇**

Molecular Weight : **253.25**

Bacampicillin Hydrochloride

Bacampicillin Hydrochloride is used to cure infection of upper and lower respiratory tract; skin and soft tissue; urinary tract and acute uncomplicated gonococcal urethritis etc.". Reference standards of Bacampicillin Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Bacampicillin Hydrochloride - Impurity F

Catalogue No.: **PA 29 20060**


CAS : **52-66-4**

Molecular Formula : **C₅H₁₁NO₂S**

Molecular Weight : **149.21**

Bambuterol

Bambuterol is a prodrug of terbutaline. Bambuterol is a long acting beta-adrenoceptor agonist used in the treatment of asthma. Reference standards of Bambuterol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Bambuterol-d9 Hydrochloride

Catalogue No.: **PA STI 009850**

CAS : **1794810-59-5**

Molecular Formula : **C₁₈H₂₁D₉ClN₃O₅**

Molecular Weight : **412.96**



1-Keto Bambuterol-d9

Catalogue No.: **PA STI 054890**











CAS : **1794885-30-5**


Molecular Formula : **C₁₈H₁₈D₉N₃O₅**

Molecular Weight : **374.48**

Baclofen


GABA receptor agonist, it is used as a skeletal muscle relaxant. It is a derivative of γ -aminobutyric acid. Reference standards of Baclofen API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Baclofen - API Standards	Catalogue No.: PA 02 70000	CAS : 1134-47-0	Molecular Formula : C₁₀H₁₂ClNO₂	Molecular Weight : 213.66
	Diethyl 2,4-diacetyl-3-(4-chlorophenyl)glutarate	Catalogue No.: PA 02 0701015	CAS : 84803-73-6	Molecular Formula : C₁₉H₂₃ClO₆	Molecular Weight : 382.84
	4'-Chloro-5-methyl-3-oxo-1,2,3,6-tetrahydro-[1,1'-biphenyl]-2,6-dicarboxylic Acid	Catalogue No.: PA 02 0701016	CAS : NA	Molecular Formula : C₁₅H₁₃ClO₅	Molecular Weight : 308.71
	3-(4-Amino-3-(4-chlorophenyl)butanamido)-2-(4-chlorophenyl)propanoic Acid	Catalogue No.: PA 02 0701017	CAS : NA	Molecular Formula : C₁₉H₂₀Cl₂N₂O₃	Molecular Weight : 395.28
	4,9-Bis(4-chlorophenyl)-1,6-diazecane-2,7-dione	Catalogue No.: PA 02 0701018	CAS : NA	Molecular Formula : C₂₀H₂₀Cl₂N₂O₂	Molecular Weight : 391.29
	5-Carbamoyl-6-(4-chlorophenyl)-2-methyl-4-oxocyclohex-2-enecarboxylic Acid	Catalogue No.: PA 02 0701019	CAS : NA	Molecular Formula : C₁₅H₁₄ClNO₄	Molecular Weight : 307.73
	6-Carbamoyl-4'-chloro-5-methyl-3-oxo-1,2,3,6-tetrahydro-[1,1'-biphenyl]-2-carboxylic Acid	Catalogue No.: PA 02 0701020	CAS : NA	Molecular Formula : C₁₅H₁₄ClNO₄	Molecular Weight : 307.73
	2-(4-Chlorophenyl)-4-methyl-6-oxocyclohex-4-ene-1,3-dicarboxamide	Catalogue No.: PA 02 0701021	CAS : NA	Molecular Formula : C₁₅H₁₅ClN₂O₃	Molecular Weight : 306.75
	4-Chloro-β-(isocyanatomethyl)benzenepropanoic Acid	Catalogue No.: PA 02 0701023	CAS : 2505131-83-7	Molecular Formula : C₁₁H₁₀ClNO₃	Molecular Weight : 239.66
	Diethyl 4'-chloro-5-methyl-3-oxo-1,2,3,6-tetrahydro-[1,1'-biphenyl]-2,6-dicarboxylate	Catalogue No.: PA 02 0701024	CAS : 1053068-98-6	Molecular Formula : C₁₉H₂₁ClO₅	Molecular Weight : 364.82




4'-Chloro-5-methyl-1,6-dihydro-[1,1'-biphenyl]-3(2H)-one

Catalogue No.: **PA 02 0701025** CAS : **54795-01-6** Molecular Formula : **C₁₃H₁₃ClO** Molecular Weight : **220.7**



(R)-Baclofen

Catalogue No.: **PA 02 0701026** CAS : **69308-37-8** Molecular Formula : **C₁₀H₁₂ClNO₂** Molecular Weight : **213.66**




(S)-Baclofen

Catalogue No.: **PA 02 0701027** CAS : **66514-99-6** Molecular Formula : **C₁₀H₁₂ClNO₂** Molecular Weight : **213.66**

Butriptyline

Butriptyline was used in the treatment of depression. It is sold under the brand name Evadyne. Reference standards of Butriptyline API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Butriptyline-d6

Catalogue No.: **PA STI 015810** CAS : **1189736-19-3** Molecular Formula : **C₂₁H₂₁D₆N** Molecular Weight : **299.48**


Butamirate

Butamirate is used for the treatment of dry cough. Dry cough is a typical symptom in the common cold. It is chemically related to oxeladin and pentoxifyverine, which are in the same class. Reference standards of Butamirate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Butamirate-d5 Citrate

Catalogue No.: **PA STI 088250** CAS : **1215650-08-0** Molecular Formula : **C₂₄H₃₂D₅NO₁₀** Molecular Weight : **504.58**



2-[(2-Diethyl-d10)aminoethoxy]ethanol

Catalogue No.: **PA STI 088251** CAS : **1189917-69-8** Molecular Formula : **C₈H₉D₁₀NO₂** Molecular Weight : **171.30**




2-(2-(Diethylamino)ethoxy)ethyl 2-phenyl but-2-enoate

Catalogue No.: **PA 02 2271003** CAS : **NA** Molecular Formula : **C₁₈H₂₇NO₃** Molecular Weight : **305.42**

Balsalazide

Balsalazide is an anti-inflammatory drug, which is prepared from 4-aminohippuric acid. It releases mesalazine or 5-aminosalicylic acid, in the large intestine. Reference standards of Balsalazide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.


Balsalazide - API Standards



Catalogue No.: **PA 02 02000** CAS : **80573-04-2** Molecular Formula : **C₁₇H₁₅N₃O₆** Molecular Weight : **357.32**


SIMILAR PRODUCTS ▼

(E)-5-[(p-Carboxyphenyl)azo]-2-salicylic Acid Disodium Salt




Catalogue No.: **PA 02 03510** CAS : **NA** Molecular Formula : **C₁₄H₈N₂Na₂O₅** Molecular Weight : **330.2**

(E)-5-((m-[(2-Carboxyethyl)carbamoyl]phenyl)azo)-2-salicylic Acid




Catalogue No.: **PA 02 03520** CAS : **1798395-96-6** Molecular Formula : **C₁₇H₁₅N₃O₆** Molecular Weight : **357.32**

Balsalazide Aminobenzoyl




Catalogue No.: **PA 02 03530** CAS : **7377-08-4** Molecular Formula : **C₁₀H₁₂N₂O₃** Molecular Weight : **208.21**

Balsalazide 3-Isomer




Catalogue No.: **PA 02 03540** CAS : **1242567-09-4** Molecular Formula : **C₁₇H₁₅N₃O₆** Molecular Weight : **357.32**

Balsalazide Isopropyl Ester




Catalogue No.: **PA 02 03550** CAS : **1346606-13-0** Molecular Formula : **C₂₀H₂₁N₃O₆** Molecular Weight : **399.4**

2-O-[4-[(2-carboxyethyl)amino]carbonyl]phenyl] Balsalazide




Catalogue No.: **PA 02 03560** CAS : **1346606-62-9** Molecular Formula : **C₂₇H₂₄N₄O₉** Molecular Weight : **548.5**

2'-[(1E)-2-[4-[(2-carboxyethyl)amino]carbonyl]phenyl]diazenyl] Balsalazide




Catalogue No.: **PA 02 03570** CAS : **1346606-53-8** Molecular Formula : **C₂₇H₂₄N₆O₉** Molecular Weight : **576.51**

3-[(1E)-2-[4-[(2-carboxyethyl)amino]carbonyl]phenyl]diazenyl] Balsalazide




Catalogue No.: **PA 02 03580** CAS : **1242567-11-8** Molecular Formula : **C₂₇H₂₄N₆O₉** Molecular Weight : **576.51**

Balsalazide-d3 Disodium Salt



Catalogue No.: **PA STI 009830** CAS : **NA** Molecular Formula : **C₁₇H₁₂D₃N₃Na₂O₆** Molecular Weight : **406.32**




3,3'-((2-Aminobenzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03515**

CAS : **NA**

Molecular Formula : **C₁₃H₁₆N₂O₅**

Molecular Weight : **280.28**




3,3'-((3-Aminobenzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03525**

CAS : **NA**

Molecular Formula : **C₁₃H₁₆N₂O₅**

Molecular Weight : **280.28**




3,3'-((4-Aminobenzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03535**

CAS : **NA**

Molecular Formula : **C₁₃H₁₆N₂O₅**

Molecular Weight : **280.28**




(E)-5-((4-Carboxyphenyl)diazenyl)-2-hydroxybenzoic Acid

Catalogue No.: **PA 02 03590**

CAS : **1242567-07-2**

Molecular Formula : **C₁₄H₁₀N₂O₅**

Molecular Weight : **286.24**




(E)-3,3'-((4,4'-(Triaz-1-ene-1,3-diyl)bis(benzoyl))bis(azanediyl))dipropionic Acid

Catalogue No.: **PA 02 03600**

CAS : **NA**

Molecular Formula : **C₂₀H₂₁N₅O₆**

Molecular Weight : **427.42**




(E)-4-((2-Carboxyethyl)carbamoyl)-2-((E)-4-((2-carboxyethyl)carbamoyl)phenyl)diazenyl)benzenediazonium Chloride

Catalogue No.: **PA 02 03610**

CAS : **NA**

Molecular Formula : **C₂₀H₁₉ClN₆O₆**

Molecular Weight : **474.86**




3-((E)-4-((2-Carboxyethyl)carbamoyl)-2-((E)-4-((2-carboxyethyl)carbamoyl)phenyl)diazenyl)phenyl)diazenyl)-5-hydroxybenzoic Acid

Catalogue No.: **PA 02 03620**

CAS : **NA**

Molecular Formula : **C₂₇H₂₄N₆O₉**

Molecular Weight : **576.52**




3-((E)-4-((2-Carboxyethyl)carbamoyl)-2-((E)-4-((2-carboxyethyl)carbamoyl)phenyl)diazenyl)phenyl)diazenyl)-4-hydroxybenzoic Acid

Catalogue No.: **PA 02 03630**

CAS : **NA**

Molecular Formula : **C₂₇H₂₄N₆O₉**

Molecular Weight : **576.52**




(E)-3-((4-((2-Carboxyethyl)carbamoyl)phenyl)diazenyl)-5-hydroxybenzoic Acid

Catalogue No.: **PA 02 03640**

CAS : **NA**

Molecular Formula : **C₁₇H₁₅N₃O₆**

Molecular Weight : **357.32**




(E)-3-((4-((2-Carboxyethyl)carbamoyl)phenyl)diazenyl)-4-hydroxybenzoic Acid

Catalogue No.: **PA 02 03650**

CAS : **NA**

Molecular Formula : **C₁₇H₁₅N₃O₆**

Molecular Weight : **357.32**




5-((3-((2-Carboxyethyl)carbamoyl)phenyl)diazenyl)-2-hydroxybenzoic Acid

Catalogue No.: **PA 02 03660**

CAS : **NA**

Molecular Formula : **C₁₇H₁₅N₃O₆**

Molecular Weight : **357.32**




3-((3-((2-Carboxyethyl)carbamoyl)phenyl)diazenyl)-4-hydroxybenzoic Acid

Catalogue No.: **PA 02 03670**

CAS : **NA**

Molecular Formula : **C₁₇H₁₅N₃O₆**

Molecular Weight : **357.32**




3-((3-((2-Carboxyethyl)carbamoyl)phenyl)diazenyl)-5-hydroxybenzoic Acid

Catalogue No.: **PA 02 03680**

CAS : **NA**

Molecular Formula : **C₁₇H₁₅N₃O₆**

Molecular Weight : **357.32**




5-((2-((2-Carboxyethyl)carbamoyl)phenyl)diazenyl)-2-hydroxybenzoic Acid

Catalogue No.: **PA 02 03690**

CAS : **NA**

Molecular Formula : **C₁₇H₁₅N₃O₆**

Molecular Weight : **357.32**




3-((2-((2-Carboxyethyl)carbamoyl)phenyl)diazenyl)-4-hydroxybenzoic Acid

Catalogue No.: **PA 02 03700**

CAS : **NA**

Molecular Formula : **C₁₇H₁₅N₃O₆**

Molecular Weight : **357.32**




3-((2-((2-Carboxyethyl)carbamoyl)phenyl)diazenyl)-5-hydroxybenzoic Acid

Catalogue No.: **PA 02 03710**

CAS : **NA**

Molecular Formula : **C₁₇H₁₅N₃O₆**

Molecular Weight : **357.32**




(E)-3,3'-((2-((3-Carboxy-4-hydroxyphenyl)diazenyl)benzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03720**

CAS : **NA**

Molecular Formula : **C₂₀H₁₉N₃O₈**

Molecular Weight : **429.39**




(E)-3,3'-((2-((3-Carboxy-5-hydroxyphenyl)diazenyl)benzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03730**

CAS : **NA**

Molecular Formula : **C₂₀H₁₉N₃O₈**

Molecular Weight : **429.39**



(E)-3,3'-((2-((5-Carboxy-2-hydroxyphenyl)diazenyl)benzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03740**

CAS : **NA**

Molecular Formula : **C₂₀H₁₉N₃O₈**

Molecular Weight : **429.39**


(E)-3,3'-((3-((3-Carboxy-4-hydroxyphenyl)diazenyl)benzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03750**

CAS : **NA**

Molecular Formula : **C₂₀H₁₉N₃O₈**

Molecular Weight : **429.39**




(E)-3,3'-((3-((3-Carboxy-5-hydroxyphenyl)diazenyl)benzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03760**

CAS : **NA**

Molecular Formula : **C₂₀H₁₉N₃O₈**

Molecular Weight : **429.39**




(E)-3,3'-((3-((5-Carboxy-2-hydroxyphenyl)diazenyl)benzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03770**

CAS : **NA**

Molecular Formula : **C₂₀H₁₉N₃O₈**

Molecular Weight : **429.39**




3,3'-((4-((3-Carboxy-4-hydroxyphenyl)diazenyl)benzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03780**

CAS : **NA**

Molecular Formula : **C₂₀H₁₉N₃O₈**

Molecular Weight : **429.39**




3,3'-((4-((3-Carboxy-5-hydroxyphenyl)diazenyl)benzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03790**

CAS : **NA**

Molecular Formula : **C₂₀H₁₉N₃O₈**

Molecular Weight : **429.39**




3,3'-((4-((5-Carboxy-2-hydroxyphenyl)diazenyl)benzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03800**

CAS : **NA**

Molecular Formula : **C₂₀H₁₉N₃O₈**

Molecular Weight : **429.39**




5-((3-Carboxyphenyl)diazenyl)-2-hydroxybenzoic Acid

Catalogue No.: **PA 02 03810**

CAS : **242126-55-2**

Molecular Formula : **C₁₄H₁₀N₂O₅**

Molecular Weight : **286.24**




3-((3-Carboxyphenyl)diazenyl)-4-hydroxybenzoic Acid

Catalogue No.: **PA 02 03820**

CAS : **NA**

Molecular Formula : **C₁₄H₁₀N₂O₅**

Molecular Weight : **286.24**




3-((3-Carboxyphenyl)diazenyl)-5-hydroxybenzoic Acid

Catalogue No.: **PA 02 03830**

CAS : **NA**

Molecular Formula : **C₁₄H₁₀N₂O₅**

Molecular Weight : **286.24**




5-((2-Carboxyphenyl)diazenyl)-2-hydroxybenzoic Acid

Catalogue No.: **PA 02 03840**

CAS : **NA**

Molecular Formula : **C₁₄H₁₀N₂O₅**

Molecular Weight : **286.24**




3-((2-Carboxyphenyl)diazenyl)-4-hydroxybenzoic Acid

Catalogue No.: **PA 02 03850**

CAS : **NA**

Molecular Formula : **C₁₄H₁₀N₂O₅**

Molecular Weight : **286.24**




3-((2-Carboxyphenyl)diazenyl)-5-hydroxybenzoic Acid

Catalogue No.: **PA 02 03860**

CAS : **NA**

Molecular Formula : **C₁₄H₁₀N₂O₅**

Molecular Weight : **286.24**




(E)-5-((2-Carboxyphenyl)diazenyl)-2-hydroxybenzoic Acid

Catalogue No.: **PA 02 03870**

CAS : **60473-81-6**

Molecular Formula : **C₁₄H₁₀N₂O₅**

Molecular Weight : **286.24**




(E)-3-((2-Carboxyphenyl)diazenyl)-5-hydroxybenzoic Acid

Catalogue No.: **PA 02 03880**

CAS : **NA**

Molecular Formula : **C₁₄H₁₀N₂O₅**

Molecular Weight : **286.24**




(E)-3-((2-Carboxyphenyl)diazenyl)-4-hydroxybenzoic Acid

Catalogue No.: **PA 02 03890**

CAS : **NA**

Molecular Formula : **C₁₄H₁₀N₂O₅**

Molecular Weight : **286.24**




(E)-3-((4-Carboxyphenyl)diazenyl)-5-hydroxybenzoic Acid

Catalogue No.: **PA 02 03900**

CAS : **NA**

Molecular Formula : **C₁₄H₁₀N₂O₅**

Molecular Weight : **286.24**




3,3'-((2-Nitrobenzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03950**

CAS : **NA**

Molecular Formula : **C₁₃H₁₄N₂O₇**

Molecular Weight : **310.26**




3,3'-((3-Nitrobenzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03960**

CAS : **NA**

Molecular Formula : **C₁₃H₁₄N₂O₇**

Molecular Weight : **310.26**




3,3'-((4-Nitrobenzoyl)azanediyl)dipropionic Acid

Catalogue No.: **PA 02 03970**

CAS : **NA**

Molecular Formula : **C₁₃H₁₄N₂O₇**

Molecular Weight : **310.26**




3-(3-Aminobenzamido)propanoic Acid

Catalogue No.: **PA 02 03980**

CAS : **83891-49-0**

Molecular Formula : **C₁₀H₁₂N₂O₃**

Molecular Weight : **208.22**




3-(2-Aminobenzamido)propanoic Acid


Catalogue No.: **PA 02 03990**

CAS : **13135-92-7**

Molecular Formula : **C₁₀H₁₂N₂O₃**


Molecular Weight : **208.22**





3,3'-((4,4'-((1E,1'E)-(4-Hydroxy-1,3-phenylene)bis(diazene-2,1-diyl))bis(benzoyl))bis(azanediy))dipropionic Acid

Catalogue No.: **PA 02 0021005** CAS : **1242567-13-0** Molecular Formula : **C₂₆H₂₄N₆O₇** Molecular Weight : **532.51**




(E)-5-((4-((3-((2-Carboxyethyl)amino)-3-oxopropyl)carbamoyl)phenyl)diazeryl)-2-hydroxybenzoic Acid

Catalogue No.: **PA 02 0021006** CAS : **1242567-08-3** Molecular Formula : **C₂₀H₂₀N₄O₇** Molecular Weight : **428.4**


Bapta

BAPTA is 1,2-bis(o-aminophenoxy)ethane-N,N,N',N'-tetraacetic acid, which is a calcium-specific aminopolycarboxylic acid. It is selective calcium chelator with greater affinity for Ca²⁺ than Mg²⁺. . Reference standards of BAPTA API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




BAPTA - API Standards

Catalogue No.: **PA 02 04000** CAS : **85233-19-8** Molecular Formula : **C₂₂H₂₄N₂O₁₀** Molecular Weight : **476.43**




BAPTA-tetracesium Salt

Catalogue No.: **PA 02 04510** CAS : **480436-84-8** Molecular Formula : **C₂₂H₂₀Cs₄N₂O₁₀** Molecular Weight : **1004.02**




BAPTA-AM

Catalogue No.: **PA 02 04520** CAS : **126150-97-8** Molecular Formula : **C₃₄H₄₀N₂O₁₈** Molecular Weight : **764.68**




BAPTA-APM

Catalogue No.: **PA 02 04530** CAS : **352000-08-9** Molecular Formula : **C₂₆H₂₉K₄N₃O₁₀** Molecular Weight : **699.92**



BAPTA-tetramethyl Ester

Catalogue No.: **PA 02 04540** CAS : **125367-34-2** Molecular Formula : **C₂₆H₃₂N₂O₁₀** Molecular Weight : **532.54**




5,5'-Dinitro-BAPTA-tetramethyl Ester

Catalogue No.: **PA 02 04550** CAS : **125367-35-3** Molecular Formula : **C₂₆H₃₀N₄O₁₄** Molecular Weight : **622.53**

Bupropion


Bupropion is sold under the brand names Wellbutrin and Zyban among others, is a medication primarily used to treat major depressive disorder and to support stopping smoking.. Reference standards of Bupropion API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



3-Deschloro-2-chloro Bupropion Hydrochloride

Catalogue No.: **PA 02 60070** CAS : **1049718-57-1** Molecular Formula : **C₁₃H₁₉Cl₂NO** Molecular Weight : **276.20**


SIMILAR PRODUCTS ▼



2-(tert-Butylamino)-3',5'-dichloropropiophenone Hydrochloride

Catalogue No.: **PA 02 60100** CAS : **1346603-00-6** Molecular Formula : **C₁₃H₁₈Cl₂NO** Molecular Weight : **310.65**


SIMILAR PRODUCTS ▼



2-Amino-1-(3-Chlorophenyl)-1-Propanone Hydrochloride

Catalogue No.: **PA 02 60120** CAS : **2227990-16-9** Molecular Formula : **C₉H₁₁Cl₂NO** Molecular Weight : **220.10**


SIMILAR PRODUCTS ▼



2-Amino-1-(3-Chlorophenyl)-1-Propanone


Catalogue No.: **PA 02 60121** CAS : **119802-69-6** Molecular Formula : **C₉H₁₀ClNO** Molecular Weight : **183.63**

SIMILAR PRODUCTS ▼



2-tert-Butylamino-1-(4-chloro-phenyl)-propan-1-one Hydrochloride


Catalogue No.: **PA 02 60510** CAS : **1049718-72-0** Molecular Formula : **C₁₃H₁₉Cl₂NO** Molecular Weight : **276.2**



4-Chloro Bupropion Hydrochloride


Catalogue No.: **PA 02 60610** CAS : **1346598-72-8** Molecular Formula : **C₁₃H₁₈Cl₃NO** Molecular Weight : **310.65**

SIMILAR PRODUCTS ▼




(3S,5R,6R)-Bupropion Impurity

Catalogue No.: **PA 02 60620** CAS : **2133460-43-0** Molecular Formula : **C₁₂H₁₄ClNO₃S** Molecular Weight : **287.76**



(3S,5S,6S)-Bupropion Impurity

Catalogue No.: **PA 02 60630** CAS : **2133460-42-9** Molecular Formula : **C₁₂H₁₄ClNO₃S** Molecular Weight : **287.76**




Threohydro Bupropion

Catalogue No.: **PA 02 60640** CAS : **153365-82-3** Molecular Formula : **C₁₃H₂₀ClNO** Molecular Weight : **241.76**


Erythro-Hydroxy Bupropion

Catalogue No.: **PA 02 60650** CAS : **292055-72-2** Molecular Formula : **C₁₃H₂₀ClNO** Molecular Weight : **241.76**



SIMILAR PRODUCTS ▼

3'-Dechloro-3'-bromo Bupropion Fumarate




Catalogue No.: **PA 02 60660**

CAS : **1251850-99-3**

Molecular Formula : **C₁₇H₂₂BrNO₅**

Molecular Weight : **400.26**

threo-Hydroxy Bupropion Hydrochloride




Catalogue No.: **PA 02 60670**

CAS : **357637-18-4**

Molecular Formula : **C₁₃H₂₁Cl₂NO**

Molecular Weight : **278.22**

(3R,5RS,6RS)-6-(3-Chlorophenyl)-6-Hydroxy-5-Methyl-3-Thiomorpholine Carboxylic Acid




Catalogue No.: **PA 02 60680**

CAS : **1246812-57-6**

Molecular Formula : **C₁₂H₁₄ClNO₃S**

Molecular Weight : **287.76**

4-Chloro Bupropion



Catalogue No.: **PA 02 60690**


CAS : **1193779-34-8**

Molecular Formula : **C₁₃H₁₇Cl₂NO**

Molecular Weight : **274.19**

SIMILAR PRODUCTS ▼

5-Chloro Bupropion



Catalogue No.: **PA 02 60700**


CAS : **1193779-48-4**

Molecular Formula : **C₁₃H₁₇Cl₂NO**

Molecular Weight : **274.19**

SIMILAR PRODUCTS ▼

4-Chloro Bupropion Fumarate



Catalogue No.: **PA 02 60710**


CAS : **1193779-36-0**

Molecular Formula : **C₁₇H₂₁Cl₂NO₅**

Molecular Weight : **390.26**

SIMILAR PRODUCTS ▼

5-Chloro Bupropion Fumarate



Catalogue No.: **PA 02 60720**


CAS : **1193779-50-8**

Molecular Formula : **C₁₇H₂₁Cl₂NO₅**

Molecular Weight : **390.26**

SIMILAR PRODUCTS ▼

Erythro-Hydroxy Bupropion Hydrochloride



Catalogue No.: **PA 02 60730**


CAS : **357628-62-7**

Molecular Formula : **C₁₃H₂₁Cl₂NO**

Molecular Weight : **278.22**

SIMILAR PRODUCTS ▼

Bupropion (R)-Isomer



Catalogue No.: **PA 02 60760**

CAS : **437723-96-1**

Molecular Formula : **C₁₇H₂₄ClNO₇**

Molecular Weight : **389.83**


Bupropion (S)-Isomer L-Tartaric Acid Salt

Catalogue No.: **PA 02 60770**


CAS : **NA**

Molecular Formula : **C₁₇H₂₄ClNO₇**

Molecular Weight : **389.83**



SIMILAR PRODUCTS ▼



Bupropion (S)-Isomer Hydrochloride


Catalogue No.: **PA 02 60780**

CAS : **324548-45-0**

Molecular Formula : **C₁₃H₁₉Cl₂NO**

Molecular Weight : **276.2**

SIMILAR PRODUCTS ▼




2-(tert-Butylamino)-3',4'-dichloropropiophenone-d6 Hydrochloride

Catalogue No.: **PA STI 016050**

CAS : **1346598-76-2**

Molecular Formula : **C₁₃H₁₂D₆Cl₂NO**

Molecular Weight : **316.68**




4-Chloro Bupropion-d9 Fumarate

Catalogue No.: **PA STI 019270**

CAS : **1346606-37-8**

Molecular Formula : **C₁₇H₁₂D₉Cl₂NO₅**

Molecular Weight : **399.31**




5-Chloro Bupropion-d9 Fumarate

Catalogue No.: **PA STI 019280**

CAS : **1346606-75-4**

Molecular Formula : **C₁₇H₁₂D₉Cl₂NO₅**

Molecular Weight : **399.31**




3'-Dechloro-4'-chloro Bupropion-d9 Fumarate

Catalogue No.: **PA STI 024710**

CAS : **NA**

Molecular Formula : **C₁₇H₁₃D₉ClNO₅**

Molecular Weight : **364.87**




3-Deschloro-2-chloro Bupropion-d9 Hydrochloride

Catalogue No.: **PA STI 026770**

CAS : **1346604-03-2**

Molecular Formula : **C₁₃H₁₀D₉Cl₂NO**

Molecular Weight : **285.26**




Deschloro Bupropion-d9 Hydrochloride

Catalogue No.: **PA STI 026780**

CAS : **1346601-65-7**

Molecular Formula : **C₁₃H₁₁D₉ClNO**

Molecular Weight : **250.81**




3'-Dechloro-3'-bromo Bupropion-d9 Fumarate

Catalogue No.: **PA STI 026790**

CAS : **2714418-64-9**

Molecular Formula : **C₁₇H₁₃D₉BrNO₅**

Molecular Weight : **409.32**



2-(tert-Butylamino)-1-(4-chlorophenyl)propan-1-one Hydrobromide

Catalogue No.: **PA 02 60820**

CAS : **NA**

Molecular Formula : **C₁₃H₁₉BrClNO**

Molecular Weight : **320.66**

1-(3-Bromophenyl)-2-(tert-butylamino)propan-1-one Hydrobromide

Catalogue No.: **PA 02 60830**


CAS : **NA**

Molecular Formula : **C₁₃H₁₉Br₂NO**

Molecular Weight : **365.11**

Brompheniramine Maleate


Brompheniramine Maleate is sold under the brand name Dimetapp among others, is an antihistamine drug of the propylamine (alkylamine) class.. Reference standards of Brompheniramine Maleate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Brompheniramine Maleate - API Standards


Catalogue No.: **PA 02 52000** CAS : **980-71-2** Molecular Formula : **C₂₀H₂₃BrN₂O₄** Molecular Weight : **435.31**

SIMILAR PRODUCTS ▼




Brompheniramine Maleate - Impurity B

Catalogue No.: **PA 02 52020** CAS : **2438-32-6** Molecular Formula : **C₂₀H₂₃ClN₂O₄** Molecular Weight : **390.86**



Brompheniramine Maleate - Impurity C

Catalogue No.: **PA 02 52030** CAS : **132-20-7** Molecular Formula : **C₂₀H₂₄N₂O₄** Molecular Weight : **356.42**




Desmethylobrompheniramine Maleate

Catalogue No.: **PA 02 52520** CAS : **NA** Molecular Formula : **C₁₉H₂₁BrN₂O₄** Molecular Weight : **421.29**

Bromfenac Sodium


The FDA and European approvals for Bromfenac Sodium are for use one day before and two weeks following cataract surgery for the treatment of ocular inflammation and pain. It is a nonsteroidal anti-inflammatory drug.. Reference standards of Bromfenac Sodium API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Bromfenac Sodium - API Standards

Catalogue No.: **PA 02 47000** CAS : **91714-93-1** Molecular Formula : **C₁₅H₁₁BrNNaO₃** Molecular Weight : **356.15**

SIMILAR PRODUCTS ▼




2-Amino-3-(4-bromobenzoyl)benzoic Acid

Catalogue No.: **PA 02 47510** CAS : **241496-82-2** Molecular Formula : **C₁₄H₁₀BrNO₃** Molecular Weight : **320.14**


Benzhydrylamine

Benzhydrylamine known as α-Aminodiphenylmethane, it is critical for effective solid phase peptide synthesis (SPPS). Reference standards of Benzhydrylamine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Benzhydrylamine - API Standards

Catalogue No.: **PA 02 13000** CAS : **91-00-9** Molecular Formula : **C₁₃H₁₃N** Molecular Weight : **183.25**




1-Benzhydrylazetidin-3-ol

Catalogue No.: **PA 02 13550** CAS : **18621-17-5** Molecular Formula : **C₁₆H₁₇NO** Molecular Weight : **239.32**

Brexpiprazole

Brexpiprazole is used in the treatment of schizophrenia and as an adjunct for major depressive disorder. It is sold under the brand name Rexulti, it is an atypical antipsychotic. Reference standards of Brexpiprazole API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Brexpiprazole - API Standards




Catalogue No.: **PA 02 96000**

CAS : **913611-97-9**

Molecular Formula : **C₂₅H₂₇N₃O₂S**

Molecular Weight : **433.57**

7-(4-(4-(1-Oxidobenzo[b]thiophen-4-yl)piperazin-1-yl)butoxy)quinolin-2(1H)-one




Catalogue No.: **PA 02 96510**

CAS : **1191900-51-2**

Molecular Formula : **C₂₅H₂₇N₃O₃S**

Molecular Weight : **449.57**

7-[4-[4-(Benzothiophen-4-yl)piperazin-1-yl]butoxy]-1-[4-[(2-oxo-1H-quinolin-7-yl)oxy]butyl]quinolin-2-one




Catalogue No.: **PA 02 96540**

CAS : **2094559-58-5**

Molecular Formula : **C₃₈H₄₀N₄O₄S**

Molecular Weight : **648.81**

Brexpiprazole 5-1H-Quinolin-2-one




Catalogue No.: **PA 02 96550**

CAS : **2116542-20-0**

Molecular Formula : **C₂₅H₂₇N₃O₂S**

Molecular Weight : **433.57**

Brexpiprazole 4-Methyl Benzo[b]thiophene




Catalogue No.: **PA 02 96560**

CAS : **NA**

Molecular Formula : **C₃₃H₃₁N₃O₂S₂**

Molecular Weight : **565.75**

7-[4-[(2-Oxo-1H-quinolin-7-yl)oxy]butoxy]-1H-quinolin-2-one




Catalogue No.: **PA 02 96580**

CAS : **2116542-19-7**

Molecular Formula : **C₂₂H₂₀N₂O₄**

Molecular Weight : **376.41**

7-(4-Chlorobutoxy)-1-(4-chlorobutyl)quinolin-2-one




Catalogue No.: **PA 02 96610**

CAS : **2059954-32-2**

Molecular Formula : **C₁₇H₂₁Cl₂NO₂**

Molecular Weight : **342.26**

7-(4-Hydroxybutoxy)quinolin-2(1H)-one




Catalogue No.: **PA 02 96630**

CAS : **1886188-97-1**

Molecular Formula : **C₁₃H₁₅NO₃**

Molecular Weight : **233.26**

5-Hydroxyquinolin-2(1H)-one




Catalogue No.: **PA 02 96650**

CAS : **31570-97-5**

Molecular Formula : **C₉H₇NO₂**

Molecular Weight : **161.16**

1-(Benzo[b]thiophen-4-yl)piperazine Hydrochloride




Catalogue No.: **PA 02 96670**

CAS : **913614-18-3**

Molecular Formula : **C₁₂H₁₅ClN₂S**

Molecular Weight : **254.78**




7-(4-Chlorobutoxy)quinolin-2(1H)-one

Catalogue No.: **PA 02 96680**

CAS : **913613-82-8**

Molecular Formula : **C₁₃H₁₄ClNO₂**

Molecular Weight : **251.71**




Tert-butyl 4-nitrosopiperazine-1-carboxylate

Catalogue No.: **PA 02 0961031**

CAS : **877177-42-9**

Molecular Formula : **C₉H₁₇N₃O₃**

Molecular Weight : **215.25**




1-(4-Chlorobutyl)-7-(4-((2-oxo-1,2-dihydroquinolin-7-yl)oxy)butoxy)quinolin-2(1H)-one

Catalogue No.: **PA 02 0961039**

CAS : **2247155-48-0**

Molecular Formula : **C₂₆H₂₇ClN₂O₄**

Molecular Weight : **466.96**




7-(4-((2-(4-Chlorobutoxy)quinolin-7-yl)oxy)butoxy)quinolin-2(1H)-one

Catalogue No.: **PA 02 0961040**

CAS : **2247155-47-9**

Molecular Formula : **C₂₆H₂₇ClN₂O₄**

Molecular Weight : **466.96**



7-(4-Chlorobutoxy)-2-((5-chloropentyl)oxy)quinolin-3(4H)-one

Catalogue No.: **PA 02 0961041**


CAS : **NA**

Molecular Formula : **C₁₈H₂₃Cl₂NO₃**

Molecular Weight : **372.29**

Betaxolol Hydrochloride

Betaxolol Hydrochloride is a selective beta1 receptor blocker used in the treatment of hypertension and glaucoma. It may be used alone or in combination with other anti-glaucoma drugs.. Reference standards of Betaxolol Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Betaxolol Hydrochloride - API Standards


Catalogue No.: **PA 02 35000**

CAS : **63659-19-8**

Molecular Formula : **C₁₈H₃₀ClNO₃**

Molecular Weight : **343.89**

SIMILAR PRODUCTS ✓



Betaxolol Hydrochloride - Impurity A (Hydrochloride Salt)


Catalogue No.: **PA 02 35010**

CAS : **464877-45-0**

Molecular Formula : **C₁₄H₂₄ClNO₂**

Molecular Weight : **273.80**

SIMILAR PRODUCTS ✓



Betaxolol Hydrochloride - Impurity E (Hydrochloride Salt)

Catalogue No.: **PA 02 35050**


CAS : **2724726-61-6**

Molecular Formula : **C₁₈H₃₂ClNO₃**

Molecular Weight : **345.90**

Bambuterol Hydrochloride

Bambuterol Hydrochloride is a long acting beta-adrenoceptor agonist used in the treatment of asthma. It is a prodrug of terbutaline. . Reference standards of Bambuterol Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Bambuterol Hydrochloride - API Standards


Catalogue No.: **PA 02 87000**

CAS : **81732-46-9**

Molecular Formula : **C₁₈H₃₀ClN₃O₅**

Molecular Weight : **403.90**

SIMILAR PRODUCTS ▼



Bambuterol Hydrochloride - Impurity A


Catalogue No.: **PA 02 87010**

CAS : **23031-25-6**

Molecular Formula : **C₁₂H₁₉NO₃**

Molecular Weight : **225.28**

SIMILAR PRODUCTS ▼




Bambuterol Hydrochloride - Impurity B

Catalogue No.: **PA 02 87020**

CAS : **112935-92-9**

Molecular Formula : **C₁₄H₂₀N₂O₆**

Molecular Weight : **312.32**




Bambuterol Hydrochloride - Impurity C

Catalogue No.: **PA 02 87030**

CAS : **81732-67-4**

Molecular Formula : **C₁₅H₂₄N₂O₄**

Molecular Weight : **296.36**




Bambuterol Hydrochloride - Impurity D

Catalogue No.: **PA 02 87040**

CAS : **112935-93-0**

Molecular Formula : **C₁₄H₂₀N₂O₅**

Molecular Weight : **296.32**



Bambuterol Hydrochloride - Impurity E

Catalogue No.: **PA 02 87050**

CAS : **81732-48-1**


Molecular Formula : **C₁₄H₁₈N₂O₅**

Molecular Weight : **294.30**

Bendamustine Hydrochloride

An alkylating agent with chemical formula 1Hbenzimidazole-2-butanoic acid, 5-[bis(2-chloroethyl)amino]-1 methyl-, monohydrochloride. It contains a mechlorethamine group and a benzimidazole heterocyclic ring with a butyric acid substituent. It is used for the treatment of chronic lymphocytic leukemia and lymphomas. Reference standards of Bendamustine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Bendamustine Ethyl Ester




Catalogue No.: **PA 02 07520**

CAS : **87475-54-5**

Molecular Formula : **C₁₈H₂₅Cl₂N₃O₂**

Molecular Weight : **386.32**

Bendamustine Isopropyl Ester




Catalogue No.: **PA 02 07530**

CAS : **1313020-25-5**

Molecular Formula : **C₁₉H₂₇Cl₂N₃O₂**

Molecular Weight : **400.34**

Dihydroxy Bendamustine




Catalogue No.: **PA 02 07540**

CAS : **109882-30-6**

Molecular Formula : **C₁₆H₂₃N₃O₄**

Molecular Weight : **321.37**

Deschloroethyl Bendamustine Hydrochloride



Catalogue No.: **PA 02 07550**


CAS : **1797881-48-1**

Molecular Formula : **C₁₄H₁₉Cl₂N₃O₂**

Molecular Weight : **332.23**

SIMILAR PRODUCTS

5-[(2-Chloroethyl)(2-hydroxyethyl)amino]-1-methyl-1H-benzimidazole-2-butanoic Acid 1-Methylethyl Ester




Catalogue No.: **PA 02 07600**

CAS : **1797008-41-3**

Molecular Formula : **C₁₉H₂₈ClN₃O₃**

Molecular Weight : **381.9**

Bendamustine Chloro Dimer Impurity




Catalogue No.: **PA 02 07710**

CAS : **1228551-91-4**

Molecular Formula : **C₃₂H₄₁Cl₃N₆O₄**

Molecular Weight : **680.06**

4-(5-((2-Hydroxyethyl)(methyl)amino)-1-methyl-1H-benzo[d]imidazol-2-yl)butanoic Acid




Catalogue No.: **PA 02 07720**

CAS : **NA**

Molecular Formula : **C₁₅H₂₁N₃O₃**

Molecular Weight : **291.35**

Isopropyl 4-(5-((2-hydroxyethyl)amino)-1-methyl-1H-benzo[d]imidazol-2-yl)butanoate




Catalogue No.: **PA 02 07730**

CAS : **NA**

Molecular Formula : **C₁₇H₂₅N₃O₃**

Molecular Weight : **319.4**

Bendamustine Deschloro Dimer Impurity





Catalogue No.: **PA 02 07740**

CAS : **1391052-61-1**





Molecular Formula : **C₃₂H₄₄N₆O₇**

Molecular Weight : **624.73**

Bendamustine Dimer 2'-Allyl Ester


Catalogue No.: **PA 02 07750**CAS : **NA**Molecular Formula : **C₃₅H₄₅Cl₃N₆O₄**Molecular Weight : **720.13****N-Methyl-2-amino-4-nitroaniline**Catalogue No.: **PA 02 07770**CAS : **41939-61-1**Molecular Formula : **C₇H₉N₃O₂**Molecular Weight : **167.17****Bepotastine Besylate**

Bepotastine is a non-sedating, selective antagonist of the histamine 1 receptor. It is used to treat itching of the eyes due to allergies.. Reference standards of Bepotastine Besylate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

2-[(S)-(4-Chlorophenyl)(4-piperidinyloxy)methyl]pyridine (2R,3R)-2,3-DihydroxybutanedioateCatalogue No.: **PA 02 25510**CAS : **210095-58-2**Molecular Formula : **C₂₁H₂₅ClN₂O₇**Molecular Weight : **452.89****4-[(S)-4-chlorophenyl-2-pyridinylmethoxy]-1-piperidine butanoic Acid Ethyl Ester**Catalogue No.: **PA 02 25520**CAS : **190730-39-3**Molecular Formula : **C₂₃H₂₉ClN₂O₃**Molecular Weight : **416.94****(S)-2-[(4-Chlorophenyl)(4-piperidinyloxy)methyl]pyridine**Catalogue No.: **PA 02 25550**CAS : **201594-84-5**Molecular Formula : **C₁₇H₁₉ClN₂O**Molecular Weight : **302.8****(R)-2-[(4-Chlorophenyl)(piperidin-4-yloxy)methyl]pyridine**Catalogue No.: **PA 02 25560**CAS : **210095-55-9**Molecular Formula : **C₁₇H₁₉ClN₂O**Molecular Weight : **302.8**

Benzonitrile

Benzonitrile is a nitrile that is hydrogen cyanide in which the hydrogen has been replaced by a phenyl group.. Reference standards of Benzonitrile API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




rac-4-(2-Amino-3,3-dimethyl-1-oxobutyl)benzonitrile Hydrochloride

Catalogue No.: **PA 29 32580**

CAS : **1373046-75-3**

Molecular Formula : **C₁₃H₁₇CIN₂O**

Molecular Weight : **252.74**




6-Amino-2,3-dichlorobenzonitrile

Catalogue No.: **PA 29 32590**

CAS : **147249-41-0**

Molecular Formula : **C₇H₄Cl₂N₂**

Molecular Weight : **187.03**




(R)-3-(1-Aminoethyl)benzonitrile-HCl

Catalogue No.: **PA 29 32600**

CAS : **1286693-23-9**

Molecular Formula : **C₉H₁₁CIN₂**

Molecular Weight : **182.65**




4-(2-Aminoethyl)benzonitrile, HCl

Catalogue No.: **PA 29 32610**

CAS : **167762-80-3**

Molecular Formula : **C₉H₁₁CIN₂**

Molecular Weight : **182.65**




4-Amino-2-fluoro-5-methoxybenzonitrile

Catalogue No.: **PA 29 32620**

CAS : **1441723-24-5**

Molecular Formula : **C₈H₇FN₂O**

Molecular Weight : **166.15**




2-Aminobenzonitrile

Catalogue No.: **PA 29 32650**

CAS : **1885-29-6**

Molecular Formula : **C₇H₆N₂**

Molecular Weight : **118.14**




4-Aminobenzonitrile

Catalogue No.: **PA 29 32660**

CAS : **873-74-5**

Molecular Formula : **C₇H₆N₂**

Molecular Weight : **118.14**




2-Amino-6-fluorobenzonitrile

Catalogue No.: **PA 29 32720**

CAS : **77326-36-4**

Molecular Formula : **C₇H₅FN₂**

Molecular Weight : **136.13**



4-Amino-2-methoxy-5-nitrobenzonitrile

Catalogue No.: **PA 29 32730**

CAS : **1196074-43-7**

Molecular Formula : **C₈H₇N₃O₃**

Molecular Weight : **193.16**


2-Amino-3-methoxybenzonitrile

Catalogue No.: **PA 29 32740**

CAS : **148932-68-7**

Molecular Formula : **C₈H₈N₂O**

Molecular Weight : **148.16**




4-Amino-5-methyl-3-nitrobenzonitrile

Catalogue No.: **PA 29 32770**

CAS : **468741-02-8**

Molecular Formula : **C₈H₇N₃O₂**

Molecular Weight : **177.16**




5-Aminomethyl-2-fluorobenzonitrile

Catalogue No.: **PA 29 32940**

CAS : **368426-86-2**

Molecular Formula : **C₈H₇FN₂**

Molecular Weight : **150.15**




4-Amino-3-nitrobenzonitrile

Catalogue No.: **PA 29 32970**

CAS : **6393-40-4**

Molecular Formula : **C₇H₅N₃O₂**

Molecular Weight : **163.13**




4-Amino-5-nitro-2-(trifluoromethyl)benzonitrile

Catalogue No.: **PA 29 32980**

CAS : **1155800-54-6**

Molecular Formula : **C₈H₄F₃N₃O₂**

Molecular Weight : **231.13**



Bisphenol A Diglycidyl Ether

Bisphenol A diglycidyl ether is an organic compound used as constituent of epoxy resins. Liquid epoxy resins, usually use bisphenol-A diglycidyl ether as the principal epoxy resin. The epoxy resin can be emulsified by common surfactants.. Reference standards of Bisphenol A Diglycidyl Ether API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below


4'-O-Benzyl Bisphenol A β-D-Glucuronides

Catalogue No.: **PA 02 41510**

CAS : **NA**

Molecular Formula : **C₂₈H₃₀O₈**

Molecular Weight : **494.53**




4'-O-Benzyl Bisphenol A β-D-Glucuronic Acid Methyl Ester

Catalogue No.: **PA 02 41520**

CAS : **NA**

Molecular Formula : **C₂₉H₃₂O₈**

Molecular Weight : **508.56**




4'-O-Benzyl Bisphenol A Tri-O-acetyl-β-D-glucuronic Acid Methyl Ester

Catalogue No.: **PA 02 41530**

CAS : **NA**

Molecular Formula : **C₃₅H₃₈O₁₁**


Molecular Weight : **634.67**



Bortezomib

Bortezomib was approved for medical use in the United States in 2003 and in Europe in 2004. Bortezomib, sold under the brand name Velcade among others, is an anti-cancer medication used to treat multiple myeloma and mantle cell lymphoma.. Reference standards of Bortezomib API, and its pharmacoepial, non pharmacoepial impurities, and stable isotopes are listed below

(R)-Hydroperoxy Des(boric Acid) Bortezomib




Catalogue No.: **PA 02 79660**

CAS : **886979-78-8**

Molecular Formula : **C₁₉H₂₄N₄O₄**

Molecular Weight : **372.42**

(S)-Hydroperoxy Des(boric Acid) Bortezomib




Catalogue No.: **PA 02 79670**

CAS : **886979-81-3**

Molecular Formula : **C₁₉H₂₄N₄O₄**

Molecular Weight : **372.43**

Bortezomib L-Phenylalanyl Analog




Catalogue No.: **PA 02 79720**

CAS : **1194235-41-0**

Molecular Formula : **C₂₈H₃₄BN₅O₅**

Molecular Weight : **531.42**

(αR)-(1S,2S,3R,5S)-Pinanediol-1-amino-3-methylbutane-1-boronate Trifluoroacetic Acid Salt




Catalogue No.: **PA 02 79750**

CAS : **179324-87-9**

Molecular Formula : **C₁₇H₂₉BF₃NO₄**

Molecular Weight : **379.23**

(αS)-α-Amino-N-[(1R)-1-[(3aS,4S,6S,7aR)-hexahydro-3a,5,5-trimethyl-4,6-methano-1,3,2-benzodioxaborol-2-yl]-3-methylbutyl]-benzenepropanamide Monohydrochloride



Catalogue No.: **PA 02 79840**

CAS : **205393-21-1**


Molecular Formula : **C₂₃H₃₆BClN₂O₃**

Molecular Weight : **434.81**

Bisphenol A Diglycidyl Ether

Bisphenol A diglycidyl ether is an organic compound used as constituent of epoxy resins. Liquid epoxy resins, usually use bisphenol-A diglycidyl ether as the principal epoxy resin. The epoxy resin can be emulsified by common surfactants.. Reference standards of Bisphenol A Diglycidyl Ether API, and its pharmacoepial, non pharmacoepial impurities, and stable isotopes are listed below

4'-O-Benzyl Bisphenol A β-D-Glucuronides




Catalogue No.: **PA 02 41510**

CAS : **NA**

Molecular Formula : **C₂₈H₃₀O₈**

Molecular Weight : **494.53**

4'-O-Benzyl Bisphenol A β-D-Glucuronic Acid Methyl Ester




Catalogue No.: **PA 02 41520**

CAS : **NA**

Molecular Formula : **C₂₉H₃₂O₈**

Molecular Weight : **508.56**

4'-O-Benzyl Bisphenol A Tri-O-acetyl-β-D-glucuronic Acid Methyl Ester



Catalogue No.: **PA 02 41530**


CAS : **NA**

Molecular Formula : **C₃₅H₃₈O₁₁**

Molecular Weight : **634.67**

Cabazitaxel

Cabazitaxel was developed by Sanofi-Aventis and was approved by the U.S. FDA for the treatment of hormone-refractory prostate cancer on June 17, 2010. It is a semi-synthetic derivative of a natural taxoid. It is a microtubule inhibitor, and the fourth taxane to be approved as a cancer therapy. Reference standards of Cabazitaxel API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




Cabazitaxel N-formyl Impurity

Catalogue No.: **PA 03 01530**

CAS : **NA**

Molecular Formula : **C₄₁H₄₉NO₁₃**

Molecular Weight : **763.83**




(2'S,3'R)-Cabazitaxel

Catalogue No.: **PA 03 01550**

CAS : **1714967-27-7**

Molecular Formula : **C₄₅H₅₇NO₁₄**

Molecular Weight : **835.93**




(2'S, 3'R)-Cabazitaxel-D6

Catalogue No.: **PA STI 016880**

CAS : **NA**

Molecular Formula : **C₄₅H₅₁D₆NO₁₄**

Molecular Weight : **841.97**




4-Deacetyl-4-propionyl Cabazitaxel-D6

Catalogue No.: **PA STI 024550**

CAS : **NA**

Molecular Formula : **C₄₆H₅₃D₆NO₁₄**

Molecular Weight : **856.00**



Cabazitaxel - Impurity G

Catalogue No.: **PA 04 97670**


CAS : **NA**

Molecular Formula : **C₅₈H₇₂N₂O₁₈**

Molecular Weight : **1085.21**

Cyamemazine

Cyamemazine is used for the treatment of schizophrenia and, especially, for psychosis-associated anxiety, due to its unique anxiolytic efficacy. Reference standards of Cyamemazine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




Cyamemazine - API Standards

Catalogue No.: **PA 03 78000**

CAS : **3546-03-0**

Molecular Formula : **C₁₉H₂₁N₃S**

Molecular Weight : **323.46**



Cyamemazine-d6

Catalogue No.: **PA STI 022850**

CAS : **1216608-24-0**


Molecular Formula : **C₁₉H₁₅D₆N₃S**

Molecular Weight : **329.49**

Cabergoline

Cabergoline is an ergot derivative, is a potent dopamine receptor agonist on D2 receptors. It is used to treat different types of medical problems that occur when too much of the hormone prolactin is produced.. Reference standards of Cabergoline API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Cabergoline - Impurity D




Catalogue No.: **PA 03 02520**

CAS : **85329-86-8**

Molecular Formula : **C₂₃H₃₂N₄O**

Molecular Weight : **380.53**

Dimethyl Cabergoline




Catalogue No.: **PA 03 02530**

CAS : **NA**

Molecular Formula : **C₂₈H₄₁N₅O₂**

Molecular Weight : **479.66**

Cabergoline - Impurity A




Catalogue No.: **PA 03 02540**

CAS : **81409-74-7**

Molecular Formula : **C₁₈H₂₀N₂O₂**

Molecular Weight : **296.36**

Cabergoline - Impurity B




Catalogue No.: **PA 03 02550**

CAS : **166533-36-4**

Molecular Formula : **C₂₆H₃₇N₅O₂**

Molecular Weight : **451.6**

6-Allyl-8β-carboxyergoline-d5




Catalogue No.: **PA STI 004760**

CAS : **NA**

Molecular Formula : **C₁₈H₁₅D₅N₂O₂**

Molecular Weight : **301.39**

Desethylcarbamoyl Cabergoline-d5




Catalogue No.: **PA STI 027190**

CAS : **1316849-28-1**

Molecular Formula : **C₂₃H₂₇D₅N₄O**

Molecular Weight : **385.56**

Dihydro Cabergoline-(d5 major)




Catalogue No.: **PA STI 032280**

CAS : **NA**

Molecular Formula : **C₂₆H₃₄D₅N₅O₂**

Molecular Weight : **458.65**

(8β)-N-[[[3-(Dimethylamino)propyl]amino]carbonyl]-N-ethyl-6-(2-propen-1-yl)-ergoline-8-carboxamide-d5




Catalogue No.: **PA STI 033710**

CAS : **NA**

Molecular Formula : **C₂₆H₃₂D₅N₅O₂**

Molecular Weight : **456.64**

Ergoline-8β-carboxylic Acid Methyl Ester Hydrochloride



Catalogue No.: **PA 03 02580**

CAS : **1075250-77-9**


Molecular Formula : **C₁₆H₁₉ClN₂O₂**

Molecular Weight : **306.79**

Cabozantinib

Cabozantinib is used in two forms. A capsule form is used since 2012 to treat medullary thyroid cancer and a tablet form is used since 2016 as a second line treatment for renal cell carcinoma.. Reference standards of Cabozantinib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below


Cabozantinib - API Standards



Catalogue No.: **PA 30 62000** CAS : **849217-68-1** Molecular Formula : **C₂₈H₂₄FN₃O₅** Molecular Weight : **501.51**


SIMILAR PRODUCTS ▼

Cabozantinib Amine Analog




Catalogue No.: **PA 30 62550** CAS : **190728-25-7** Molecular Formula : **C₁₇H₁₆N₂O₃** Molecular Weight : **296.32**

1-((4-Fluorophenyl)carbamoyl)cyclopropanecarboxylic Acid




Catalogue No.: **PA 30 62600** CAS : **849217-48-7** Molecular Formula : **C₁₁H₁₀FN₂O₃** Molecular Weight : **223.2**

N-(4-Fluorophenyl)-n'-(4-hydroxyphenyl)cyclopropane-1,1-dicarboxamide




Catalogue No.: **PA 30 62610** CAS : **849217-60-3** Molecular Formula : **C₁₇H₁₅FN₂O₃** Molecular Weight : **314.31**

Cabozantinib Dimer Impurity




Catalogue No.: **PA 30 62620** CAS : **NA** Molecular Formula : **C₃₆H₃₀N₄O₈** Molecular Weight : **646.65**

Cabozantinib-d4




Catalogue No.: **PA STI 089396** CAS : **1802168-53-1** Molecular Formula : **C₂₈H₂₀D₄FN₃O₅** Molecular Weight : **505.54**

N-(4-((6,7-Dimethoxyquinolin-4-yl)oxy)phenyl)-6,7-dimethoxyquinolin-4-amine




Catalogue No.: **PA 30 0621022** CAS : **NA** Molecular Formula : **C₂₈H₂₅N₃O₅** Molecular Weight : **483.52**

(E)-N-(3-(4,5-Dimethoxy-2-nitrophenyl)-3-oxoprop-1-en-1-yl)-N-methylnitrous amide




Catalogue No.: **PA 30 0621032** CAS : **NA** Molecular Formula : **C₁₂H₁₃N₃O₆** Molecular Weight : **295.25**

5-(((3,4-Dimethoxyphenyl)amino)methylene)-2,2-dimethyl-1,3-dioxane-4,6-dione




Catalogue No.: **PA 30 0621034** CAS : **213699-53-7** Molecular Formula : **C₁₅H₁₇NO₆** Molecular Weight : **307.3**

Cabozantinib Methyl Ester Analog



Catalogue No.: **PA 30 0621035** CAS : **1584696-82-1** Molecular Formula : **C₂₃H₂₂N₂O₆** Molecular Weight : **422.43**



Cabozantinib Ethyl Ester Analog

Catalogue No.: **PA 30 0621036**


CAS : **1584696-80-9**

Molecular Formula : **C₂₄H₂₄N₂O₆**

Molecular Weight : **436.46**

Chlorpheniramine

It is S enantiomer of Chlorpheniramine maleate, an antihistamine drug. Reference standards of Chlorpheniramine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




(S)-Chlorpheniramine-d6 Maleate Salt

Catalogue No.: **PA STI 020990**

CAS : **NA**

Molecular Formula : **C₂₀H₁₇D₆ClN₂O₄**

Molecular Weight : **396.9**



(R)-Chlorpheniramine-d6 Maleate Salt

Catalogue No.: **PA STI 021000**


CAS : **NA**

Molecular Formula : **C₂₀H₁₇D₆ClN₂O₄**

Molecular Weight : **396.9**

Chlorzoxazone

Chlorzoxazone is sold under the trade names "Lorzone", Paraflex and Muscol and in combination form as Parafon Forte, a combination of chlorzoxazone and acetaminophen. It is a centrally acting muscle relaxant used to treat muscle spasm and the resulting pain or discomfort.. Reference standards of Chlorzoxazone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




Chlorzoxazone - API Standards

Catalogue No.: **PA 30 52000**

CAS : **95-25-0**

Molecular Formula : **C₇H₄ClNO₂**

Molecular Weight : **169.57**



6-Hydroxy Chlorzoxazone-d2

Catalogue No.: **PA STI 047500**


CAS : **1432065-00-3**

Molecular Formula : **C₇H₂D₂ClNO₃**

Molecular Weight : **187.58**

Caspofungin Diacetate

Caspofungin Diacetate is an acetate salt and an antibiotic antifungal drug Caspofungin acetate is the diacetate salt of caspofungin. It is used for the treatment of invasive candidiasis, and of aspergillosis in patients who are refractory to, or intolerant of, other therapy. It has a role as an antiinfective agent.. Reference standards of Caspofungin Diacetate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Caspofungin Diacetate - API Standards


Catalogue No.: **PA 30 10000**

CAS : **179463-17-3**

Molecular Formula : **C₅₆H₉₆N₁₀O₁₉**

Molecular Weight : **1213.42**

SIMILAR PRODUCTS ▼



Caspofungin Dimer 3

Catalogue No.: **PA 30 0101003**


CAS : **NA**

Molecular Formula : **C₁₀₂H₁₆₈N₁₈O₃₀**

Molecular Weight : **2126.56**

Caffeine


Caffeine is a central nervous system stimulant of the methylxanthine class. It is used to restore mental alertness or wakefulness during fatigue or drowsiness.. Reference standards of Caffeine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Caffeine - API Standards


Catalogue No.: **PA 03 04000** CAS : **58-08-2** Molecular Formula : **C₈H₁₀N₄O₂** Molecular Weight : **194.19**

SIMILAR PRODUCTS ▼




Caffeine - Impurity B

Catalogue No.: **PA 03 04020** CAS : **7597-60-6** Molecular Formula : **C₇H₁₀N₄O₃** Molecular Weight : **198.18**



Caffeine - Impurity C


Catalogue No.: **PA 03 04030** CAS : **519-32-4** Molecular Formula : **C₈H₁₀N₄O₂** Molecular Weight : **194.19**



Caffeine - Impurity E

Catalogue No.: **PA 03 04050** CAS : **20041-90-1** Molecular Formula : **C₇H₁₂N₄O** Molecular Weight : **168.20**


SIMILAR PRODUCTS ▼



Caffeine - Impurity E (Nitrate Salt)


Catalogue No.: **PA 03 04051** CAS : **209725-34-8** Molecular Formula : **C₇H₁₃N₅O₄** Molecular Weight : **231.21**

SIMILAR PRODUCTS ▼




Sodium 4-[N-Methyl-N-(N-Methylaminocarbonyl)amino]-1-methylimidazole-5-Carboxylate

Catalogue No.: **PA 03 04510** CAS : **NA** Molecular Formula : **C₈H₁₁N₄NaO₃** Molecular Weight : **234.19**




N-(6-Amino-1,2,3,4-tetrahydro-1,3-dimethyl-2,4-dioxo-5-pyrimidinyl)-N-methylformamide

Catalogue No.: **PA 03 04520** CAS : **33130-55-1** Molecular Formula : **C₈H₁₂N₄O₃** Molecular Weight : **212.21**



Caffeidine-d9


Catalogue No.: **PA STI 016940** CAS : **NA** Molecular Formula : **C₇H₃D₉N₄O** Molecular Weight : **177.25**



Isocaffeine-d3

Catalogue No.: **PA STI 053750** CAS : **NA** Molecular Formula : **C₈H₇D₃N₄O₂** Molecular Weight : **197.21**

6-Amino-5-(N-formyl-N-methyl)-3-methyluracil




Catalogue No.: **PA 03 04530**

CAS : **55782-76-8**

Molecular Formula : **C₇H₁₀N₄O₃**

Molecular Weight : **198.18**

Caffeine - Impurity E (Hydrochloride Salt)




Catalogue No.: **PA 03 04052**

CAS : **107605-95-8**

Molecular Formula : **C₇H₁₃ClN₄O**

Molecular Weight : **204.66**

SIMILAR PRODUCTS ▼




5-Acetylamino-6-amino-3-methyluracil

Catalogue No.: **PA 03 0041005**

CAS : **19893-78-8**

Molecular Formula : **C₇H₁₀N₄O₃**

Molecular Weight : **198.18**




N,1-Dimethyl-4-(methyl(nitroso)amino)-1H-imidazole-5-carboxamide

Catalogue No.: **PA 03 0041006**

CAS : **145438-96-6**

Molecular Formula : **C₇H₁₁N₅O₂**

Molecular Weight : **197.2**




N,1-Dimethyl-4-(methyl(nitroso)amino)-N-nitroso-1H-imidazole-5-carboxamide

Catalogue No.: **PA 03 0041007**

CAS : **145438-97-7**

Molecular Formula : **C₇H₁₀N₆O₃**

Molecular Weight : **226.2**



6-Amino-1,3-dimethylpyrimidine-2,4(1H,3H)-dione

Catalogue No.: **PA 03 0041008**


CAS : **6642-31-5**

Molecular Formula : **C₆H₉N₃O₂**

Molecular Weight : **155.16**

Ceftriaxone Disodium Salt Hemi(Heptahydrate)

Ceftriaxone Disodium Salt Hemi(Heptahydrate) and other third-generation antibiotics are used to treat organisms that tend to be resistant to many other antibiotics. Reference standards of Ceftriaxone Disodium Salt Hemi(Heptahydrate) API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




(E)-S-Benzo[d]thiazol-2-yl 2-(2-aminothiazol-4-yl)-2-(methoxyimino)ethanethioate

Catalogue No.: **PA 03 97510**

CAS : **1684396-27-7**

Molecular Formula : **C₁₃H₁₀N₄O₂S₃**

Molecular Weight : **350.44**



Ceftriaxone Sodium - Impurity E (Sodium Salt)

Catalogue No.: **PA 03 97520**

CAS : **2227256-62-2**

Molecular Formula : **C₁₂H₁₂N₅NaO₅S₂**


Molecular Weight : **393.37**

SIMILAR PRODUCTS ▼

Carbocisteine

Carbocisteine is also called carbocysteine, is a mucolytic that reduces the viscosity of sputum and so can be used to help relieve the symptoms of chronic obstructive pulmonary disorder and bronchiectasis by allowing the sufferer to bring up sputum more easily.. Reference standards of Carbocisteine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Carbocisteine - API Standards




Catalogue No.: **PA 03 13000**

CAS : **638-23-3**

Molecular Formula : **C₅H₉NO₄S**

Molecular Weight : **179.19**

(S)-5-Oxothiophoroline-3-carboxylic Acid




Catalogue No.: **PA 03 13520**

CAS : **33163-97-2**

Molecular Formula : **C₅H₇NO₃S**

Molecular Weight : **161.18**

Carbocisteine Sulfoxide




Catalogue No.: **PA 03 13530**

CAS : **5439-87-2**

Molecular Formula : **C₅H₉NO₅S**

Molecular Weight : **195.19**

(S)-3-((Carboxymethyl)amino)-3-((carboxymethyl)thio)propanoic Acid




Catalogue No.: **PA 03 13540**

CAS : **NA**

Molecular Formula : **C₇H₁₁NO₆S**

Molecular Weight : **237.23**

Carbocisteine-13C3




Catalogue No.: **PA STI 017840**

CAS : **1391068-19-1**

Molecular Formula : **C₂₁₃C₃H₉NO₄S**

Molecular Weight : **182.17**

Carbocisteine - Impurity C (Freebase)



Catalogue No.: **PA 03 13030**


CAS : **62305-89-9**

Molecular Formula : **C₅H₇NO₃S**

Molecular Weight : **161.18**

[SIMILAR PRODUCTS](#) ▼

Carbocisteine - Impurity C (Sodium Salt)



Catalogue No.: **PA 03 13031**


CAS : **88933-48-6**

Molecular Formula : **C₅H₆NNaO₃S**

Molecular Weight : **183.16**

[SIMILAR PRODUCTS](#) ▼

N-Acetyl-S-(2-hydroxyethyl)cysteine



Catalogue No.: **PA 03 0131004**


CAS : **15060-26-1**

Molecular Formula : **C₇H₁₃NO₄S**

Molecular Weight : **207.24**

[SIMILAR PRODUCTS](#) ▼

N-Acetyl-S-(2-hydroxyethyl)-L-cysteine Dicyclohexylammonium Salt



Catalogue No.: **PA 03 0131005**


CAS : **1331896-18-4**

Molecular Formula : **C₁₉H₃₆N₂O₄S**

Molecular Weight : **388.57**

[SIMILAR PRODUCTS](#) ▼

Carbocisteine Diethyl Ester Hydrochloride




Catalogue No.: **PA 03 0131006**

CAS : **92282-33-2**

Molecular Formula : **C₉H₁₈ClNO₄S**

Molecular Weight : **271.76**




4-(Carboxymethyl)-5-oxothiomorpholine-3-carboxylic Acid

Catalogue No.: **PA 03 0131007**

CAS : **NA**

Molecular Formula : **C₇H₉NO₅S**

Molecular Weight : **219.21**



5-Oxothiomorpholine-3-carboxylic acid 1-oxide

Catalogue No.: **PA 03 0131008**


CAS : **88620-38-6**

Molecular Formula : **C₅H₇NO₄S**

Molecular Weight : **177.17**

Chlorhexidine Digluconate

Chlorhexidine Digluconate is on the World Health Organization's List of Essential Medicines, the safest and most effective medicines needed in a health system. It is also known as chlorhexidine gluconate (CHG), is a disinfectant and antiseptic that is used for skin disinfection before surgery and to sterilize surgical instruments.. Reference standards of Chlorhexidine Digluconate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Chlorhexidine Digluconate - API Standards


Catalogue No.: **PA 30 15000**

CAS : **18472-51-0**

Molecular Formula : **C₃₄H₅₄Cl₂N₁₀O₁₄**

Molecular Weight : **897.76**

SIMILAR PRODUCTS ▼



Chlorhexidine Digluconate - Impurity H


Catalogue No.: **PA 30 15080**

CAS : **NA**

Molecular Formula : **C₃₀H₄₇Cl₂N₁₅**

Molecular Weight : **688.70**

SIMILAR PRODUCTS ▼




Chlorhexidine Digluconate - Impurity K

Catalogue No.: **PA 30 15110**

CAS : **1381962-77-1**

Molecular Formula : **C₂₂H₂₉Cl₂N₉O**

Molecular Weight : **506.43**



Chlorhexidine Digluconate - Impurity N

Catalogue No.: **PA 30 15140**


CAS : **152504-10-4**

Molecular Formula : **C₁₅H₂₅ClN₈**

Molecular Weight : **352.87**

Cefepime Dihydrochloride Monohydrate

Cefepime Dihydrochloride Monohydrate is a fourth-generation cephalosporin antibiotic. It is usually reserved to treat moderate to severe nosocomial. Reference standards of Cefepime Dihydrochloride Monohydrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




Cefepime - Impurity C

Catalogue No.: **PA 03 22030**

CAS : **104301-63-5**

Molecular Formula : **C₈H₁₀N₄O₃S**

Molecular Weight : **242.26**




Cefepime (Freebase) - Impurity E

Catalogue No.: **PA 03 22050**

CAS : **103296-32-8**

Molecular Formula : **C₁₃H₁₉N₃O₃S**

Molecular Weight : **297.37**



Cefepime - Impurity F

Catalogue No.: **PA 03 22060**


CAS : **NA**

Molecular Formula : **C₃₂H₄₃Cl₂N₉O₇S₃**

Molecular Weight : **832.84**

Cytidine

Cytidine also known as 5'-cytidylic acid or simply cytidylate, and abbreviated CMP, is a nucleotide that is used as a monomer in RNA. It is a nucleoside molecule.. Reference standards of Cytidine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




N-Carboxybenzyl Gemcitabine

Catalogue No.: **PA 03 87670**

CAS : **138685-83-3**

Molecular Formula : **C₁₇H₁₇F₂N₃O₆**

Molecular Weight : **397.33**




2'-Deoxy-3',5'-di-O-benzoyl-2',2'-difluorocytidine

Catalogue No.: **PA 03 87790**

CAS : **134790-39-9**

Molecular Formula : **C₂₃H₁₉F₂N₃O₆**

Molecular Weight : **471.41**




Cytidine 5'-Monophosphate Disodium Salt

Catalogue No.: **PA 03 87810**

CAS : **6757-06-8**

Molecular Formula : **C₉H₁₂N₃Na₂O₈P**

Molecular Weight : **367.16**




Cytidine 5'-monophosphomorpholidate

Catalogue No.: **PA 03 87830**

CAS : **76742-17-1**

Molecular Formula : **C₁₃H₂₁N₄O₈P**

Molecular Weight : **392.3**




DMT-dC(ac) Phosphoramidite

Catalogue No.: **PA 03 87840**

CAS : **154110-40-4**

Molecular Formula : **C₄₁H₅₀N₅O₈P**

Molecular Weight : **771.84**




DMT-dT Phosphoramidite

Catalogue No.: **PA 03 87850**

CAS : **98796-51-1**

Molecular Formula : **C₄₀H₄₉N₄O₈P**

Molecular Weight : **744.81**




DMT-dA(bz) Phosphoramidite

Catalogue No.: **PA 03 87860**

CAS : **98796-53-3**

Molecular Formula : **C₄₇H₅₂N₇O₇P**

Molecular Weight : **857.93**




3',5'-Di-p-toluoyl-2'-deoxycytidine-d3

Catalogue No.: **PA STI 035930**

CAS : **NA**

Molecular Formula : **C₂₆H₂₄D₃N₃O₆**

Molecular Weight : **480.53**



2'-Deoxycytidine-5-carboxylic Acid Sodium Salt

Catalogue No.: **PA 03 87870**

CAS : **1009808-62-1**


Molecular Formula : **C₁₀H₁₂N₃NaO₆**

Molecular Weight : **293.21**

Citicoline Sodium Salt

Citicoline Sodium Salt is available as a supplement online and in stores. It is also known as cytidine diphosphate-choline or cytidine 5'-diphosphocholine is an intermediate in the generation of phosphatidylcholine from choline, a common biochemical process in cell membranes.. Reference standards of Citicoline Sodium Salt API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Citicoline Sodium - API Standards



Catalogue No.: **PA 03 94000**


CAS : **33818-15-4**

Molecular Formula : **C₁₄H₂₅N₄NaO₁₁P₂**

Molecular Weight : **510.31**

SIMILAR PRODUCTS ▼

Citicoline Sodium - Impurity B




Catalogue No.: **PA 03 94020**

CAS : **63-37-6**

Molecular Formula : **C₉H₁₄N₃O₈P**

Molecular Weight : **323.20**

Uridine Diphosphate Choline Sodium



Catalogue No.: **PA 03 94510**


CAS : **1772607-47-2**

Molecular Formula : **C₁₄H₂₄N₃NaO₁₂P₂**

Molecular Weight : **511.29**

SIMILAR PRODUCTS ▼

Cytidine 5'-monophosphate Morpholine DCC




Catalogue No.: **PA 03 94520**

CAS : **NA**

Molecular Formula : **C₂₆H₄₅N₆O₉P**

Molecular Weight : **616.64**

Uridine 5'-Monophosphate




Catalogue No.: **PA 03 94530**

CAS : **58-97-9**

Molecular Formula : **C₉H₁₃N₂O₉P**

Molecular Weight : **324.18**

Uridine Diphosphate Choline



Catalogue No.: **PA 03 94540**


CAS : **99492-83-8**

Molecular Formula : **C₁₄H₂₅N₃O₁₂P₂**

Molecular Weight : **489.32**

SIMILAR PRODUCTS ▼

Dipalmitoylphosphatidylcholine




Catalogue No.: **PA 03 94550**

CAS : **2644-64-6**

Molecular Formula : **C₄₀H₈₀NO₈P**

Molecular Weight : **734.04**

Desmethyl Citicoline Sodium




Catalogue No.: **PA 03 94560**

CAS : **NA**

Molecular Formula : **C₁₃H₂₃N₄NaO₁₁P₂**

Molecular Weight : **496.28**

(5-(4-Amino-2-oxypyrimidin-1(2H)-yl)-3,4-dihydroxytetrahydrofuran-2-yl)methyl Methyl Hydrogen Phosphate




Catalogue No.: **PA 03 94570**

CAS : **NA**

Molecular Formula : **C₁₀H₁₆N₃O₈P**

Molecular Weight : **337.22**

(5-(4-Amino-2-oxypyrimidin-1(2H)-yl)-3,4-dihydroxytetrahydrofuran-2-yl)methyl Hydrogenmorpholinophosphonate




Catalogue No.: **PA 03 94580**

CAS : **NA**

Molecular Formula : **C₁₃H₂₁N₄O₈P**

Molecular Weight : **392.3**




Ethoxy Citicoline Sodium

Catalogue No.: **PA 03 94590**

CAS : **NA**

Molecular Formula : **C₁₆H₂₉N₄NaO₁₂P₂**

Molecular Weight : **554.36**




Cytidine 5'-pyrophosphate 2-(Dimethylamino)ethyl Ester

Catalogue No.: **PA 03 0941002**

CAS : **3416-25-9**

Molecular Formula : **C₁₃H₂₄N₄O₁₁P₂**

Molecular Weight : **474.3**




Cytidine 5'-pyrophosphate 2-(Dimethylamino)ethyl Ester Sodium Salt

Catalogue No.: **PA 03 0941003**

CAS : **119629-11-7**

Molecular Formula : **C₁₃H₂₄N₄O₁₁P₂ + (Na)⁺**

Molecular Weight : **474.30 + (22.99)x**



4-Thiouridine

Catalogue No.: **PA 03 0941004**


CAS : **13957-31-8**

Molecular Formula : **C₉H₁₂N₂O₅S**

Molecular Weight : **260.26**

Carglumic Acid

Carglumic acid is used for the treatment of hyperammonaemia in patients with N-acetylglutamate synthase deficiency. It is an orphan drug, marketed by Orphan Europe under the trade name Carbaglu. Reference standards of Carglumic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




L-Hydantoin-5-propionic Acid

Catalogue No.: **PA 56 63510**

CAS : **17027-50-8**

Molecular Formula : **C₆H₈N₂O₄**

Molecular Weight : **172.14**



Hexahydro-2,7-dioxo-1H-1,3-diazepine-4-carboxylic Acid

Catalogue No.: **PA 56 63520**


CAS : **1009553-88-1**

Molecular Formula : **C₆H₈N₂O₄**

Molecular Weight : **172.14**


Chenodeoxycholic Acid

Chenodeoxycholic acid is a bile acid. It is used to dissolve gallstones in people who cannot have gallbladder surgery. Chenodiol may also be used for purposes not listed in this medication guide. Reference standards of Chenodeoxycholic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




Glycochenodeoxycholic Acid Sodium Salt

Catalogue No.: **PA 03 37520** CAS : **16564-43-5** Molecular Formula : **C₂₆H₄₂NNaO₅** Molecular Weight : **471.61**



Glycodeoxycholic Acid


Catalogue No.: **PA 03 37550** CAS : **360-65-6** Molecular Formula : **C₂₆H₄₃NO₅** Molecular Weight : **449.62**



Taurocholic Acid


Catalogue No.: **PA 03 37560** CAS : **81-24-3** Molecular Formula : **C₂₆H₄₅NO₇S** Molecular Weight : **515.7**

SIMILAR PRODUCTS



3α,7α,12α-Trihydroxycoprostanic Acid

Catalogue No.: **PA 03 37610** CAS : **547-98-8** Molecular Formula : **C₂₇H₄₆O₅** Molecular Weight : **450.65**




Sodium Taurocholate Hydrate

Catalogue No.: **PA 03 0371017** CAS : **345909-26-4** Molecular Formula : **C₂₆H₄₅NNaO₇S . x(H₂O)** Molecular Weight : **538.7 + x(18.02)**


Celecoxib

Celecoxib is used for osteoarthritis, rheumatoid arthritis, acute pain, musculoskeletal pain, painful menstruation, ankylosing spondylitis, and to reduce the number of colon and rectal polyps in people with familial adenomatous polyposis. Reference standards of Celecoxib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




o-Celecoxib

Catalogue No.: **PA 03 33030** CAS : **170569-99-0** Molecular Formula : **C₁₇H₁₄F₃N₃O₂S** Molecular Weight : **381.37**




4-(2-(2,2,2-Trifluoroacetyl)hydrazinyl)benzenesulfonamide

Catalogue No.: **PA 03 33670** CAS : **915280-81-8** Molecular Formula : **C₈H₈F₃N₃O₃S** Molecular Weight : **283.23**



Benzenesulfonamide

Catalogue No.: **PA 03 33680** CAS : **98-10-2** Molecular Formula : **C₆H₇NO₂S** Molecular Weight : **157.19**




2,5-Dimethyl Celecoxib-d4

Catalogue No.: **PA STI 034190** CAS : **1346603-87-9** Molecular Formula : **C₁₈H₁₂D₄F₃N₃O₂S** Molecular Weight : **399.42**

Dabigatran

Dabigatran, sold under the brand name Pradaxa. It is used to prevent strokes in those with atrial fibrillation not caused by heart valve issues, as well as deep vein thrombosis and pulmonary embolism in persons who have been treated for 5–10 days with parenteral anticoagulant and to prevent deep vein thrombosis and pulmonary embolism in some circumstances.. Reference standards of Dabigatran API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Dabigatran - Impurity N




Catalogue No.: **PA 04 01140**

CAS : **1381757-44-3**

Molecular Formula : **C₃₄H₄₁N₇O₆**

Molecular Weight : **643.73**

Dabigatran Etexilate Mesilate - Impurity B



Catalogue No.: **PA 04 01560**


CAS : **429658-95-7**

Molecular Formula : **C₂₇H₂₉N₇O₃**

Molecular Weight : **499.56**

SIMILAR PRODUCTS ▼

Dabigatran Methyl Carbamate




Catalogue No.: **PA 04 01570**

CAS : **NA**

Molecular Formula : **C₂₉H₃₁N₇O₅**

Molecular Weight : **557.6**

Dabigatran Ethyl Carbamate




Catalogue No.: **PA 04 01580**

CAS : **NA**

Molecular Formula : **C₃₀H₃₃N₇O₅**

Molecular Weight : **571.63**

Dabigatran Despyridyl Ethyl Ester




Catalogue No.: **PA 04 01590**

CAS : **NA**

Molecular Formula : **C₂₆H₃₃N₅O₄**

Molecular Weight : **479.57**

Dabigatran Etexilate Mesilate - Impurity A



Catalogue No.: **PA 04 01600**


CAS : **1408238-40-3**

Molecular Formula : **C₃₄H₄₀N₆O₆**

Molecular Weight : **628.72**

SIMILAR PRODUCTS ▼

O-(2-Ethylbutyl) Dabigatran Ethyl Ester




Catalogue No.: **PA 04 01610**

CAS : **1610758-20-7**

Molecular Formula : **C₃₄H₄₁N₇O₅**

Molecular Weight : **627.73**

Propyl 3-(2-((4-(N'-(Hexyloxycarbonyl) carbamimidoyl) phenylamino) methyl)-1- methyl-N-(pyridin-2-yl)-1H-benzo[d]imidazole-5-carboxamido) propanoate




Catalogue No.: **PA 04 01620**

CAS : **1304574-20-6**

Molecular Formula : **C₃₅H₄₃N₇O₅**

Molecular Weight : **641.76**

Dabigatran Acyl-β-D-Glucuronide




Catalogue No.: **PA 04 01670**

CAS : **1015167-40-4**

Molecular Formula : **C₃₁H₃₃N₇O₉**

Molecular Weight : **647.63**

SIMILAR PRODUCTS ▼




N-[[2-[[[4-[[[(Hexyloxy)carbonyl]amino]carbonyl]phenyl]amino]methyl]-1-methyl-1H-benzimidazol-5-yl]carbonyl]-N-2-pyridinyl-β-alanine

Catalogue No.: **PA 04 01680**

CAS : **1408238-37-8**

Molecular Formula : **C₃₂H₃₆N₆O₆**

Molecular Weight : **600.66**




Dabigatran Carboxamide

Catalogue No.: **PA 04 01700**

CAS : **2417628-79-4**

Molecular Formula : **C₂₅H₂₄N₆O₄**

Molecular Weight : **472.5**




2-[[[4-(Aminoiminomethyl)phenyl]amino]methyl]-1-methyl-1H-benzimidazole-5-carboxylic Acid Ethyl Ester

Catalogue No.: **PA 04 01730**

CAS : **1408238-41-4**

Molecular Formula : **C₁₉H₂₁N₅O₂**

Molecular Weight : **351.4**




N-(3-Amino-3-oxopropyl)-2-(((4-carbamimidoylphenyl)amino)methyl)-1-methyl-N-(pyridin-2-yl)-1H-benzo[d]imidazole-5-carboxamide

Catalogue No.: **PA 04 01740**

CAS : **1643377-48-3**

Molecular Formula : **C₂₅H₂₆N₈O₂**

Molecular Weight : **470.53**




Desethyl Dabigatran Etexilate Carboxamide

Catalogue No.: **PA 04 01750**

CAS : **1580491-16-2**

Molecular Formula : **C₃₂H₃₈N₈O₄**

Molecular Weight : **598.7**




Methyl 3-(2-(((4-(N-((hexyloxy)carbonyl)carbamimidoyl)phenyl)amino)methyl)-1-methyl-N-(pyridin-2-yl)-1H-benzo[d]imidazole-5-carboxamido)propanoate

Catalogue No.: **PA 04 01760**

CAS : **211915-00-3**

Molecular Formula : **C₃₃H₃₉N₇O₅**

Molecular Weight : **613.71**




3-((1-Methyl-1H-benzoimidazole-5-carbonyl)-pyridin-2-yl-amino)-propionic Acid Ethyl Ester

Catalogue No.: **PA 04 01770**

CAS : **1702936-92-2**

Molecular Formula : **C₁₉H₂₀N₄O₃**

Molecular Weight : **352.39**




Ethyl 3-(2-(((4-(6-(4-(((5-((3-ethoxy-3-oxopropyl)(phenyl)carbamoyl)-1-methyl-1H-benzo[d]imidazol-2-yl)methyl)amino)phenyl)-4-oxo-4,5-dihydro-1,3,5-triazin-2-yl)phenyl)amino)methyl)-1-methyl-N-(pyridin-2-yl)-1H-benzo[d]imidazole-5-carboxamido)propanoate

Catalogue No.: **PA 04 01810**

CAS : **NA**

Molecular Formula : **C₅₆H₅₄N₁₂O₇**

Molecular Weight : **1007.1**



Methyl 3-(3-(((hexyloxy)carbonyl)amino)-4-((2-((4-(N-((hexyloxy)carbonyl)carbamimidoyl)phenyl)amino)ethyl)(methyl)amino)-N-(pyridin-2-yl)benzamido)propanoate








Catalogue No.: **PA 04 01820**

CAS : **NA**

Molecular Formula : **C₄₀H₅₅N₇O₇**



Molecular Weight : **745.91**

Ethyl 3-(2-(((4-(heptanoylcarbamoyl)phenyl)amino)methyl)-1-methyl-N-(pyridin-2-yl)-1H-benzo[d]imidazole-5-carboxamido)propanoate

	Catalogue No.: PA 04 01830	CAS : NA	Molecular Formula : C₃₄H₄₀N₆O₅	Molecular Weight : 612.72
	Catalogue No.: PA 04 01840	CAS : 41263-74-5	Molecular Formula : C₈H₈N₂O₄	Molecular Weight : 196.16
	Catalogue No.: PA 04 01850	CAS : 429659-01-8	Molecular Formula : C₁₈H₂₀N₄O₅	Molecular Weight : 372.38
	Catalogue No.: PA 04 01860	CAS : NA	Molecular Formula : C₃₇H₄₁N₉O₄	Molecular Weight : 675.78
	Catalogue No.: PA 04 01870	CAS : NA	Molecular Formula : C₃₅H₄₃N₇O₅	Molecular Weight : 641.76
	Catalogue No.: PA 04 01880	CAS : 1422435-39-9	Molecular Formula : C₁₉H₂₂ClN₅O₂	Molecular Weight : 387.86
	Catalogue No.: PA 04 01900	CAS : 1307233-93-7	Molecular Formula : C₁₄H₂₂ClN₃O₂	Molecular Weight : 299.8


Fusidic Acid

An antibiotic which is derived from fungus *Fusidium coccineum*, Fusidic acid is bacteriostatic in nature. It works by preventing the protein synthesis. It shows action against both gram positive and gram negative strains. Reference standards of Fusidic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Catalogue No.: PA 06 50000	CAS : 6990-06-3	Molecular Formula : C₃₁H₄₈O₆	Molecular Weight : 516.71
	Catalogue No.: PA 06 50520	CAS : 16391-75-6	Molecular Formula : C₃₅H₅₉NO₈	Molecular Weight : 621.84

Fluvoxamine Maleate


Fluvoxamine Maleate is used in OCD, and social anxiety disorder. It is sold under the brand name Luvox. It is also used to treat depression and such as panic disorder, post-traumatic stress disorder. Reference standards of Fluvoxamine Maleate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Fluvoxamine Maleate - Impurity E (Maleate Salt)

Catalogue No.: **PA 06 87051** CAS : **NA** Molecular Formula : **C₁₉H₂₆F₂N₂O₆** Molecular Weight : **416.42**


SIMILAR PRODUCTS ▼



Fluvoxamine Maleate - Impurity F (Maleate Salt)

Catalogue No.: **PA 06 87060** CAS : **NA** Molecular Formula : **C₂₁H₃₀F₃N₃O₆** Molecular Weight : **477.47**


SIMILAR PRODUCTS ▼



Fluvoxamine Maleate - Impurity F (Freebase)

Catalogue No.: **PA 06 87061** CAS : **1217262-11-7** Molecular Formula : **C₁₇H₂₆F₃N₃O₂** Molecular Weight : **361.40**

SIMILAR PRODUCTS ▼




Fluvoxamine Maleate - Impurity F (Dihydrochloride Salt)

Catalogue No.: **PA 06 0870061** CAS : **NA** Molecular Formula : **C₁₇H₂₈Cl₂F₃N₃O₂** Molecular Weight : **434.33**

Flucloxacillin Sodium Hydrate


A monohydrate sodium salt of Flucloxacillin, which is an antibiotic of penicillin class. It is a narrow spectrum beta-lactum antibiotic which is used to treat infections caused by gram-positive bacteria. Reference standards of Flucloxacillin Sodium Hydrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Flucloxacillin Sodium Monohydrate - Impurity A (Disodium Salt)

Catalogue No.: **PA 06 22010** CAS : **NA** Molecular Formula : **C₁₉H₁₇ClF₂N₃Na₂O₆S** Molecular Weight : **515.85**

SIMILAR PRODUCTS ▼




Flucloxacillin Sodium Monohydrate - Impurity E (Freebase)

Catalogue No.: **PA 06 22050** CAS : **NA** Molecular Formula : **C₂₇H₂₇ClF₂N₅O₇S₂** Molecular Weight : **652.11**

Entecavir Monohydrate

It is a derivative of Etiofylline and a Entecavir Monohydrate analog which is also known in the name of nucleoside. It is an antiviral drug used in the treatment of HIV/AIDS.. Reference standards of Entecavir Monohydrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




Entecavir Monohydrate - API Standards

Catalogue No.: **PA 05 57000** CAS : **209216-23-9** Molecular Formula : **C₁₂H₁₇N₅O₄** Molecular Weight : **295.29**

SIMILAR PRODUCTS

Fenoterol Hydrobromide


Fenoterol Hydrobromide is an adrenergic beta-2 agonist. It is used as a bronchodilator and tocolytic.. Reference standards of Fenoterol Hydrobromide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Fenoterol Hydrobromide - API Standards


Catalogue No.: **PA 06 63000** CAS : **1944-12-3** Molecular Formula : **C₁₇H₂₂BrNO₄** Molecular Weight : **384.26**

SIMILAR PRODUCTS ▼



Fenoterol Hydrobromide - Impurity A


Catalogue No.: **PA 06 63010** CAS : **107878-38-6** Molecular Formula : **C₁₇H₂₁NO₄** Molecular Weight : **303.35**



Fenoterol Hydrobromide - Impurity B (Hydrobromide Salt)

Catalogue No.: **PA 06 63020** CAS : **3371-33-3** Molecular Formula : **C₁₇H₂₀BrNO₄** Molecular Weight : **382.25**


SIMILAR PRODUCTS ▼



Fenoterol Hydrobromide - Impurity C (Hydrobromide Salt)

Catalogue No.: **PA 06 63030** CAS : **2469196-23-2** Molecular Formula : **C₁₈H₂₄BrNO₄** Molecular Weight : **298.29**


SIMILAR PRODUCTS ▼



Fenoterol Hydrobromide - Impurity B (Freebase)

Catalogue No.: **PA 06 63021** CAS : **699525-61-6** Molecular Formula : **C₁₇H₁₉NO₄** Molecular Weight : **301.34**


SIMILAR PRODUCTS ▼



Fenoterol Hydrobromide - Impurity C (Freebase)

Catalogue No.: **PA 06 63031** CAS : **2469196-22-1** Molecular Formula : **C₁₈H₂₃NO₄** Molecular Weight : **317.39**

SIMILAR PRODUCTS ▼




Fenoterol Hydrobromide - Impurity B (Hydrochloride Salt)

Catalogue No.: **PA 06 0630021** CAS : **1944-11-2** Molecular Formula : **C₁₇H₂₀ClNO₄** Molecular Weight : **337.80**


Famprofazone

A non-steroidal anti-inflammatory agent which is used for the treatment of pain, fever and inflammation. It belongs to pyrazolone family and it is an over-the-counter drug. Reference standards of Famprofazone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Methyl-N-(trimethylsilyl)trifluoroacetamide

Catalogue No.: **PA 06 02510** CAS : **24589-78-4** Molecular Formula : **C₆H₁₂F₃NOSi** Molecular Weight : **199.25**








N-Methyl-N-(trimethylsilyl)trifluoroacetamide-d9

Catalogue No.: **PA STI 064640** CAS : **945623-67-6** Molecular Formula : **C₆H₃D₉F₃NOSi** Molecular Weight : **208.30**



Famciclovir

Famciclovir is a prodrug of penciclovir with higher oral bioavailability. It is marketed as Famvir by Novartis, is a guanine analogue used to treat herpes virus infections. It is most commonly used to treat herpes zoster.. Reference standards of Famciclovir API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

	Famciclovir N7-Isomer	Catalogue No.: PA 06 72530	CAS : 131266-15-4	Molecular Formula : C₁₄H₁₉N₅O₄	Molecular Weight : 321.33
	N-Acetyl Famciclovir	Catalogue No.: PA 06 72540	CAS : NA	Molecular Formula : C₁₆H₂₁N₅O₅	Molecular Weight : 363.37
	Famciclovir Deoxychloro Impurity	Catalogue No.: PA 06 72550	CAS : NA	Molecular Formula : C₁₂H₁₆ClN₅O₂	Molecular Weight : 297.74
	Famciclovir Propionyl Impurity	Catalogue No.: PA 06 72560	CAS : NA	Molecular Formula : C₁₅H₂₁N₅O₄	Molecular Weight : 335.36
	2-Amino-6-chloropurine	Catalogue No.: PA 06 72620	CAS : 10310-21-1	Molecular Formula : C₅H₄ClN₅	Molecular Weight : 169.57

Diltiazem Hydrochloride


An antianginal, and antiarrhythmic drug. Diltiazem Hydrochloride is a calcium channel blocker. It is used to treat hypertension and angina pectoris. This potent vasodilator, is a 1,4-thiazepine derivative.. Reference standards of Diltiazem Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

	Deacetyl-O-demethyldiltiazem	Catalogue No.: PA 04 26620	CAS : 84903-82-2	Molecular Formula : C₁₉H₂₂N₂O₃S	Molecular Weight : 358.45
	Deacetyl-N,O-didemethyldiltiazem	Catalogue No.: PA 04 26630	CAS : 86408-42-6	Molecular Formula : C₁₈H₂₀N₂O₃S	Molecular Weight : 344.43
SIMILAR PRODUCTS					

Etilefrine

A hydrochloride salt of Etilefrine, which is an antihypotensive drug. It is a stimulator of both α and β adrenergic receptors. This Sympathomimetic agent is used for treatment of neurological, cardiovascular, endocrine or metabolic origin orthostatic hypotension. $\text{C}_{10}\text{H}_{15}\text{NO}_2$. Reference standards of Etilefrine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Etilefrine - API Standards



Catalogue No.: **PA 05 63000**


CAS : **709-55-7**

Molecular Formula : **$\text{C}_{10}\text{H}_{15}\text{NO}_2$**

Molecular Weight : **181.23**

SIMILAR PRODUCTS ▼

Etilefrine Hydrochloride - Impurity B (Hydrochloride Salt)



Catalogue No.: **PA 05 34020**


CAS : **154-86-9**

Molecular Formula : **$\text{C}_9\text{H}_{14}\text{ClNO}_2$**

Molecular Weight : **203.67**

SIMILAR PRODUCTS ▼

Etilefrine Hydrochloride - Impurity B (Freebase)



Catalogue No.: **PA 05 34021**


CAS : **1477-63-0**

Molecular Formula : **$\text{C}_9\text{H}_{13}\text{NO}_2$**

Molecular Weight : **167.21**

SIMILAR PRODUCTS ▼

Etilefrine - Impurity C




Catalogue No.: **PA 05 34030**

CAS : **4779-94-6**

Molecular Formula : **$\text{C}_8\text{H}_{12}\text{ClNO}_2$**

Molecular Weight : **189.64**

Etilefrin-d5 Hydrochloride



Catalogue No.: **PA STI 040200**

CAS : **1346599-41-4**


Molecular Formula : **$\text{C}_{10}\text{H}_{11}\text{D}_5\text{ClNO}_2$**

Molecular Weight : **222.72**

Dutasteride

Dutasteride is used for treating benign prostatic hyperplasia. It is sold under the brand name Avodart.. Reference standards of Dutasteride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Desmethyl-6,8,10-triene Dutasteride




Catalogue No.: **PA 04 86530**

CAS : **952718-75-1**

Molecular Formula : **$\text{C}_{26}\text{H}_{22}\text{F}_6\text{N}_2\text{O}_2$**

Molecular Weight : **508.46**

2,5-bis(Trifluoromethyl)aniline



Catalogue No.: **PA 04 86540**

CAS : **328-93-8**


Molecular Formula : **$\text{C}_8\text{H}_5\text{F}_6\text{N}$**

Molecular Weight : **229.13**

Dabrafenib


Dabrafenib is a reversible ATP-competitive kinase inhibitor and targets the MAPK pathway. It is used alone or in combination with another medication to treat a type of skin cancer.. Reference standards of Dabrafenib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Dabrafenib - API Standards




Catalogue No.: **PA 31 06000** CAS : **1195765-45-7** Molecular Formula : **C₂₃H₂₀F₃N₅O₂S₂** Molecular Weight : **519.56**

Dabrafenib Mesylate




Catalogue No.: **PA 31 06520** CAS : **1195768-06-9** Molecular Formula : **C₂₄H₂₄F₃N₅O₅S₃** Molecular Weight : **615.67**

2,2-Dimethylthiopropionamide




Catalogue No.: **PA 31 06540** CAS : **630-22-8** Molecular Formula : **C₅H₁₁NS** Molecular Weight : **117.21**

M30-Dabrafenib




Catalogue No.: **PA 31 0061017** CAS : **1613724-38-1** Molecular Formula : **C₂₂H₁₆F₃N₅O₅S₂** Molecular Weight : **551.52**

M31-Dabrafenib




Catalogue No.: **PA 31 0061018** CAS : **1613724-51-8** Molecular Formula : **C₂₂H₁₆F₃N₅O₂S₂** Molecular Weight : **503.52**

Dabrafenib Glucuronide



Catalogue No.: **PA 31 0061019** CAS : **2147682-66-2** Molecular Formula : **C₂₈H₂₄F₃N₅O₉S₂** Molecular Weight : **695.64**


N-(3-(2-(Tert-butyl)-5-(2-chloropyrimidin-4-yl)thiazol-4-yl)-2-fluorophenyl)-2,6-difluorobenzenesulfonamide



Catalogue No.: **PA 31 0061026** CAS : **1195768-23-0** Molecular Formula : **C₂₃H₁₈ClF₃N₄O₂S₂** Molecular Weight : **538.99**

Daclatasvir

Daclatasvir is used only in combination therapy for the treatment of hepatitis C genotype 1, 3, or 4 infections.. Reference standards of Daclatasvir API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




(2R)-2-(Methoxycarbonylamino)-3-methylbutanoic Acid

Catalogue No.: **PA 04 94510**

CAS : **171567-86-5**

Molecular Formula : **C₇H₁₃NO₄**

Molecular Weight : **175.18**




N,N'-Didescarboxymethyl Daclatasvir

Catalogue No.: **PA 04 94540**

CAS : **1009119-18-9**

Molecular Formula : **C₃₆H₄₆N₈O₂**

Molecular Weight : **622.8**




Daclatasvir RSSR Isomer

Catalogue No.: **PA 04 94550**

CAS : **1009107-27-0**

Molecular Formula : **C₄₀H₅₀N₈O₆**

Molecular Weight : **738.88**




Daclatasvir SRRS Isomer

Catalogue No.: **PA 04 94560**

CAS : **1009117-26-3**

Molecular Formula : **C₄₀H₅₀N₈O₆**

Molecular Weight : **738.88**




Daclatasvir RRRR Isomer

Catalogue No.: **PA 04 94570**

CAS : **1417333-58-4**

Molecular Formula : **C₄₀H₅₀N₈O₆**

Molecular Weight : **738.88**




Daclatasvir SRSS Isomer

Catalogue No.: **PA 04 94580**

CAS : **1009117-28-5**

Molecular Formula : **C₄₀H₅₀N₈O₆**

Molecular Weight : **738.88**



(S)-tert-Butyl 2-(5-(4-bromophenyl)-1H-imidazol-2-yl)pyrrolidine-1-carboxylate

Catalogue No.: **PA 04 94590**

CAS : **1007882-04-3**


Molecular Formula : **C₁₈H₂₂BrN₃O₂**

Molecular Weight : **392.29**

Darifenacin Hydrobromide

Darifenacin Hydrobromide blocks M3 muscarinic acetylcholine receptors, which mediate bladder muscle contractions. It is a medication used to treat urinary incontinence.. Reference standards of Darifenacin Hydrobromide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below


Darifenacin Hydrobromide - API Standards



Catalogue No.: **PA 04 87000** CAS : **133099-07-7** Molecular Formula : **C₂₈H₃₁BrN₂O₂** Molecular Weight : **507.46**


SIMILAR PRODUCTS ✓

N-(((S)-3-(2-Amino-2-oxo-1,1-diphenylethyl)pyrrolidin-1-yl)methyl)-2-(((S)-1-(2-(2,3-dihydrobenzofuran-5-yl)ethyl)pyrrolidin-3-yl)-2,2-diphenylacetamide




Catalogue No.: **PA 04 87080** CAS : **NA** Molecular Formula : **C₄₇H₅₀N₄O₃** Molecular Weight : **718.94**

3-Hydroxy Darifenacin (Mixture of Diastereomers)




Catalogue No.: **PA 04 87510** CAS : **1285875-62-8** Molecular Formula : **C₂₈H₃₀N₂O₃** Molecular Weight : **442.55**

7-Bromo Darifenacin



Catalogue No.: **PA 04 87550** CAS : **1391080-43-5** Molecular Formula : **C₂₈H₂₉BrN₂O₂** Molecular Weight : **505.45**


Darifenacin 4-Hydroxy Impurity (Hydrobromide Salt)



Catalogue No.: **PA 04 87560** CAS : **2468796-90-7** Molecular Formula : **C₂₈H₃₂Br₂N₂O₂** Molecular Weight : **588.37**


SIMILAR PRODUCTS ✓

Darifenacin Cyclic Amide




Catalogue No.: **PA 04 87590** CAS : **1797983-04-0** Molecular Formula : **C₃₈H₄₀N₂O₃** Molecular Weight : **572.74**

Darifenacin N-Oxide




Catalogue No.: **PA 04 87600** CAS : **1391080-40-2** Molecular Formula : **C₂₈H₃₀N₂O₃** Molecular Weight : **442.55**

Darifenacin Pyrrolidinium Dimer



Catalogue No.: **PA 04 87610** CAS : **1396968-57-2** Molecular Formula : **C₃₈H₄₁BrN₂O₃** Molecular Weight : **653.65**


(R)-1-Tosylpyrrolidin-3-ol




Catalogue No.: **PA 04 87710** CAS : **133034-00-1** Molecular Formula : **C₁₁H₁₅NO₃S** Molecular Weight : **241.31**

(S)-α,α-Diphenyl-3-pyrrolidineacetamide L-Tartrate

Catalogue No.: **PA 04 87720** CAS : **134002-26-9** Molecular Formula : **C₂₂H₂₆N₂O₇** Molecular Weight : **430.46**




SIMILAR PRODUCTS ▼



(R)-1-Tosylpyrrolidin-3-yl 4-methylbenzenesulfonate

Catalogue No.: **PA 04 0871000** CAS : **133034-02-3** Molecular Formula : **C₁₈H₂₁NO₅S₂**

Molecular Weight : **395.49**




(S)-2,2-Diphenyl-2-(pyrrolidin-3-yl)acetonitrile

Catalogue No.: **PA 04 0871011** CAS : **133099-11-3** Molecular Formula : **C₁₈H₁₈N₂**

Molecular Weight : **262.36**


SIMILAR PRODUCTS ▼



1-[2-(2,3-Dihydro-5-benzofuranyl)ethyl]-α,α-diphenyl-3-pyrrolidineacetonitrile

Catalogue No.: **PA 04 0871012** CAS : **1797131-85-1** Molecular Formula : **C₂₈H₂₈N₂O**

Molecular Weight : **408.55**




Darifenacin Dimer

Catalogue No.: **PA 04 0871013** CAS : **NA**

Molecular Formula : **C₃₈H₄₀N₂O₃**

Molecular Weight : **572.75**




Hydroxydarifenacin

Catalogue No.: **PA 04 0871014** CAS : **NA**

Molecular Formula : **C₂₈H₃₀N₂O₃**

Molecular Weight : **442.56**



Darifenacin Acid

Catalogue No.: **PA 04 0871015** CAS : **NA**


Molecular Formula : **C₂₈H₂₉NO₃**

Molecular Weight : **427.54**

Dexchlorpheniramine Maleate

An antihistamine agent, Dexchlorpheniramine shows anticholinergic and has sedative effect. It is antagonist with histamine for cell receptor sites on effector cells. Reference standards of Dexchlorpheniramine Maleate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below

Dexchlorpheniramine Maleate - API Standards




Catalogue No.: **PA 04 15000**

CAS : **2438-32-6**

Molecular Formula : **C₂₀H₂₃ClN₂O₄**

Molecular Weight : **390.86**

Dexchlorpheniramine Maleate - Impurity A




Catalogue No.: **PA 04 15010**

CAS : **132-20-7**

Molecular Formula : **C₂₀H₂₄N₂O₄**

Molecular Weight : **356.42**

Dexchlorpheniramine Maleate - Impurity B




Catalogue No.: **PA 04 15020**

CAS : **32188-09-3**

Molecular Formula : **C₁₆H₁₉ClN₂**

Molecular Weight : **274.79**

Dexchlorpheniramine n-oxide



Catalogue No.: **PA 04 15510**

CAS : **142494-46-0**


Molecular Formula : **C₁₆H₁₉ClN₂O**

Molecular Weight : **290.79**

Ectoparasiticide

Ectoparasiticide is used in the treatment of ectoparasitic infestations. An ectoparasiticide is an antiparasitic drug. Reference standards of Ectoparasiticide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Carbaryl-d7



Catalogue No.: **PA STI 017480**


CAS : **362049-56-7**

Molecular Formula : **C₁₂H₄D₇NO₂**

Molecular Weight : **208.26**

Duloxetine Hydrochloride


Selective serotonin and norepinephrine reuptake inhibitor, it is an antidepressant drug. Duloxetine Hydrochloride used for the treatment of major depressive disorders, anxiety, pain and fibromyalgia. It maintains the balance of chemicals in the brain that causes depression. Reference standards of Duloxetine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Duloxetine Hydrochloride - API Standards


Catalogue No.: **PA 04 48000** CAS : **136434-34-9** Molecular Formula : **C₁₈H₂₀ClNOS** Molecular Weight : **333.88**

SIMILAR PRODUCTS ▼



Duloxetine Hydrochloride - Impurity B


Catalogue No.: **PA 04 48020** CAS : **116539-55-0** Molecular Formula : **C₈H₁₃NOS** Molecular Weight : **171.26**



Duloxetine Hydrochloride - Impurity C (Hydrobromide Salt)


Catalogue No.: **PA 04 48032** CAS : **949096-01-9** Molecular Formula : **C₁₈H₂₀BrNOS** Molecular Weight : **378.33**

SIMILAR PRODUCTS ▼



Duloxetine Hydrochloride - Impurity E


Catalogue No.: **PA 04 48050** CAS : **1033803-59-6** Molecular Formula : **C₁₈H₁₉NOS** Molecular Weight : **297.41**



Duloxetine Hydrochloride - Impurity F

Catalogue No.: **PA 04 48060** CAS : **959392-22-4** Molecular Formula : **C₁₈H₁₉NOS** Molecular Weight : **297.42**


SIMILAR PRODUCTS ▼



Duloxetine Hydrochloride - Impurity F (Hydrochloride Salt)

Catalogue No.: **PA 04 48061** CAS : **2748376-86-3** Molecular Formula : **C₁₈H₂₀ClNOS** Molecular Weight : **333.88**

SIMILAR PRODUCTS ▼




Duloxetine Hydrochloride - Impurity A (Freebase)

Catalogue No.: **PA 04 48011** CAS : **116539-60-7** Molecular Formula : **C₁₈H₁₉NOS** Molecular Weight : **297.42**


Dronedarone

Dronedarone is a Class antiarrhythmic drug that works to restore the normal sinus rhythm in patients with paroxysmal or persistent atrial fibrillation. Dronedarone is a related benzofuran compound to amiodarone but its chemical structure lacks iodine moieties which are associated with amiodarone-induced thyroid problems. Reference standards of Dronedarone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




2-Hydroxy-5-nitrobenzyl Alcohol

Catalogue No.: **PA 31 30510** CAS : **39224-61-8** Molecular Formula : **C₇H₇NO₄** Molecular Weight : **169.13**




S-Desmethyl S-Chloromethyl Dronedarone

Catalogue No.: **PA 31 30530** CAS : **1520080-11-8** Molecular Formula : **C₃₁H₄₃ClN₂O₅S** Molecular Weight : **591.2**




Desbutyl Dronedarone-d4 Hydrochloride

Catalogue No.: **PA STI 027200** CAS : **NA** Molecular Formula : **C₂₇H₃₃D₄ClN₂O₅S** Molecular Weight : **541.14**




4-[3-(Dibutylamino)propoxy]benzoic Acid-d6 Hydrochloride

Catalogue No.: **PA STI 030050** CAS : **1329808-49-2** Molecular Formula : **C₁₈H₂₄D₆ClNO₃** Molecular Weight : **349.93**



4-[3-(Dibutylamino)propoxy]benzoic Acid-d6 Methyl Ester

Catalogue No.: **PA STI 030060** CAS : **1329835-67-7** Molecular Formula : **C₁₉H₂₅D₆NO₃** Molecular Weight : **327.49**




Dronedarone-d6 Hydrochloride

Catalogue No.: **PA STI 036460** CAS : **1329809-23-5** Molecular Formula : **C₃₁H₃₉D₆ClN₂O₅S** Molecular Weight : **599.25**

Evogliptin Tartrate


Evogliptin tartrate is a dipeptidyl peptidase IV inhibitor, in tablet form. Evogliptin tartrate tablets is expected to be approved for the treatment of type 2 diabetes mellitus. Reference standards of Evogliptin Tartrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Evogliptin Tartrate - API Standards


Catalogue No.: **PA 05 66000** CAS : **1222102-51-3** Molecular Formula : **C₂₃H₃₂F₃N₃O₉** Molecular Weight : **551.51**

SIMILAR PRODUCTS ▼




Evogliptin Tartrate Impurity S1

Catalogue No.: **PA 05 66510** CAS : **NA** Molecular Formula : **C₂₃H₃₂F₃N₃O₉** Molecular Weight : **551.51**



Evogliptin Tartrate Impurity S2

Catalogue No.: **PA 05 66520** CAS : **NA** Molecular Formula : **C₂₃H₃₂F₃N₃O₉** Molecular Weight : **551.51**




Evogliptin Tartrate Impurity S3

Catalogue No.: **PA 05 66530** CAS : **NA** Molecular Formula : **C₂₃H₃₂F₃N₃O₉** Molecular Weight : **551.51**

Edoxaban

Edoxaban is a member of the Novel Oral Anti-Coagulants class of drugs, and is a rapidly acting, oral, selective factor Xa inhibitor.. Reference standards of Edoxaban API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



Edoxaban - API Standards


Catalogue No.: **PA 05 82000**

CAS : **480449-70-5**

Molecular Formula : **C₂₄H₃₀ClN₇O₄S**

Molecular Weight : **548.06**

SIMILAR PRODUCTS ▼




4-epi-Edoxaban

Catalogue No.: **PA 05 82510**

CAS : **1255529-26-0**

Molecular Formula : **C₂₄H₃₀ClN₇O₄S**

Molecular Weight : **548.06**




2,4-diepi-Edoxaban

Catalogue No.: **PA 05 82520**

CAS : **1255529-28-2**

Molecular Formula : **C₂₄H₃₀ClN₇O₄S**

Molecular Weight : **548.06**




Ent-Edoxaban

Catalogue No.: **PA 05 82530**

CAS : **1255529-23-7**

Molecular Formula : **C₂₄H₃₀ClN₇O₄S**

Molecular Weight : **548.06**




Edoxaban (RRR)-Isomer

Catalogue No.: **PA 05 82540**

CAS : **1255529-24-8**

Molecular Formula : **C₂₄H₃₀ClN₇O₄S**

Molecular Weight : **548.06**




Edoxaban (SSS)-Isomer

Catalogue No.: **PA 05 82550**

CAS : **1255529-27-1**

Molecular Formula : **C₂₄H₃₀ClN₇O₄S**

Molecular Weight : **548.06**




Edoxaban (RSS)-Isomer

Catalogue No.: **PA 05 82560**

CAS : **1255529-25-9**

Molecular Formula : **C₂₄H₃₀ClN₇O₄S**

Molecular Weight : **548.06**




Edoxaban (RRS)-Isomer

Catalogue No.: **PA 05 82570**

CAS : **500572-10-1**

Molecular Formula : **C₂₄H₃₀ClN₇O₄S**

Molecular Weight : **548.06**



Edoxaban 4-Carboxylic Acid

Catalogue No.: **PA 05 82580**

CAS : **834919-19-6**

Molecular Formula : **C₂₂H₂₅ClN₆O₅S**

Molecular Weight : **520.99**


N-Desmethyl Edoxaban

Catalogue No.: **PA 05 82590**


CAS : **778571-11-2**

Molecular Formula : **C₂₃H₂₈ClN₇O₄S**

Molecular Weight : **534.03**



SIMILAR PRODUCTS ▼



N1-(5-Chloropyridin-2-yl)-N2-((1S,2R,4S)-2-(5-methyl-4,5,6,7-tetrahydrothiazolo[5,4-c]pyridine-2-carboxamido)-4-(methylcarbamoyle)cyclohexyl)oxalamide


Catalogue No.: **PA 05 82600**

CAS : **740794-83-6**

Molecular Formula : **C₂₃H₂₈ClN₇O₄S**

Molecular Weight : **534.03**

SIMILAR PRODUCTS ▼




Edoxaban Glucuronide

Catalogue No.: **PA 05 82610**

CAS : **NA**

Molecular Formula : **C₃₀H₃₈ClN₇O₁₀S**

Molecular Weight : **724.18**




Edoxaban-d6

Catalogue No.: **PA STI 036751**

CAS : **1304701-57-2**

Molecular Formula : **C₂₄H₂₄D₆ClN₇O₄S**

Molecular Weight : **554.09**



4-Amino-3-chloropyridine

Catalogue No.: **PA 05 82620**

CAS : **19798-77-7**

Molecular Formula : **C₅H₅ClN₂**

Molecular Weight : **128.56**




2-Amino-4-chloropyridine

Catalogue No.: **PA 05 82650**

CAS : **19798-80-2**

Molecular Formula : **C₅H₅ClN₂**

Molecular Weight : **128.56**




3-Amino-6-chloropyridine

Catalogue No.: **PA 05 82660**

CAS : **5350-93-6**

Molecular Formula : **C₅H₅ClN₂**

Molecular Weight : **128.56**



4-Amino-2-chloropyridine

Catalogue No.: **PA 05 82670**

CAS : **14432-12-3**

Molecular Formula : **C₅H₅ClN₂**

Molecular Weight : **128.56**



3-Amino-2-chloropyridine

Catalogue No.: **PA 05 82680**

CAS : **6298-19-7**

Molecular Formula : **C₅H₅ClN₂**

Molecular Weight : **128.56**




5-Chloro-2-(2-(((1S,2R,4S)-4-(dimethylcarbamoyl)-2-(5-methyl-4,5,6,7-tetrahydrothiazolo[5,4-c]pyridine-2-carboxamido)cyclohexyl)amino)-2-oxoacetamido)pyridine 1-oxide

Catalogue No.: **PA 05 82690**

CAS : **2803372-49-6**

Molecular Formula : **C₂₄H₃₀ClN₇O₅S**

Molecular Weight : **564.06**




Edoxaban Dimer Impurity

Catalogue No.: **PA 05 0821063**

CAS : **NA**

Molecular Formula : **C₃₈H₄₅Cl₂N₁₁O₇S**

Molecular Weight : **870.81**



4,5,6,7-Tetrahydrothiazolo[5,4-c]pyridine-2-carboxylic Acid Hydrochloride


Catalogue No.: **PA 05 0821069**

CAS : **1190971-73-3**

Molecular Formula : **C₇H₉ClN₂O₂S**

Molecular Weight : **220.67**

SIMILAR PRODUCTS ▼



N1-(5-Chloropyridin-2-yl)-N2-(((1S,2R,4S)-2-(5-methyl-4,5,6,7-tetrahydrothiazolo[5,4-c]pyridine-2-carboxamido)-4-(methylcarbamoyl)cyclohexyl)oxalamide Hydrochloride


Catalogue No.: **PA 05 0821074**

CAS : **500572-21-4**

Molecular Formula : **C₂₃H₂₉Cl₂N₇O₄S**

Molecular Weight : **570.49**

SIMILAR PRODUCTS ▼




tert-Butyl ((1R,5S)-5-(dimethylcarbamoyl)-2-oxocyclohexyl)carbamate

Catalogue No.: **PA 05 0821073**

CAS : **2111181-37-2**

Molecular Formula : **C₁₄H₂₄N₂O₄**

Molecular Weight : **284.36**




tert-Butyl ((1R,5S,E)-5-(dimethylcarbamoyl)-2-(hydroxyimino)cyclohexyl)carbamate

Catalogue No.: **PA 05 0821075**

CAS : **NA**

Molecular Formula : **C₁₄H₂₅N₃O₄**

Molecular Weight : **299.37**



Ethyl 2-((4,5-dichloropyridin-2-yl)amino)-2-oxoacetate

Catalogue No.: **PA 05 0821086**


CAS : **2250242-53-4**

Molecular Formula : **C₉H₈Cl₂N₂O₃**

Molecular Weight : **263.07**

Ezetimibe Diacetate

Ezetimibe Diacetate is a protected derivative of Ezetimibe, which is a cholesterol lowering drug. Reference standards of Ezetimibe Diacetate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Ezetimibe Tetrahydropyran Impurity

Catalogue No.: **PA 05 38580**

CAS : **1296129-15-1**

Molecular Formula : **C₂₄H₂₁F₂NO₃**

Molecular Weight : **409.43**




5-(4-Fluorophenyl)-2-(((4-fluorophenyl)amino)(4-hydroxyphenyl)methyl)pentanoic Acid

Catalogue No.: **PA 05 38590**

CAS : **NA**

Molecular Formula : **C₂₄H₂₃F₂NO₃**

Molecular Weight : **411.44**




6-(4-Fluorophenyl)-3-(((4-fluorophenyl)amino)(4-hydroxyphenyl)methyl)tetrahydro-2H-pyran-2-one

Catalogue No.: **PA 05 38600**

CAS : **NA**

Molecular Formula : **C₂₄H₂₁F₂NO₃**

Molecular Weight : **409.43**



3-((2R,5S)-5-(4-Fluorophenyl)-2-((R)-((4-fluorophenyl)amino)(4-hydroxyphenyl)methyl)-5-hydroxypentanoyl)-4-phenyloxazolidin-2-one

Catalogue No.: **PA 05 38610**


CAS : **NA**

Molecular Formula : **C₃₃H₃₀F₂N₂O₅**

Molecular Weight : **572.6**

Heliotrine

Heliotrine is an alkaloid used for obtaining models of hepatitis and cirrhosis of the liver. Reference standards of Heliotrine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Heliotrine-D3

Catalogue No.: **PA STI 046450**


CAS : **NA**

Molecular Formula : **C₁₆H₂₄D₃NO₅**

Molecular Weight : **316.41**

[Details](#)

[Enquire](#)



Heliotrine N-Oxide-D3

Catalogue No.: **PA STI 046460**


CAS : **NA**

Molecular Formula : **C₁₆H₂₄D₃NO₆**

Molecular Weight : **332.41**

Hydralazine Hydrochloride

Hydralazine Hydrochloride, sold under the brand name Apresoline. It is used to treat high blood pressure and heart failure. This includes high blood pressure in pregnancy and very high blood pressure resulting in symptoms. Reference standards of Hydralazine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Hydralazine Hydrochloride -API

Catalogue No.: **PA 08 29000**

CAS : **304-20-1**


Molecular Formula : **C₈H₉ClN₄**

Molecular Weight : **196.64**

SIMILAR PRODUCTS

[Details](#)

[Enquire](#)



Hydralazine Hydrochloride - Impurity D

Catalogue No.: **PA 08 10580**


CAS : **253-52-1**

Molecular Formula : **C₈H₆N₂**

Molecular Weight : **130.15**

Erlotinib


An orally active tyrosine kinase inhibitor, Erlotinib is an anti cancer drug. It acts on the epidermal growth factor receptor (EGFR) and it is used for the treatment of several types of cancer like lung cancer, pancreatic cancer etc. Reference standards of Erlotinib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



6-O-Desmethoxyethyl-6-O-chloroethyl Erlotinib Hydrochloride

Catalogue No.: **PA 05 14630** CAS : **183320-04-9** Molecular Formula : **C₂₁H₂₁Cl₂N₃O₃** Molecular Weight : **434.32**


SIMILAR PRODUCTS ▼



7-O-Desmethoxy-7-O-chloroethyl Erlotinib Hydrochloride

Catalogue No.: **PA 05 14640** CAS : **183320-19-6** Molecular Formula : **C₂₁H₂₁Cl₂N₃O₃** Molecular Weight : **434.32**


SIMILAR PRODUCTS ▼



7-(2'-Desmethyl) Erlotinib


Catalogue No.: **PA 05 14650** CAS : **183320-29-8** Molecular Formula : **C₂₁H₂₁N₃O₄** Molecular Weight : **379.41**

SIMILAR PRODUCTS ▼




Desmethyl Erlotinib Hydrochloride

Catalogue No.: **PA 05 14660** CAS : **183320-51-6** Molecular Formula : **C₂₁H₂₂ClN₃O₄** Molecular Weight : **415.87**



Erlotinib-3-vinyl Hydrochloride


Catalogue No.: **PA 05 14680** CAS : **1624294-38-7** Molecular Formula : **C₂₂H₂₆ClN₃O₄** Molecular Weight : **431.91**



3-Vinylaniline

Catalogue No.: **PA 05 14690** CAS : **15411-43-5** Molecular Formula : **C₈H₉N** Molecular Weight : **119.16**


SIMILAR PRODUCTS ▼



3-Vinylaniline Hydrochloride


Catalogue No.: **PA 05 14700** CAS : **73847-53-7** Molecular Formula : **C₈H₁₀ClN** Molecular Weight : **155.62**

SIMILAR PRODUCTS ▼



6,7-Bis(2-methoxyethoxy)-N-(3-ethylphenyl)-N-(2-methoxyethyl)-quinazoline-4-amine


Catalogue No.: **PA 05 14710** CAS : **NA** Molecular Formula : **C₂₅H₃₃N₃O₅** Molecular Weight : **455.55**



Tetrahydro Erlotinib


Catalogue No.: **PA 05 14720** CAS : **299912-61-1** Molecular Formula : **C₂₂H₂₇N₃O₄** Molecular Weight : **397.47**

SIMILAR PRODUCTS ▼



3-Ethylaniline

Catalogue No.: **PA 05 14730** CAS : **587-02-0** Molecular Formula : **C₈H₁₁N** Molecular Weight : **121.17**




2-Amino-4,5-bis(2-methoxyethoxy)benzoic Acid Ethyl Ester

Catalogue No.: **PA 05 14740**

CAS : **179688-27-8**

Molecular Formula : **C₁₅H₂₃NO₆**

Molecular Weight : **313.35**




Ethyl 3,4-bis(2-methoxyethoxy)benzoate

Catalogue No.: **PA 05 14770**

CAS : **183322-16-9**

Molecular Formula : **C₁₅H₂₂O₆**

Molecular Weight : **298.34**




2-Amino-4,5-bis(2-methoxyethoxy)benzamide

Catalogue No.: **PA 05 14780**

CAS : **236750-62-2**

Molecular Formula : **C₁₃H₂₀N₂O₅**

Molecular Weight : **284.31**




3-Ethynylaniline Hydrochloride

Catalogue No.: **PA 05 14790**

CAS : **207226-02-6**

Molecular Formula : **C₈H₈ClN**

Molecular Weight : **153.61**




(E)-N'-(2-cyano-4,5-bis(2-methoxyethoxy)phenyl)-N,N-dimethylformimidamide

Catalogue No.: **PA 05 14800**

CAS : **950596-59-5**

Molecular Formula : **C₁₆H₂₃N₃O₄**

Molecular Weight : **321.37**




6,7-Bis(2-methoxyethoxy)quinazolin-4-amine

Catalogue No.: **PA 05 14810**

CAS : **1417161-98-8**

Molecular Formula : **C₁₄H₁₉N₃O₄**

Molecular Weight : **293.32**



N-(3-Desethynylphenyl)-N-(3-bromophenyl) Erlotinib Hydrochloride-D6

Catalogue No.: **PA STI 027940**


CAS : **2733154-09-9**

Molecular Formula : **C₂₀H₁₇D₆BrClN₃O₄**

Molecular Weight : **490.81**

Ioxitalamic Acid

Ioxitalamic Acid is used as a contrast medium. It has a role as a xenobiotic, an environmental contaminant and a radioopaque medium. It is also known under the brand name Telebrix. Reference standards of Ioxitalamic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Ioxitalamic Acid-d4

Catalogue No.: **PA STI 053500**

CAS : **1185156-82-4**


Molecular Formula : **C₁₂H₇D₄I₂N₂O₅**

Molecular Weight : **647.96**

Gabapentin


An anti-epileptic and anticonvulsant drug, Gabapentin is used to treat epilepsy, neuropathic pain, hot flashes and other anxiety disorders. It possibly inhibits neurotransmitter γ -aminobutyric acid (GABA). Reference standards of Gabapentin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Gabapentin - Impurity G




Catalogue No.: **PA 07 01070** CAS : **1500558-49-5** Molecular Formula : **C₁₀H₁₉NO₂** Molecular Weight : **185.26**

1,1-Cyclohexanediactic Acid Monoamide




Catalogue No.: **PA 07 01510** CAS : **99189-60-3** Molecular Formula : **C₁₀H₁₇NO₃** Molecular Weight : **199.25**

1-Hydroxy-2-azaspiro[4.5]decan-3-one




Catalogue No.: **PA 07 01520** CAS : **NA** Molecular Formula : **C₉H₁₅NO₂** Molecular Weight : **169.22**

2,2'-(((Oxalylbis(azanediyl)))bis(methylene))bis(cyclohexane-1,1-diyl))diacetic Acid




Catalogue No.: **PA 07 01530** CAS : **NA** Molecular Formula : **C₂₀H₃₂N₂O₆** Molecular Weight : **396.48**

2-Methylpropan-2-aminium 2-(1-((2-(1-hydroxycyclohexyl)acetamido)methyl)cyclohexyl)acetate




Catalogue No.: **PA 07 01540** CAS : **NA** Molecular Formula : **C₂₁H₄₀N₂O₄** Molecular Weight : **384.55**

2,4-Dioxo-3-azaspiro[5.5]undecane-1,5-dicarboxamide



Catalogue No.: **PA 07 01550** CAS : **872696-79-2** Molecular Formula : **C₁₂H₁₇N₃O₄** Molecular Weight : **267.28**

2,4-Dioxo-3-azaspiro[5.5]undecane-1-carboxamide




Catalogue No.: **PA 07 01560** CAS : **1087760-14-2** Molecular Formula : **C₁₁H₁₆N₂O₃** Molecular Weight : **224.26**

Ibandronic Acid

Ibandronic Acid is used prevention and treatment of osteoporosis and metastasis-associated skeletal fractures in people with cancer. It is also called bisphosphonate. Reference standards of Ibandronic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

3-(N-Methyl-d3-N-pentylamino)propionic Acid Sodium Salt




Catalogue No.: **PA STI 064300** CAS : **NA** Molecular Formula : **C₉H₁₅D₃NNaO₂** Molecular Weight : **198.25**

Gabapentin Enacarbil

Gabapentin enacarbil is marketed under the name Horizant, It is a prodrug of gabapentin, and indicated in adults for the treatment of Restless Legs Syndrome and postherpetic neuralgia. Reference standards of Gabapentin Enacarbil API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Gabapentin Enacarbil - API Standards




Catalogue No.: **PA 07 54000**

CAS : **478296-72-9**

Molecular Formula : **C₁₆H₂₇NO₆**

Molecular Weight : **329.39**

2-(1-(Isobutyramidomethyl)cyclohexyl)acetic acid




Catalogue No.: **PA 07 54510**

CAS : **NA**

Molecular Formula : **C₁₃H₂₃NO₃**

Molecular Weight : **241.33**

Allyl 2-(1-(isobutyramidomethyl)cyclohexyl)acetate




Catalogue No.: **PA 07 54520**

CAS : **NA**

Molecular Formula : **C₁₆H₂₇NO₃**

Molecular Weight : **281.39**

1-(Isobutyryloxy)ethyl 3-oxo-2-azaspiro[4.5]decane-2-carboxylate




Catalogue No.: **PA 07 54530**

CAS : **NA**

Molecular Formula : **C₁₆H₂₅NO₅**

Molecular Weight : **311.37**

Benzyl 2-(1-(aminomethyl)cyclohexyl)acetate Hydrochloride




Catalogue No.: **PA 07 0541000**

CAS : **649747-95-5**

Molecular Formula : **C₁₆H₂₄ClNO₂**

Molecular Weight : **297.82**

2,2'-(((Carbonylbis(azanediyl))bis(methylene))bis(cyclohexane-1,1-diyl))diacetic Acid




Catalogue No.: **PA 07 0541001**

CAS : **1310678-10-4**

Molecular Formula : **C₁₉H₃₂N₂O₅**

Molecular Weight : **368.47**

1-(((1-(2-(Benzyloxy)-2-oxoethyl)cyclohexyl)methyl)carbamoyl)oxy)ethyl Isobutyrate




Catalogue No.: **PA 07 0541002**

CAS : **649747-98-8**

Molecular Formula : **C₂₃H₃₃NO₆**

Molecular Weight : **419.52**

2-(1-((3-Oxo-2-azaspiro[4.5]decane-2-carboxamido)methyl)cyclohexyl)acetic Acid



Catalogue No.: **PA 07 0541003**


CAS : **1344032-05-8**

Molecular Formula : **C₁₉H₃₀N₂O₄**

Molecular Weight : **350.46**

Ganciclovir

A synthetic analogue of 2'-deoxy-guanosine, Ganciclovir is an antiviral drug used for the treatment of cytomegalovirus infections. It is used for treating CMV retinitis, CMV pneumonitis and CMV infections caused in organ transplant patients. Reference standards of Ganciclovir API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Ganciclovir - Impurity E

Catalogue No.: **PA 07 03050**

CAS : **86357-09-7**

Molecular Formula : **C₉H₁₃N₅O₄**

Molecular Weight : **255.23**




Ganciclovir - Impurity H

Catalogue No.: **PA 07 03080**

CAS : **84222-50-4**

Molecular Formula : **C₉H₁₃N₅O₄**

Molecular Weight : **255.23**




Ganciclovir - Impurity I

Catalogue No.: **PA 07 03090**

CAS : **86357-20-2**

Molecular Formula : **C₁₅H₂₁N₅O₆**

Molecular Weight : **367.36**




Ganciclovir - Impurity J

Catalogue No.: **PA 07 03100**

CAS : **177216-32-9**

Molecular Formula : **C₁₈H₂₅N₅O₇**

Molecular Weight : **423.42**



N-(9-((2R,3R,4R,5R)-4-Hydroxy-5-(hydroxymethyl)-3-methoxytetrahydrofuran-2-yl)-6-oxo-6,9-dihydro-1H-purin-2-yl)isobutyramide

Catalogue No.: **PA 07 0031004**


CAS : **63264-29-9**

Molecular Formula : **C₁₅H₂₁N₅O₆**

Molecular Weight : **367.36**

Halofantrine Hydrochloride

A hydrochloride salt of Halofantrine, which is an anti-malarial drug. A substituted phenanthrene drug, Halofantrine is a blood schizonticidal. Reference standards of Halofantrine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Halofantrine Hydrochloride

Catalogue No.: **PA 08 02000**




CAS : **36167-63-2**

Molecular Formula : **C₂₆H₃₁Cl₃F₃NO**

Molecular Weight : **536.88**



Gentamicin Sulfate

Gentamicin Sulfate, sold under brand name Garamycin among others, it is an antibiotic, which is used to treat several types of bacterial infections. Reference standards of Gentamicin Sulfate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Gentamicin Sulfate - Impurity B		
Catalogue No.: PA 07 19020	CAS : 49751-51-1	Molecular Formula : C₁₃H₂₇N₃O₆	Molecular Weight : 321.37
	Gentamicin Sulfate - Impurity C		
Catalogue No.: PA 07 19030	CAS : 36889-16-4	Molecular Formula : C₂₀H₄₀N₄O₁₀	Molecular Weight : 496.55
	Gentamicin Sulfate - Impurity D		
Catalogue No.: PA 07 19040	CAS : NA	Molecular Formula : C₁₉H₃₉N₅O₉	Molecular Weight : 481.54


Glibornuride

Glibornuride is an anti-diabetic drug from the group of sulfonylureas. Glibornuride is a monoterpenoid. Reference standards of Glibornuride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Glibornuride - API Standards		
Catalogue No.: PA 07 36000	CAS : 26944-48-9	Molecular Formula : C₁₈H₂₆N₂O₄S	Molecular Weight : 366.48
	Glibornuride-d7		
Catalogue No.: PA STI 044290	CAS : NA	Molecular Formula : C₁₈H₁₉D₇N₂O₄S	Molecular Weight : 373.52

Guanine Hydrochloride


The guanine nucleoside is called guanosine. Guanine is one of the four main nucleobases found in the nucleic acids DNA and RNA, the others being adenine, cytosine, and thymine. In DNA, guanine is paired with cytosine. Reference standards of Guanine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Guanine Hydrochloride - API Standards		
Catalogue No.: PA 07 58000	CAS : 635-39-2	Molecular Formula : C₅H₆ClN₅O	Molecular Weight : 187.59
SIMILAR PRODUCTS			

Ixazomib


Ixazomib is used in combination with lenalidomide and dexamethasone for the treatment of multiple myeloma in adults after at least one prior therapy. It is taken by mouth in form of capsules. Reference standards of Ixazomib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Ixazomib - API Standards




Catalogue No.: **PA 09 55000** CAS : **1072833-77-2** Molecular Formula : **C₁₄H₁₉BCl₂N₂O₄** Molecular Weight : **361.03**

Ixazomib Citrate




Catalogue No.: **PA 09 55510** CAS : **1239908-20-3** Molecular Formula : **C₂₀H₂₃BCl₂N₂O₉** Molecular Weight : **517.12**

(2,5-Dichlorobenzoyl)glycine




Catalogue No.: **PA 09 0551001** CAS : **667403-46-5** Molecular Formula : **C₉H₇Cl₂NO₃** Molecular Weight : **248.06**

2,5-Dichloro-N-(2-(isopentylamino)-2-oxoethyl)benzamide




Catalogue No.: **PA 09 0551002** CAS : **2872629-73-5** Molecular Formula : **C₁₄H₁₈Cl₂N₂O₂** Molecular Weight : **317.21**

N-(2-Amino-2-oxoethyl)-2,5-dichlorobenzamide




Catalogue No.: **PA 09 0551003** CAS : **1378314-08-9** Molecular Formula : **C₉H₈Cl₂N₂O₂** Molecular Weight : **247.08**

(R)-(1-(2,5-Dichlorobenzamido)-3-methylbutyl)boronic Acid




Catalogue No.: **PA 09 0551004** CAS : **2806031-79-6** Molecular Formula : **C₁₂H₁₆BCl₂NO₃** Molecular Weight : **303.97**

(R)-2,5-Dichloro-N-(2-(((1-hydroxy-3-methylbutyl)amino)-2-oxoethyl)benzamide




Catalogue No.: **PA 09 0551005** CAS : **NA** Molecular Formula : **C₁₄H₁₈Cl₂N₂O₃** Molecular Weight : **333.21**

2,5-Dichloro-N-(2-(((R)-3-methyl-1-((3aS,4S,6S,7aR)-3a,5,5-trimethylhexahydro-4,6-methanobenzo[d][1,3,2]dioxaborol-2-yl)butyl)amino)-2-oxoethyl)benzamide



Catalogue No.: **PA 09 0551006** CAS : **NA** Molecular Formula : **C₂₄H₃₃BCl₂N₂O₄** Molecular Weight : **495.25**


2,5-Dichloro-N-(2-(((R)-3-methyl-1-((3aS,4S,6S,7aR)-3a,5,5-trimethylhexahydro-4,6-methanobenzo[d][1,3,2]dioxaborol-2-yl)butyl)amino)-2-oxoethyl)benzamide



Catalogue No.: **PA 09 0551007** CAS : **1201903-02-7** Molecular Formula : **C₂₄H₃₃BCl₂N₂O₄** Molecular Weight : **495.25**


Icatibant

Icatibant is a peptidomimetic consisting of ten amino acids. Icatibant has been approved by the European Commission for the symptomatic treatment of acute attacks of hereditary angioedema in adults with C1-esterase-inhibitor deficiency. Reference standards of Icatibant API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Icatibant - API Standards

Catalogue No.: **PA 09 64000** CAS : **130308-48-4** Molecular Formula : **C₅₉H₈₉N₁₉O₁₃S** Molecular Weight : **1304.52**




(2S)-2-((3aS,7aS)-1-(2-((S)-2-Amino-3-hydroxypropanoyl)-1,2,3,4-tetrahydroisoquinoline-3-carbonyl)octahydro-1H-indole-2-carboxamido)-5-((diaminomethylene)amino)pentanoic Acid

Catalogue No.: **PA 09 64510** CAS : **NA** Molecular Formula : **C₂₈H₄₁N₇O₆** Molecular Weight : **571.67**




(2S)-2-(2-((4R)-1-(1-(2-((R)-2-Amino-5-((diaminomethylene)amino)pentanamido)-5-((diaminomethylene)amino)pentanoyl)pyrrolidine-2-carbonyl)-4-hydroxypyrrolidine-2-carboxamido)acetamido)-3-(thiophen-2-yl)propanoic Acid

Catalogue No.: **PA 09 64520** CAS : **NA** Molecular Formula : **C₃₁H₅₀N₁₂O₈S** Molecular Weight : **750.87**




((2S,3aS,7aS)-1-((3S,6R)-3-((S)-2-(2-((2S,4R)-1-(D-Arginyl-L-arginyl-L-prolyl)-4-hydroxypyrrolidine-2-carboxamido)acetamido)-3-(thiophen-2-yl)propanamido)-4-oxo-3,4,7,11b-tetrahydro-2H,6H-[1,3]oxazino[2,3-a]isoquinoline-6-carbonyl)octahydro-1H-indole-2-carbonyl)-L-arginine

Catalogue No.: **PA 09 64530** CAS : **NA** Molecular Formula : **C₅₉H₈₇N₁₉O₁₃S** Molecular Weight : **1302.53**




((2S,3aS,7aS)-1-((R)-2-(((S)-2-(2-((2S,4R)-1-(D-Arginyl-L-arginyl-L-prolyl)-4-hydroxypyrrolidine-2-carboxamido)acetamido)-3-(thiophen-2-yl)propanoyl)-L-seryl)-1-oxo-1,2,3,4-tetrahydroisoquinoline-3-carbonyl)octahydro-1H-indole-2-carbonyl)-L-arginine

Catalogue No.: **PA 09 64540** CAS : **NA** Molecular Formula : **C₅₉H₈₇N₁₉O₁₄S** Molecular Weight : **1318.52**




((2S,4R)-1-(D-Arginyl-L-arginyl-L-prolyl)-4-hydroxypyrrolidine-2-carbonyl)glycine

Catalogue No.: **PA 09 64550** CAS : **NA** Molecular Formula : **C₂₄H₄₃N₁₁O₇** Molecular Weight : **597.68**




Oxi Tic Icatibant (8-10)

Catalogue No.: **PA 09 0641010** CAS : **NA** Molecular Formula : **C₂₅H₃₄N₆O₅** Molecular Weight : **498.58**



Icatibant Peptide Fragment [D-Oic9]

Catalogue No.: **PA 09 0641011** CAS : **NA** Molecular Formula : **C₅₉H₈₉N₁₉O₁₃S** Molecular Weight : **1304.54**




Icatibant Peptide Fragment [Des-Gly5]

Catalogue No.: **PA 09 0641012** CAS : **NA** Molecular Formula : **C₅₇H₈₆N₁₈O₁₂S** Molecular Weight : **1247.49**

Loperamide Hydrochloride

A substrate of P-glycoprotein, Loperamide hydrochloride is a drug used for treating gastroenteritis, inflammatory bowel disease, and short bowel syndrome. It is used to decrease the frequency of diarrhea. Loperamide is an opioid-receptor agonist. Reference standards of Loperamide Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Loperamide - Impurity C

Catalogue No.: **PA 12 24030**

CAS : **39512-49-7**

Molecular Formula : **C₁₁H₁₄ClNO**

Molecular Weight : **211.69**



Loperamide - Impurity D


Catalogue No.: **PA 12 24040**

CAS : **37743-41-2**

Molecular Formula : **C₂₉H₃₄N₂O₂**

Molecular Weight : **442.59**

SIMILAR PRODUCTS ▼



Loperamide - Impurity E

Catalogue No.: **PA 12 24050**


CAS : **1426322-82-8**

Molecular Formula : **C₃₈H₄₀Cl₂N₂O₃**

Molecular Weight : **643.64**

L Lysine

L Lysine is used in the biosynthesis of proteins. It is an α-amino acid. It plays several roles in humans, most importantly proteinogenesis. Reference standards of L Lysine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Fmoc-(s)-alpha-methylvaline

Catalogue No.: **PA 12 50510**

CAS : **169566-81-8**

Molecular Formula : **C₂₁H₂₃NO₄**

Molecular Weight : **353.42**



Fmoc-L-HomoArg(Pbf)-OH

Catalogue No.: **PA 12 50520**


CAS : **401915-53-5**

Molecular Formula : **C₃₅H₄₂N₄O₇S**

Molecular Weight : **662.8**

L Ornithine L Aspartate Salt

L Ornithine L Aspartate Salt is formulated and marketed in low and high doses. Low doses are used as a food supplement and high doses as a medicinal product to lower blood ammonia concentration and to eliminate symptoms of hepatic encephalopathy associated with liver cirrhosis. Reference standards of L Ornithine L Aspartate Salt API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



L-Ornithine L-aspartate salt - API Standards

Catalogue No.: **PA 12 37000**

CAS : **3230-94-2**

Molecular Formula : **C₉H₁₉N₃O₆**


Molecular Weight : **265.26**

SIMILAR PRODUCTS

Ivabradine Hydrochloride

Ivabradine Hydrochloride is used for the symptomatic treatment of chronic stable angina pectoris in patients with normal sinus rhythm who cannot take beta blockers. It is marketed under the trade name Corlanor. Reference standards of Ivabradine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Dehydro Ivabradine



Catalogue No.: **PA 09 24510**


CAS : **1086026-31-4**

Molecular Formula : **C₂₇H₃₄N₂O₅**

Molecular Weight : **466.57**

SIMILAR PRODUCTS ▼

N-Demethyl Ivabradine Hydrochloride



Catalogue No.: **PA 09 24520**


CAS : **1246638-08-3**

Molecular Formula : **C₂₆H₃₅ClN₂O₅**

Molecular Weight : **491.02**

SIMILAR PRODUCTS ▼

8-Demethyl Ivabradine




Catalogue No.: **PA 09 24540**

CAS : **304464-97-9**

Molecular Formula : **C₂₆H₃₄N₂O₅**

Molecular Weight : **454.56**

Ivabradin N-oxide




Catalogue No.: **PA 09 24550**

CAS : **2511244-97-4**

Molecular Formula : **C₂₇H₃₆N₂O₆**

Molecular Weight : **484.6**

N-Demethyl Ivabradine



Catalogue No.: **PA 09 24780**


CAS : **215935-23-2**

Molecular Formula : **C₂₆H₃₄N₂O₅**

Molecular Weight : **454.6**

SIMILAR PRODUCTS ▼

Methyl (S)-2-(2-(2-((3-(((3,4-Dimethoxybicyclo[4.2.0]octa-1(6),2,4-trien-7-yl)methyl)(methyl)amino)propyl)amino)ethyl)-4,5-dimethoxyphenyl)Acetate




Catalogue No.: **PA 09 24790**

CAS : **NA**

Molecular Formula : **C₂₈H₄₀N₂O₆**

Molecular Weight : **500.63**

(S)-3-(3-((3-Chloro-2-(3,4-dimethoxyphenyl)propyl)(methyl)amino)propyl)-7,8-dimethoxy-1,3,4,5-tetrahydro-2H-benzo[d]azepin-2-one




Catalogue No.: **PA 09 24800**

CAS : **2768438-46-4**

Molecular Formula : **C₂₇H₃₇ClN₂O₅**

Molecular Weight : **505.05**

(S)-2-(2-(2-((3-(((3,4-Dimethoxybicyclo[4.2.0]octa-1(6),2,4-trien-7-yl)methyl)(methyl)amino)propyl)amino)ethyl)-4,5-dimethoxyphenyl)-2-oxoacetic Acid




Catalogue No.: **PA 09 24810**

CAS : **NA**

Molecular Formula : **C₂₇H₃₆N₂O₇**

Molecular Weight : **500.58**

1-Chloro-2-(2-(2-((3-(((3,4-dimethoxybicyclo[4.2.0]octa-1,3,5-trien-7-yl)methyl)(methyl)amino)propyl)amino)-2-hydroxyethyl)-4,5-dimethoxyphenyl)ethan-1-ol




Catalogue No.: **PA 09 24850**

CAS : **NA**

Molecular Formula : **C₂₇H₃₉ClN₂O₆**

Molecular Weight : **523.07**




(E)-1-Chloro-2-(2-(2-(((3,4-dimethoxybicyclo[4.2.0]octa-1,3,5-trien-7-yl)methyl)(methyl)amino)propyl)imino)ethyl)-4,5-dimethoxyphenyl)ethan-1-ol

Catalogue No.: **PA 09 24860**

CAS : **NA**

Molecular Formula : **C₂₇H₃₇ClN₂O₅**

Molecular Weight : **505.05**




3-Chloro-2-(3,4-dimethoxyphenyl)-N-methylpropan-1-amine Hydrochloride

Catalogue No.: **PA 09 24870**

CAS : **2768438-48-6**

Molecular Formula : **C₁₂H₁₉Cl₂NO₂**

Molecular Weight : **280.19**




(R)-3,4-Dimethoxy-N-methylbicyclo[4.2.0]octa-1,3,5-triene-7-carboxamide

Catalogue No.: **PA 09 24880**

CAS : **NA**

Molecular Formula : **C₁₂H₁₅NO₃**

Molecular Weight : **221.26**



Dehydro Ivabradine Hydrochloride


Catalogue No.: **PA 09 24890**

CAS : **1086026-38-1**

Molecular Formula : **C₂₇H₃₅ClN₂O₅**

Molecular Weight : **503.04**

SIMILAR PRODUCTS




3-(3-Bromopropyl)-7,8-dimethoxy-1,3-dihydro-2H-benzo[d]azepin-2-one

Catalogue No.: **PA 09 24900**

CAS : **1428869-91-3**

Molecular Formula : **C₁₅H₁₈BrNO₃**

Molecular Weight : **340.22**




(S)-3-(3-((2-(3,4-Dimethoxybicyclo[4.2.0]octa-1,3,5-trien-7-yl)ethyl)amino)propyl)-7,8-dimethoxy-4,5-dihydro-1H-benzo[d]azepine-1,2(3H)-dione Hydrochloride

Catalogue No.: **PA 09 24910**

CAS : **NA**

Molecular Formula : **C₂₇H₃₅ClN₂O₆**

Molecular Weight : **519.04**



Dehydro Ivabradine Oxalate

Catalogue No.: **PA 09 0241011**


CAS : **1346558-08-4**

Molecular Formula : **C₂₉H₃₆N₂O₉**

Molecular Weight : **556.61**

Kanamycin

Kanamycin is used to treat serious bacterial infections in many different parts of the body. kanamycin, is an antibiotic. Reference standards of Kanamycin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Kanamycin A Deuterated

Catalogue No.: **PA STI 054860**

CAS : **1174286-24-8**

Molecular Formula : **C₁₈H₃₆N₄O₁₁ for undeuterated**

Molecular Weight : **484.50**

Kynurenic Acid

Kynurenic Acid used in patients with depression. Kynurenic acid is a product of the normal metabolism of amino acid L-tryptophan. Reference standards of Kynurenic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	4-Chloro Kynurenine	Catalogue No.: PA 11 08510	CAS : 75802-84-5	Molecular Formula : C₁₀H₁₁ClN₂O₃	Molecular Weight : 242.66
--	----------------------------	-----------------------------------	-------------------------	---	----------------------------------

	Xanthurenic Acid	Catalogue No.: PA 11 08530	CAS : 59-00-7	Molecular Formula : C₁₀H₇NO₄	Molecular Weight : 205.17
--	-------------------------	-----------------------------------	----------------------	--	----------------------------------

	N-Acetyl-1-(2'-Amino-2,4'-dichlorophenyl)ethan-1-one	Catalogue No.: PA 11 08540	CAS : 68095-20-5	Molecular Formula : C₁₀H₉Cl₂NO₂	Molecular Weight : 246.09
--	---	-----------------------------------	-------------------------	--	----------------------------------

Imatinib Mesylate

Imatinib Mesylate is used to treat chronic myelogenous leukemia, gastrointestinal stromal tumors and a number of other malignancies. It is sold under the brand names Gleevec. Reference standards of Imatinib Mesylate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Imatinib Mesylate - Impurity A	Catalogue No.: PA 09 28010	CAS : 123367-26-0	Molecular Formula : C₁₀H₁₂N₂O	Molecular Weight : 176.22
--	---------------------------------------	-----------------------------------	--------------------------	---	----------------------------------

	Imatinib Mesylate - Impurity B	Catalogue No.: PA 09 28020	CAS : 581076-65-5	Molecular Formula : C₂₁H₂₈N₆O	
--	---------------------------------------	-----------------------------------	--------------------------	---	--

Josamycin

Josamycin is used for the treatment of respiratory and suppurative. Josamycin is a macrolide antibiotic. It is currently sold in various countries. Reference standards of Josamycin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.


	Josamycin - API Standards	Catalogue No.: PA 10 01000	CAS : 16846-24-5	Molecular Formula : C₄₂H₆₉NO₁₅	Molecular Weight : 827.99
--	----------------------------------	-----------------------------------	-------------------------	--	----------------------------------

Kynurenine

Kynurenine is synthesized by the enzyme tryptophan dioxygenase, which is made primarily but not exclusively in the liver, and indoleamine 2,3-dioxygenase, which is made in many tissues in response to immune activation. It is a metabolite of the amino acid. Reference standards of Kynurenine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.


	4-Chloro Kynurenine-13C2,15N	Catalogue No.: PA STI 019900	CAS : 1391051-72-1	Molecular Formula : C₈13C₂H₁₁ClN₁₅NO₃	Molecular Weight : 245.64
--	-------------------------------------	-------------------------------------	---------------------------	---	----------------------------------

Mabuterol




Mabuterol - API Standards

Catalogue No.: **PA 13 87000** CAS : **56341-08-3** Molecular Formula : **C₁₃H₁₈ClF₃N₂O** Molecular Weight : **310.74**




Mabuterol-d9

Catalogue No.: **PA STI 057470** CAS : **1246819-58-8** Molecular Formula : **C₁₃H₉D₉ClF₃N₂O** Molecular Weight : **319.80**



1-[4-Amino-3-chloro-5-(trifluoromethyl)phenyl]-2-bromo-ethanone

Catalogue No.: **PA 13 87510** CAS : **97760-87-7** Molecular Formula : **C₉H₆BrClF₃NO** Molecular Weight : **316.5**




1-[4-Amino-3-chloro-5-(trifluoromethyl)phenyl]ethanone

Catalogue No.: **PA 13 87520** CAS : **97760-76-4** Molecular Formula : **C₉H₇ClF₃NO** Molecular Weight : **237.61**


Moxonidine

Moxonidine is a new-generation centrally acting antihypertensive drug, which is approved for the treatment of mild to moderate essential hypertension. Moxonidine has been shown to present blood pressure-independent beneficial effects on insulin resistance syndrome. Reference standards of Moxonidine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Moxonidine - Impurity B

Catalogue No.: **PA 13 56020** CAS : **75439-01-9** Molecular Formula : **C₁₀H₁₅N₅O₂** Molecular Weight : **237.26**




Moxonidine - Impurity C

Catalogue No.: **PA 13 56030** CAS : **352457-34-2** Molecular Formula : **C₉H₁₃N₅O₂** Molecular Weight : **223.23**

SIMILAR PRODUCTS

N Methylpyrrolidone

N Methylpyrrolidone is widely used in the petrochemical industry, and in the manufacturing of various compounds, including pigments, cosmetics, insecticides, herbicides, and fungicides. It is pyrrolidone is an organic compound consisting of a 5-membered lactam. Reference standards of N Methylpyrrolidone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.








N-Methylpyrrolidone - API Standards

Catalogue No.: **PA 14 45000** CAS : **872-50-4** Molecular Formula : **C₅H₉NO** Molecular Weight : **99.13**


Naphazoline Nitrate

A nitrate salt of Naphazoline, which is a vasoconstrictor agent and is used as a decongestant. Reference standards of Naphazoline Nitrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	Naphazoline Nitrate - API Standards			
	Catalogue No.: PA 14 12000	CAS : 5144-52-5	Molecular Formula : C₁₄H₁₅N₃O₃	Molecular Weight : 273.29
SIMILAR PRODUCTS ▼				
	Naphazoline - Impurity A			
	Catalogue No.: PA 14 12010	CAS : 73664-32-1	Molecular Formula : C₁₄H₁₆N₂OClH	Molecular Weight : 264.75
SIMILAR PRODUCTS ▼				
	Naphazoline - Impurity D			
	Catalogue No.: PA 14 12040	CAS : 22126-67-6	Molecular Formula : C₁₄H₁₄N₂	Molecular Weight : 210.27
SIMILAR PRODUCTS ▼				
	Naphazoline Nitrate - Impurity A (Freebase)			
	Catalogue No.: PA 14 12530	CAS : 36321-43-4	Molecular Formula : C₁₄H₁₆N₂O	Molecular Weight : 228.29
SIMILAR PRODUCTS ▼				
	2-(Naphthalen-1-ylmethyl)-1-nitroso-4,5-dihydro-1H-imidazole			
	Catalogue No.: PA 14 0121000	CAS : 2703749-87-3	Molecular Formula : C₁₄H₁₃N₃O	Molecular Weight : 239.28


N Methylpyrrolidone

N Methylpyrrolidone is widely used in the petrochemical industry, and in the manufacturing of various compounds, including pigments, cosmetics, insecticides, herbicides, and fungicides. It is pyrrolidone is an organic compound consisting of a 5-membered lactam. Reference standards of N Methylpyrrolidone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	N-Methylpyrrolidone - API Standards			
	Catalogue No.: PA 14 45000	CAS : 872-50-4	Molecular Formula : C₅H₉NO	Molecular Weight : 99.13

Octylonium Bromide

A muscarinic receptor antagonist drug which is used for treating relieve spasmodic pain. It works by blocking L-Type Calcium channels in human colonic smooth muscle. Reference standards of Octylonium Bromide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




4-[[2-(Octyloxy)benzoyl]amino]benzoic Acid 2-(Diethylamino)ethyl Ester

Catalogue No.: **PA 15 31510**

CAS : **26090-29-9**

Molecular Formula : **C₂₈H₄₀N₂O₄**

Molecular Weight : **468.63**




2-(Diethylamino)ethyl 4-(2-hydroxybenzamido)benzoate

Catalogue No.: **PA 15 31520**

CAS : **1007652-84-7**

Molecular Formula : **C₂₀H₂₄N₂O₄**

Molecular Weight : **356.42**



N,N-Diethyl-2-((4-(2-methoxybenzamido)benzoyl)oxy)-N-methylethan-1-aminium Bromide

Catalogue No.: **PA 15 31540**


CAS : **NA**

Molecular Formula : **C₂₂H₂₉BrN₂O₄**

Molecular Weight : **465.39**

O 2050

O 2050 is a classical cannabinoid derivative, which acts as an antagonist for the CB1 receptor. Reference standards of O 2050 API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



O-2050-D3, 13C

Catalogue No.: **PA STI 069500**


CAS : **NA**

Molecular Formula : **C₂₂¹³H₂₈D₃NO₄S**

Molecular Weight : **421.57**

Quinupramine

Quinupramine is a tricyclic antidepressant. Reference standards of Quinupramine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Quinupramine - API Standards

Catalogue No.: **PA 17 09000**


CAS : **31721-17-2**

Molecular Formula : **C₂₁H₂₄N₂**

Molecular Weight : **304.44**

Synephrine

Synephrine include weight loss/weight management, sport performance, appetite control, energy, mental focus, and cognition. is naturally occurring alkaloid. It is present in approved drug products as neo-synephrine, its m-substituted analog. Reference standards of Synephrine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



2-Amino-1-(4'-benzyloxyphenyl)ethanol-13C2, 15N

Catalogue No.: **PA STI 005270**


CAS : **1190017-22-1**

Molecular Formula : **C₁₃¹³H₁₇¹⁵NO₂**

Molecular Weight : **246.28**

Paclitaxel

Paclitaxel is a chemotherapeutic agent marketed under the brand name Taxol. It is approved in the UK for ovarian, breast, lung, bladder, prostate, melanoma, esophageal, and other types of solid tumor cancers as well as Kaposi's sarcoma. Reference standards of Paclitaxel API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Paclitaxel - Impurity F

Catalogue No.: **PA 16 01060**

CAS : **153083-53-5**

Molecular Formula : **C₄₇H₅₉NO₁₄**

Molecular Weight : **861.97**




Paclitaxel - Impurity P

Catalogue No.: **PA 16 01160**

CAS : **173101-56-9**

Molecular Formula : **C₄₈H₅₃NO₁₄**

Molecular Weight : **867.93**




Paclitaxel - Impurity Q

Catalogue No.: **PA 16 01170**

CAS : **502626-06-4**

Molecular Formula : **C₄₆H₅₅NO₁₄**

Molecular Weight : **845.36**




Paclitaxel - Impurity R

Catalogue No.: **PA 16 01180**

CAS : **158948-96-0**

Molecular Formula : **C₄₅H₅₅NO₁₄**

Molecular Weight : **833.92**




3'-p-O-Benzyl-7-(((2,2,2-trichloroethyl)oxy)carbonyl) Paclitaxel

Catalogue No.: **PA 16 01550**

CAS : **NA**

Molecular Formula : **C₅₇H₅₈Cl₃NO₁₇**

Molecular Weight : **1135.43**




3'-p-O-Benzyl-N-desbenzoyl-N-tert-butoxycarbonyl-N,O-isopropylidene-7-(((2,2,2-trichloroethyl)oxy)carbonyl) Paclitaxel

Catalogue No.: **PA 16 01560**

CAS : **NA**

Molecular Formula : **C₅₈H₆₆Cl₃NO₁₈**

Molecular Weight : **1171.5**




N-Debenzoyl-7-(((2,2,2-trichloroethyl)oxy)carbonyl) Paclitaxel

Catalogue No.: **PA 16 01670**

CAS : **114915-15-0**

Molecular Formula : **C₄₃H₄₈Cl₃NO₁₅**

Molecular Weight : **925.2**




N-Debenzoyl-3'-p-O-benzy-7-(((2,2,2-trichloroethyl)oxy)carbonyl) Paclitaxel

Catalogue No.: **PA 16 01680**

CAS : **NA**

Molecular Formula : **C₅₀H₅₄Cl₃NO₁₆**

Molecular Weight : **1031.32**




Paclitaxel Photodegradant Impurity

Catalogue No.: **PA 16 01820**

CAS : **NA**

Molecular Formula : **C₄₇H₅₁NO₁₃**

Molecular Weight : **837.91**



3'-p-O-Benzyl-7-(((2,2,2-trichloroethyl)oxy)carbonyl) Paclitaxel-d5

Catalogue No.: **PA STI 012340**


CAS : **NA**

Molecular Formula : **C₅₇H₅₃D₅Cl₃NO₁₇**

Molecular Weight : **1140.46**


Rufinamide

Rufinamide is a triazole derivative, used for the treatment of seizures. An anticonvulsant drug. Reference standards of Rufinamide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Rufinamide - API Standards

Catalogue No.: **PA 18 62000** CAS : **106308-44-5** Molecular Formula : **C₁₀H₈F₂N₄O** Molecular Weight : **238.19**




Rufinamide-15N,d2

Catalogue No.: **PA STI 078560** CAS : **1795037-48-7** Molecular Formula : **C₁₀H₆D₂F₂N₃₁₅NO** Molecular Weight : **241.20**




Rufinamide-d2

Catalogue No.: **PA STI 078570** CAS : **1129491-38-8** Molecular Formula : **C₁₀H₆D₂F₂N₄O** Molecular Weight : **240.21**



2,6-Difluorobenzyl alcohol

Catalogue No.: **PA 18 0621002** CAS : **19064-18-7** Molecular Formula : **C₇H₆F₂O** Molecular Weight : **144.12**




2,6-Difluorobenzonitrile

Catalogue No.: **PA 18 0621003** CAS : **1897-52-5** Molecular Formula : **C₇H₃F₂N** Molecular Weight : **139.1**

Way 100635

WAY-100635 is a piperazine drug and research chemical widely used in scientific studies. It was originally believed to act as a selective 5-HT1A receptor antagonist, but subsequent research showed that it also acts as potent full agonist at the D4 receptor. It is sometimes referred to as a silent antagonist at the former receptor. It is closely related to WAY-100135. Reference standards of Way 100635 API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




WAY 100635-d11 Hydrochloride

Catalogue No.: **PA STI 087440** CAS : **1329656-80-5** Molecular Formula : **C₂₅H₂₆D₁₁Cl₃N₄O₂** Molecular Weight : **543.01**

Tabimorelin

Tabimorelin is an orally active growth hormone secretagogue intended for use as an alternative to daily injections of GH. Reference standards of Tabimorelin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Tabimorelin - API Standards

Catalogue No.: **PA 73 30000** CAS : **193079-69-5** Molecular Formula : **C₃₂H₄₀N₄O₃** Molecular Weight : **528.68**

Sacubitril

An antihypertensive drug, Sacubitril is used in combination with valsartan for the treatment of heart ailments. A prodrug of sacubitrilat which is an inhibitor of enzyme neprilysin, which aids the degradation of blood pressure-lowering peptides, atrial and brain natriuretic peptide. Reference standards of Sacubitril API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Sacubitrilat




Catalogue No.: **PA 19 66580**

CAS : **149709-44-4**

Molecular Formula : **C₂₂H₂₅NO₅**

Molecular Weight : **383.44**

Sacubitril mixture with Valsartan - API Standards



Catalogue No.: **PA 19 66600**


CAS : **NA**

Molecular Formula : **C₄₈H₅₈N₆O₈**

Molecular Weight : **847.01**

SIMILAR PRODUCTS ▼

Sacubitril Calcium - API Standards



Catalogue No.: **PA 19 66610**


CAS : **1369773-39-6**

Molecular Formula : **C₂₄H₂₈NO₅ · 0.5 Ca**

Molecular Weight : **430.52**

SIMILAR PRODUCTS ▼

Sacubitril (3R,5S)-Pyrrolidinone Impurity




Catalogue No.: **PA 19 66620**

CAS : **1038924-70-7**

Molecular Formula : **C₁₈H₁₉NO**

Molecular Weight : **265.35**

(R,E)-5-([1,1'-Biphenyl]-4-yl)-4-((tert-butoxycarbonyl)amino)-2-methylpent-2-enoic Acid




Catalogue No.: **PA 19 66630**

CAS : **1012341-48-8**

Molecular Formula : **C₂₄H₂₉NO₃**

Molecular Weight : **379.5**

(R,E)-Ethyl 5-([1,1'-biphenyl]-4-yl)-4-((tert-butoxycarbonyl)amino)-2-Methylpent-2-enoate




Catalogue No.: **PA 19 66640**

CAS : **1817838-91-7**

Molecular Formula : **C₂₅H₃₁NO₄**

Molecular Weight : **409.53**

Methyl (2R,4S)-5-([1,1'-biphenyl]-4-yl)-4-amino-2-methylpentanoate Hydrochloride




Catalogue No.: **PA 19 66650**

CAS : **1933501-50-8**

Molecular Formula : **C₁₉H₂₄ClNO₂**

Molecular Weight : **333.86**

(2R,4S)-4-Amino-5-(biphenyl-4-yl)-2-methylpentanoic Acid Ethyl Ester Hydrochloride




Catalogue No.: **PA 19 66660**

CAS : **149690-12-0**

Molecular Formula : **C₂₀H₂₆ClNO₂**

Molecular Weight : **347.88**

Ethyl (2R,4S)-5-([1,1'-biphenyl]-4-yl)-4-((tert-butoxycarbonyl)amino)-2-methylpentanoate




Catalogue No.: **PA 19 66670**

CAS : **149709-60-4**

Molecular Formula : **C₂₅H₃₃NO₄**

Molecular Weight : **411.54**

(2R,4S)-5-([1,1'-Biphenyl]-4-yl)-4-amino-2-methylpentanoic Acid Hydrochloride




Catalogue No.: **PA 19 66680**

CAS : **1038924-71-8**

Molecular Formula : **C₁₈H₂₂ClNO₂**

Molecular Weight : **319.83**

SIMILAR PRODUCTS ▼




Ethyl (2R,4S)-5-([1,1'-biphenyl]-4-yl)-4-acetamido-2-methylpentanoate

Catalogue No.: PA 19 66690

CAS : NA

Molecular Formula : C₂₂H₂₇NO₃

Molecular Weight : 353.46




2,5-Dioxopyrrolidine Sacubitril

Catalogue No.: PA 19 66700

CAS : 1038924-97-8

Molecular Formula : C₂₄H₂₇NO₄

Molecular Weight : 393.48




((R)-2-Biphenyl-4-yl-1-formylethyl)carbamic Acid t-butyl Ester

Catalogue No.: PA 19 66710

CAS : 149709-58-0

Molecular Formula : C₂₀H₂₃NO₃

Molecular Weight : 325.41




(R)-tert-Butyl (1-([1,1'-biphenyl]-4-yl)-3-hydroxypropan-2-yl)carbamate

Catalogue No.: PA 19 66720

CAS : 1426129-50-1

Molecular Formula : C₂₀H₂₅NO₃

Molecular Weight : 327.42




Ethyl (R)-5-([1,1'-biphenyl]-4-yl)-4-((tert-butoxycarbonyl)amino)-2-methylpent-2-enoate

Catalogue No.: PA 19 0661046

CAS : 149709-59-1

Molecular Formula : C₂₅H₃₁NO₄

Molecular Weight : 409.53




Ethyl (S,E)-5-([1,1'-biphenyl]-4-yl)-4-((tert-butoxycarbonyl)amino)-2-methylpent-2-enoate

Catalogue No.: PA 19 0661056

CAS : 2131788-25-3

Molecular Formula : C₂₅H₃₁NO₄

Molecular Weight : 409.53




(2R,4S)-5-([1,1'-Biphenyl]-4-yl)-4-(3-carboxy-N-nitrosopropanamido)-2-methylpentanoic Acid

Catalogue No.: PA 19 0661062

CAS : NA

Molecular Formula : C₂₂H₂₄N₂O₆

Molecular Weight : 412.44




(2R,4S)-5-([1,1'-Biphenyl]-4-yl)-4-((tert-butoxycarbonyl)(nitroso)amino)-2-methylpentanoic Acid

Catalogue No.: PA 19 0661063

CAS : NA

Molecular Formula : C₂₃H₂₈N₂O₅

Molecular Weight : 412.49



tert-Butyl (1-([1,1'-biphenyl]-4-yl)-3-hydroxypropan-2-yl)carbamate

Catalogue No.: PA 19 0661067

CAS : 1127490-74-7

Molecular Formula : C₂₀H₂₅NO₃

Molecular Weight : 327.42


Ethyl (2S,4R)-5-([1,1'-biphenyl]-4-yl)-4-((tert-butoxycarbonyl)amino)-2-methylpentanoate

Catalogue No.: PA 19 0661068

CAS : NA

Molecular Formula : C₂₅H₃₃NO₄

Molecular Weight : 411.54




Ethyl (2R,4R)-5-([1,1'-biphenyl]-4-yl)-4-((tert-butoxycarbonyl)amino)-2-methylpentanoate

Catalogue No.: **PA 19 0661069** CAS : **NA**

Molecular Formula : **C₂₅H₃₃NO₄**

Molecular Weight : **411.54**




tert-Butyl (S)-(1-([1,1'-biphenyl]-4-yl)-3-oxopropan-2-yl)carbamate

Catalogue No.: **PA 19 0661070** CAS : **182192-86-5**


Molecular Formula : **C₂₀H₂₃NO₃**

Molecular Weight : **325.41**



Voxilaprevir

Voxilaprevir is used in combination with sofosbuvir and velpatasvir. Voxilaprevir is a Direct-Acting Antiviral medication. velpatasvir as the commercially available product Vosevi. Reference standards of Voxilaprevir API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Voxilaprevir - API Standards

Catalogue No.: **PA 22 42000**

CAS : **1535212-07-7**

Molecular Formula : **C₄₀H₅₂F₄N₆O₉S**

Molecular Weight : **868.94**


(1S,2S)-1-Amino-2-(difluoromethyl)-N-((1-methylcyclopropyl)sulfonyl)cyclopropane-1-carboxamide Hydrochloride

Catalogue No.: **PA 22 42510**

CAS : **NA**


Molecular Formula : **C₉H₁₅ClF₂N₂O₃S**

Molecular Weight : **304.74**



Xylometazoline Hydrochloride

Xylometazoline Hydrochloride used to reduce symptoms of nasal congestion, allergic rhinitis, and sinusitis. It is also spelled xylomethazoline. It is available as a generic medication. Reference standards of Xylometazoline Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Xylometazoline Hydrochloride - Impurity A (Hydrochloride Salt)

Catalogue No.: **PA 24 02011**

CAS : **81201-80-1**

Molecular Formula : **C₁₆H₂₇ClN₂O**

Molecular Weight : **298.86**

SIMILAR PRODUCTS


Xylometazoline Hydrochloride - Impurity E

Catalogue No.: **PA 24 02050**

CAS : **14034-59-4**

Molecular Formula : **C₉H₁₆N₂O₃S**


Molecular Weight : **232.3**



Ractopamine Hydrochloride

A α 1 TAAR1 agonist and β adrenoreceptor agonist that stimulates β 1 and β 2 adrenergic receptors. Ractopamine is used as an ingredient added in animal feed that improves the quality and protein content of meat. Reference standards of Ractopamine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Ractopamine Hydrochloride - API Standards




Catalogue No.: **PA 18 25000**

CAS : **90274-24-1**

Molecular Formula : **C₁₈H₂₄ClNO₃**

Molecular Weight : **337.84**

Tri-O-(tert-butyldimethylsilyl) Ractopamine




Catalogue No.: **PA 18 25530**

CAS : **1797136-77-6**

Molecular Formula : **C₃₆H₆₅NO₃Si₃**

Molecular Weight : **644.16**

Tri-N,O,O-(4-benzyloxy)benzyl Ractopamine



Catalogue No.: **PA 18 25540**

CAS : **1797884-42-4**


Molecular Formula : **C₆₀H₅₉NO₆**

Molecular Weight : **890.11**

Tylosin Phosphate

Tylosin Phosphate is used in veterinary medicine to treat bacterial infections in a wide range of species. It is a macrolide antibiotic. Reference standards of Tylosin Phosphate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

N-Demethyltilmicosin




Catalogue No.: **PA 20 92510**

CAS : **155381-65-0**

Molecular Formula : **C₄₅H₇₈N₂O₁₃**

Molecular Weight : **855.11**

Tylosin D



Catalogue No.: **PA 20 92550**

CAS : **1404-48-4**


Molecular Formula : **C₄₆H₇₉NO₁₇**

Molecular Weight : **918.13**

Ulipristal

Ulipristal used for the purposes of emergency contraception and for the treatment of uterine fibroids. It is a selective progesterone receptor modulator. Reference standards of Ulipristal API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

N-Desmethyl Ulipristal




Catalogue No.: **PA 21 05510**

CAS : **159681-67-1**

Molecular Formula : **C₂₇H₃₃NO₃**

Molecular Weight : **419.56**

N,N-Didesmethyl Ulipristal



Catalogue No.: **PA 21 05520**


CAS : **244206-52-8**

Molecular Formula : **C₂₆H₃₁NO₃**

Molecular Weight : **405.53**

Valaciclovir Hydrochloride


Valaciclovir Hydrochloride is used to treat outbreaks of herpes simplex or herpes zoster. It is available as a generic medication. Valaciclovir, also spelled valacyclovir. Reference standards of Valaciclovir Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Valaciclovir Hydrochloride - Impurity B (Freebase)

Catalogue No.: **PA 22 01020** CAS : **59277-89-3** Molecular Formula : **C₈H₁₁N₅O₃** Molecular Weight : **225.20**


SIMILAR PRODUCTS ▼



Valaciclovir - Impurity C (Hydrochloride Salt)


Catalogue No.: **PA 22 01030** CAS : **1346617-39-7** Molecular Formula : **C₁₄H₂₃ClN₆O₄** Molecular Weight : **374.82**

SIMILAR PRODUCTS ▼




Valaciclovir - Impurity D

Catalogue No.: **PA 22 01040** CAS : **1346747-69-0** Molecular Formula : **C₁₅H₂₄N₆O₄** Molecular Weight : **352.39**




Valaciclovir - Impurity E

Catalogue No.: **PA 22 01050** CAS : **124832-31-1** Molecular Formula : **C₂₁H₂₆N₆O₆** Molecular Weight : **458.47**




Valaciclovir - Impurity G

Catalogue No.: **PA 22 01070** CAS : **1122-58-3** Molecular Formula : **C₇H₁₀N₂** Molecular Weight : **122.17**



Valaciclovir - Impurity J


Catalogue No.: **PA 22 01100** CAS : **142963-63-1** Molecular Formula : **C₁₄H₂₂N₆O₄** Molecular Weight : **338.36**



Valaciclovir - Impurity N (Trifluoroacetate Salt)

Catalogue No.: **PA 22 01140** CAS : **NA** Molecular Formula : **C₂₁H₂₆F₃N₁₁O₇** Molecular Weight : **601.50**


SIMILAR PRODUCTS ▼



Valaciclovir - Impurity R

Catalogue No.: **PA 22 01510** CAS : **124832-28-6** Molecular Formula : **C₁₃H₂₁ClN₆O₄** Molecular Weight : **360.80**

SIMILAR PRODUCTS ▼



Valaciclovir - Impurity M


Catalogue No.: **PA 22 01520** CAS : **847670-62-6** Molecular Formula : **C₁₄H₂₀N₆O₅** Molecular Weight : **352.35**

Valaciclovir - Impurity R (Freebase)

Catalogue No.: **PA 22 01180** CAS : **142963-60-8** Molecular Formula : **C₁₃H₂₀N₆O₄** Molecular Weight : **324.34**

Xylazine Hydrochloride

Xylazine Hydrochloride is used for sedation, anesthesia, muscle relaxation, and analgesia in animals such as horses, cattle and other non-human mammals. Reference standards of Xylazine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Xylazine Hydrochloride - API Standards


Catalogue No.: **PA 24 01000**

CAS : **23076-35-9**

Molecular Formula : **C₁₂H₁₇ClN₂S**

Molecular Weight : **256.79**

SIMILAR PRODUCTS ▼




Xylazine - Impurity A (Freebase)

Catalogue No.: **PA 24 01010**

CAS : **87-62-7**

Molecular Formula : **C₈H₁₁N**

Molecular Weight : **121.18**



Xylazine Impurity E

Catalogue No.: **PA 24 01050**


CAS : **219500-63-7**

Molecular Formula : **C₁₀H₁₃NS₂**

Molecular Weight : **211.35**

Ursodoxicolaurine Dihydrate

Ursodoxicolaurine Dihydrate, also known as ursodiol, is a secondary bile acid, produced in humans and most other species from metabolism by intestinal bacteria. Reference standards of Ursodoxicolaurine Dihydrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Ursodoxicolaurine Dihydrate - API Standards


Catalogue No.: **PA 21 0240000**

CAS : **117609-50-4**

Molecular Formula : **C₂₆H₄₉NO₈S**

Molecular Weight : **535.74**

SIMILAR PRODUCTS ▼



Ursodoxicolaurine Dihydrate - Impurity B (Freebase)

Catalogue No.: **PA 21 0240020**

CAS : **516-35-8**


Molecular Formula : **C₂₆H₄₅NO₆S**

Molecular Weight : **499.71**

SIMILAR PRODUCTS

Zafirlukast

Zafirlukast is used to prevent asthma symptoms and to decrease the number of asthma attacks in people 5 and older. It is an orally administered leukotriene receptor antagonist. Reference standards of Zafirlukast API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Dicyclopentyl (3,3'-((2-methoxy-4-((o-tolylsulfonyl)carbamoyl)phenyl)methylene)bis(1-methyl-1H-indole-5,3-diyl))dicarbamate

Catalogue No.: **PA 26 01540**

CAS : **1160235-24-4**

Molecular Formula : **C₄₆H₄₉N₅O₈S**

Molecular Weight : **831.97**



Cyclopentyl (2,3-bis(2-Methoxy-4-((o-tolylsulfonyl)carbamoyl)benzyl)-1-methyl-1H-indol-5-yl)carbamate

Catalogue No.: **PA 26 01550**

CAS : **1160235-26-6**

Molecular Formula : **C₄₇H₄₈N₄O₁₀S₂**

Molecular Weight : **893.03**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>