

Стандарты на нитрозамин L

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>

Labetalol

A mixed alpha/beta adrenergic antagonist, Labetalol is used for the treatment of high blood pressure, helps prevent strokes, heart attacks, and kidney problems. Reference standards of Labetalol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso-Labetalol

Catalogue No.: **PA 12 0841001** CAS : **2820170-74-7** Molecular Formula : **C₁₉H₂₃N₃O₄**

Molecular Weight : **357.41**

Lacidipine

It is a lipophilic dihydropyridine calcium channel blocker, Lacidipine is used for treating high blood pressure. This vasodilator drug is also shows antioxidant activity . Reference standards of Lacidipine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso-Lacidipine


Catalogue No.: **PA 12 0021000** CAS : **NA**

Molecular Formula : **C₂₆H₃₂N₂O₇**

Molecular Weight : **484.55**

Lacosamide

Lacosamide is used together with other medications to treat partial-onset seizures in adults and children with epilepsy. It is marketed under the trade name Vimpat. Reference standards of Lacosamide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




(R)-N-Benzyl-3-methoxy-2-(N-nitrosoacetamido)propanamide

Catalogue No.: **PA 12 0411016** CAS : **NA**

Molecular Formula : **C₁₃H₁₇N₃O₄**

Molecular Weight : **279.3**



(R)-2-Acetamido-N-benzyl-3-methoxy-N-nitrosopropanamide


Catalogue No.: **PA 12 0411017** CAS : **NA**

Molecular Formula : **C₁₃H₁₇N₃O₄**

Molecular Weight : **279.3**

Laninamivir Octanoate Monohydrate

Laninamivir (CS-8958) is a neuraminidase inhibitor that is a drug used for the treatment and prophylaxis of Influenzavirus A and Influenzavirus B. Reference standards of Laninamivir Octanoate Monohydrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



(2R,3R,4S)-3-Acetamido-2-((1R,2R)-2-hydroxy-1-methoxy-3-(octanoyloxy)propyl)-4-(1-nitrosoguanidino)-3,4-dihydro-2H-pyran-6-carboxylic Acid


Catalogue No.: **PA 12 1851001** CAS : **NA**

Molecular Formula : **C₂₁H₃₅N₅O₉**

Molecular Weight : **501.54**

Lenalidomide

A thalidomide derivative, Lenalidomide is used for the treatment of blood cancer (multiple myeloma). It is also used for treating chronic lymphocytic leukemia and solid tumor cancers. Reference standards of Lenalidomide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



3-(4-Nitroso-1-oxoisindolin-2-yl)piperidine-2,6-dione


Catalogue No.: **PA 12 0621007** CAS : **NA**

Molecular Formula : **C₁₃H₁₁N₃O₄**

Molecular Weight : **273.25**

Lansoprazole

A proton-pump inhibitor, Lansoprazole is used to inhibit acid production in the stomach. It exists as a racemic mixture of dextro and levo enantiomers of Lansoprazole. Reference standards of Lansoprazole API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Nitroso Lansoprazole

Catalogue No.: **PA 12 0061021** CAS : **NA**

Molecular Formula : **C₁₆H₁₃F₃N₄O₃S**

Molecular Weight : **398.36**




1-Nitroso-1H-benzo[d]imidazole-2-thiol

Catalogue No.: **PA 12 0061022** CAS : **NA**

Molecular Formula : **C₇H₅N₃OS**

Molecular Weight : **179.2**



Nitroso Lansoprazole Sulfide


Catalogue No.: **PA 12 0061023** CAS : **NA**

Molecular Formula : **C₁₆H₁₃F₃N₄O₂S**

Molecular Weight : **382.36**

Lercanidipine

A calcium channel blocker, which belongs to the family of dihydropyridine, Lercanidipine is a drug which is used for treating hypertension. It works by blocking L-type calcium channels in the smooth muscle cells of blood vessels. It acts more slowly than older dihydropyridines. Reference standards of Lercanidipine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




3-(1-((3,3-Diphenylpropyl)(methyl)amino)-2-methylpropan-2-yl) 5-methyl 2,6-dimethyl-4-(3-nitrophenyl)-1-nitroso-1,4-dihydropyridine-3,5-dicarboxylate

Catalogue No.: **PA 12 1631012** CAS : **NA**

Molecular Formula : **C₃₆H₄₀N₄O₇**

Molecular Weight : **640.74**



3-(1-((3,3-Diphenylpropyl)(nitroso)amino)-2-methylpropan-2-yl) 5-methyl 2,6-dimethyl-4-(3-nitrophenyl)-1,4-dihydropyridine-3,5-dicarboxylate


Catalogue No.: **PA 12 1631020** CAS : **NA**

Molecular Formula : **C₃₅H₃₈N₄O₇**

Molecular Weight : **626.71**

Lercanidipine Hydrochloride

Also known as LERCANIDIPINE 5-DESMETHYL-5-PROPYL ESTER, which is a propyl ester impurity of calcium channel blocker Lercanidipine. Reference standards of Lercanidipine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



5-(Methoxycarbonyl)-2,6-dimethyl-4-(3-nitrophenyl)-1-nitroso-1,4-dihydropyridine-3-carboxylic Acid


Catalogue No.: **PA 12 0091002** CAS : **NA**

Molecular Formula : **C₁₆H₁₅N₃O₇**

Molecular Weight : **361.31**

Lorcaserin Hydrochloride

Lorcaserin Hydrochloride is used for the treatment of obesity. It has been shown to reduce body weight and food intake in animal models of obesity, and it is thought that targeting the 5HT_{2C} receptor may alter body weight by regulating satiety. Reference standards of Lorcaserin Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso Lorcaserin








Catalogue No.: **PA 12 0651003** CAS : **2518136-84-8**

Molecular Formula : **C₁₁H₁₃ClN₂O**

Molecular Weight : **224.69**


Lumateperone

Schizophrenia is a complex mental illness and impacts approximately 1% of the population. It is generally accompanied by significant metabolic and/or neurological adverse effects. Reference standards of Lumateperone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	6-Bromo-5-nitroso-2,3,4,4a,5,9b-hexahydro-1H-pyrido[4,3-b]indole	Catalogue No.: PA 12 1401001	CAS : NA	Molecular Formula : C₁₁H₁₂BrN₃O	Molecular Weight : 282.14
	N-Nitroso Lumateperone	Catalogue No.: PA 12 1401009	CAS : NA	Molecular Formula : C₂₃H₂₅FN₄O₂	Molecular Weight : 408.48
	4aS,9bR)-5-Nitroso-2,3,4,4a,5,9b-hexahydro-1H-pyrido[4,3-b]indole	Catalogue No.: PA 12 1401010	CAS : NA	Molecular Formula : C₁₁H₁₃N₃O	Molecular Weight : 203.25
	6-Bromo-2-nitroso-2,3,4,5-tetrahydro-1H-pyrido[4,3-b]indole	Catalogue No.: PA 12 1401024	CAS : NA	Molecular Formula : C₁₁H₁₀BrN₃O	Molecular Weight : 280.13
	6-Bromo-2-nitroso-2,3,4,4a,5,9b-hexahydro-1H-pyrido[4,3-b]indole	Catalogue No.: PA 12 1401025	CAS : NA	Molecular Formula : C₁₁H₁₂BrN₃O	Molecular Weight : 282.14
	6-Bromo-2,5-dinitroso-2,3,4,4a,5,9b-hexahydro-1H-pyrido[4,3-b]indole	Catalogue No.: PA 12 1401026	CAS : NA	Molecular Formula : C₁₁H₁₁BrN₄O₂	Molecular Weight : 311.14
	Ethyl 6-bromo-5-nitroso-1,3,4,4a,5,9b-hexahydro-2H-pyrido[4,3-b]indole-2-carboxylate	Catalogue No.: PA 12 1401027	CAS : NA	Molecular Formula : C₁₄H₁₆BrN₃O₃	Molecular Weight : 354.2

Lurasidone Hydrochloride


Lurasidone Hydrochloride is used for the treatment of schizophrenia and bipolar disorder. It is sold under the trade name Latuda. In bipolar it may be used together with a mood stabilizer such as lithium or valproate. Reference standards of Lurasidone Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	(3aR,4S,7R,7aS)-2-(((1R,2R)-2-((4-nitrosopiperazin-1-yl)methyl)cyclohexyl)methyl)hexahydro-1H-4,7-methanoisoindole-1,3(2H)-dione	Catalogue No.: PA 12 0311029	CAS : NA	Molecular Formula : C₂₁H₃₂N₄O₃	Molecular Weight : 388.51
--	---	-------------------------------------	-----------------	---	----------------------------------

Lomustine

Lomustine is used to treat certain types of brain tumors. It is a highly lipid-soluble drug, thus it crosses the blood-brain barrier. It has also been used in veterinary practice as a treatment for mast cell tumors in dogs. Reference standards of Lomustine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Lomustine - API Standards




Catalogue No.: **PA 12 51000**

CAS : **13010-47-4**

Molecular Formula : **C₉H₁₆ClN₃O₂**

Molecular Weight : **233.70**

3-(2-Chloroethyl)-1-cyclohexyl-1-nitrosourea




Catalogue No.: **PA 12 51510**

CAS : **54749-91-6**

Molecular Formula : **C₉H₁₆ClN₃O₂**

Molecular Weight : **233.7**

N-Denitroso-N'-nitroso Lomustine-d4



Catalogue No.: **PA STI 025880**

CAS : **1346603-97-1**

Molecular Formula : **C₉H₁₂D₄ClN₃O₂**

Molecular Weight : **237.72**



Lomustine Related Compound D (3-(2-Chloroethyl)-1-cyclohexyl-1-nitrosourea) (1369453)


Catalogue No.: **PA USP1369453**

CAS : **54749-91-6**

Molecular Formula : **NA**

Molecular Weight : **NA**

cis-4-Hydroxy-lomustine




Catalogue No.: **PA 12 0511000**

CAS : **52049-26-0**

Molecular Formula : **C₉H₁₆ClN₃O₃**

Molecular Weight : **249.7**

trans-4-Hydroxy-lomustine




Catalogue No.: **PA 12 0511001**

CAS : **56239-24-8**

Molecular Formula : **C₉H₁₆ClN₃O₃**

Molecular Weight : **249.7**

1-(2-Chloroethyl)-3,3-dicyclohexyl-1-nitrosourea



Catalogue No.: **PA 12 0511003**

CAS : **500545-48-2**


Molecular Formula : **C₁₅H₂₆ClN₃O₂**

Molecular Weight : **315.84**

Lomefloxacin Hydrochloride

Lomefloxacin Hydrochloride used to treat bacterial infections including bronchitis and urinary tract infections. It is also used to prevent urinary tract infections prior to surgery. Reference standards of Lomefloxacin Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

N-Nitroso Lomefloxacin



Catalogue No.: **PA 12 0341000**


CAS : **NA**

Molecular Formula : **C₁₇H₁₈F₂N₄O₄**

Molecular Weight : **380.35**

Linagliptin

Linagliptin is a medication used to treat diabetes mellitus type 2. It is sold under the brand name Tradjenta. It is used together with exercise and diet. Reference standards of Linagliptin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




(R)-7-(But-2-yn-1-yl)-3-methyl-1-((4-methylquinazolin-2-yl)methyl)-8-(3-nitrosopiperidin-1-yl)-3,7-dihydro-1H-purine-2,6-dione

Catalogue No.: **PA 12 0471011** CAS : **NA**

Molecular Formula : **C₂₅H₂₆N₈O₃**

Molecular Weight : **486.54**




(R)-8-(3-Aminopiperidin-1-yl)-7-(but-2-yn-1-yl)-1-((4-methylquinazolin-2-yl)methyl)-3-nitroso-3,7-dihydro-1H-purine-2,6-dione

Catalogue No.: **PA 12 0471049** CAS : **NA**

Molecular Formula : **C₂₄H₂₅N₉O₃**

Molecular Weight : **487.52**




(R)-8-(3-Aminopiperidin-1-yl)-3-methyl-1-((4-methylquinazolin-2-yl)methyl)-7-nitroso-3,7-dihydro-1H-purine-2,6-dione

Catalogue No.: **PA 12 0471050** CAS : **NA**

Molecular Formula : **C₂₁H₂₃N₉O₃**

Molecular Weight : **449.48**




(R)-8-(3-Aminopiperidin-1-yl)-7-(but-2-yn-1-yl)-3-methyl-1-nitroso-3,7-dihydro-1H-purine-2,6-dione

Catalogue No.: **PA 12 0471051** CAS : **NA**

Molecular Formula : **C₁₅H₁₉N₇O₃**

Molecular Weight : **345.36**




Tert-butyl (R)-((1-(7-(but-2-yn-1-yl)-3-methyl-1-((4-methylquinazolin-2-yl)methyl)-2,6-dioxo-2,3,6,7-tetrahydro-1H-purin-8-yl)piperidin-3-yl)(nitroso)carbamate

Catalogue No.: **PA 12 0471067** CAS : **NA**

Molecular Formula : **C₃₀H₃₅N₉O₅**

Molecular Weight : **601.67**




(R)-7-(But-2-yn-1-yl)-3-methyl-1-((4-methylquinazolin-2-yl)methyl)-8-((1-nitrosopiperidin-3-yl)amino)-3,7-dihydro-1H-purine-2,6-dione

Catalogue No.: **PA 12 0471073** CAS : **NA**

Molecular Formula : **C₂₅H₂₇N₉O₃**

Molecular Weight : **501.55**




8-Bromo-3-methyl-7-nitroso-3,7-dihydro-1H-purine-2,6-dione

Catalogue No.: **PA 12 0471084** CAS : **NA**

Molecular Formula : **C₆H₄BrN₅O₃**

Molecular Weight : **274.03**




N-((R)-1-(7-(But-2-yn-1-yl)-3-methyl-1-((4-methylquinazolin-2-yl)methyl)-2,6-dioxo-2,3,6,7-tetrahydro-1H-purin-8-yl)piperidin-3-yl)-N-(((R)-1-(7-(but-2-yn-1-yl)-3-methyl-1-((4-methylquinazolin-2-yl)methyl)-2,6-dioxo-2,3,6,7-tetrahydro-1H-purin-8-yl)piperidin-3-yl)amino)methyl)nitrous amide

Catalogue No.: **PA 12 0471085** CAS : **NA**

Molecular Formula : **C₅₁H₅₅N₁₇O₅**

Molecular Weight : **986.12**



N,N'-Methylenebis(N-((R)-1-(7-(but-2-yn-1-yl)-3-methyl-1-((4-methylquinazolin-2-yl)methyl)-2,6-dioxo-2,3,6,7-tetrahydro-1H-purin-8-yl)piperidin-3-yl)nitrous amide)


Catalogue No.: **PA 12 0471086** CAS : **NA**

Molecular Formula : **C₅₁H₅₄N₁₈O₆**

Molecular Weight : **1015.11**

Losartan

Losartan is used for hypertension, including in people with left ventricular hypertrophy and kidney dysfunction among type II diabetics. It is available as a generic medication. It may be used alone or in addition to other blood pressure medication. Reference standards of Losartan API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Nitroso Losartan

Catalogue No.: **PA 12 0271001** CAS : **NA**

Molecular Formula : **C₂₂H₂₂ClN₇O₂**

Molecular Weight : **451.92**



(2-Butyl-4-chloro-1-nitroso-1H-imidazol-5-yl)methanol


Catalogue No.: **PA 12 0271009** CAS : **NA**

Molecular Formula : **C₈H₁₂ClN₃O₂**

Molecular Weight : **217.65**

Lumefantrine

Lumefantrine is used to treat acute uncomplicated malaria. It is an antimalarial agent. It is administered in combination with artemether for improved efficacy. Reference standards of Lumefantrine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso Desbutyl Lumefantrine


Catalogue No.: **PA 12 0361005** CAS : **NA**

Molecular Formula : **C₂₆H₂₃Cl₃N₂O₂**

Molecular Weight : **501.83**

Lisinopril

A lysine-analog of enalapril, Lisinopril is used for the treatment of hypertension and heart failure. Lisinopril belongs to angiotensin-converting enzyme (ACE) inhibitor class of medications. Reference standards of Lisinopril API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso Lisinopril

Catalogue No.: **PA 12 0221006** CAS : **519175-80-5**

Molecular Formula : **C₂₁H₃₀N₄O₆**

Molecular Weight : **434.49**



N2-((S)-1-Carboxy-3-(phenyl-d5)propyl)-N2-nitroso-L-lysyl-L-proline


Catalogue No.: **PA STI 089509** CAS : **NA**

Molecular Formula : **C₂₁H₂₅D₅N₄O₆**

Molecular Weight : **439.52**

Lincomycin

An antibiotic is produced by Streptomyces lincolnensis var. It is used in the treatment of staphylococcal, streptococcal, and Bacteroides fragilis infections. Reference standards of Lincomycin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-(2-Hydroxy-1-(3,4,5-trihydroxy-6-(methylthio)tetrahydro-2H-pyran-2-yl)propyl)-1-nitroso-4-propylpyrrolidine-2-carboxamide






Catalogue No.: **PA 12 0451002** CAS : **NA**

Molecular Formula : **C₁₇H₃₁N₃O₇S**

Molecular Weight : **421.51**


Linezolid

An antibacterial drug which is used for the treatment of infections caused by Gram-positive bacteria. Linezolid belongs to oxazolidinone class of medicines, which are protein synthesis inhibitors. Linezolid stops the growth and reproduction of bacteria by disrupting translation of messenger RNA (mRNA) into proteins in the ribosome. Reference standards of Linezolid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	(S)-N-(3-((3-Fluoro-4-morpholinophenyl)(nitroso)amino)-2-hydroxypropyl)acetamide	Catalogue No.: PA 12 0191048	CAS : NA	Molecular Formula : C₁₅H₂₁FN₄O₄	Molecular Weight : 340.36
	(R)-N-(3-(1,3-Dioxisoindolin-2-yl)-2-hydroxypropyl)-N-(3-fluoro-4-morpholinophenyl)nitrous amide	Catalogue No.: PA 12 0191052	CAS : NA	Molecular Formula : C₂₁H₂₁FN₄O₅	Molecular Weight : 428.42
	(S)-N-((3-(3-Fluoro-4-morpholinophenyl)-2-oxooxazolidin-5-yl)methyl)-N-nitrosoacetamide	Catalogue No.: PA 12 0191053	CAS : NA	Molecular Formula : C₁₆H₁₉FN₄O₅	Molecular Weight : 366.35
	(S)-N-(3-Amino-2-hydroxypropyl)-N-(3-fluoro-4-morpholinophenyl)nitrous amide	Catalogue No.: PA 12 0191054	CAS : NA	Molecular Formula : C₁₃H₁₉FN₄O₃	Molecular Weight : 298.32
	(S)-N-Benzyl-N-((3-(3-fluoro-4-morpholinophenyl)-2-oxooxazolidin-5-yl)methyl)nitrous amide	Catalogue No.: PA 12 0191055	CAS : NA	Molecular Formula : C₂₁H₂₃FN₄O₄	Molecular Weight : 414.44


Levothyroxine

A synthetic form of thyroid hormone, Thyroxine. Levothyroxine is used in the treatment of thyroid hormone deficiency and certain types of thyroid tumors. It is a levorotatory enantiomer of Thyroxine. Reference standards of Levothyroxine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	(S)-3-(4-(4-Hydroxy-3-iodophenoxy)-3,5-diiodophenyl)-2-nitrosopropanoic Acid	Catalogue No.: PA 12 15850	CAS : NA	Molecular Formula : C₁₅H₁₀I₃NO₅	Molecular Weight : 664.96
---	---	-----------------------------------	-----------------	--	----------------------------------


Levetiracetam

It is a biologically active (S)-enantiomer of Etiracetam which is used in the treatment of epilepsy. It is an effective medicine in treating other psychiatric and neurologic conditions. Reference standards of Levetiracetam API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	(S)-N-(1-Amino-1-oxobutan-2-yl)-4-hydroxy-N-nitrosobutanamide	Catalogue No.: PA 12 0101011	CAS : NA	Molecular Formula : C₈H₁₅N₃O₄	Molecular Weight : 217.23
---	--	-------------------------------------	-----------------	--	----------------------------------


Levofloxacin

A broad-spectrum antibiotic, which shows its action against both gram-positive and gram-negative strains. Levofloxacin is a bactericidal antibiotic and used in treating several infections. It is a levo isomer of the racemate ofloxacin. Reference standards of Levofloxacin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



(S)-9-Fluoro-3-methyl-10-(4-nitrosopiperazin-1-yl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxylic Acid

Catalogue No.: **PA 12 0131005** CAS : **1152314-62-9** Molecular Formula : **C₁₇H₁₇FN₄O₅** Molecular Weight : **376.34**




(S)-10-((2-Aminoethyl)(nitroso)amino)-9-fluoro-3-methyl-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxylic acid Hydrochloride

Catalogue No.: **PA 12 0131006** CAS : **NA** Molecular Formula : **C₁₅H₁₆ClFN₄O₅** Molecular Weight : **386.76**


Lidocaine

Lidocaine is a local numbing agent, which works by altering the signal conduction in neurons by blocking the fast voltage-gated Na⁺ channels. It is a amino amide-type local anesthetic which is also known as Xylocaine. Reference standards of Lidocaine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-(2,6-Dimethylphenyl)-2-(nitroso(2-oxo-2-(phenylamino)ethyl)amino)acetamide

Catalogue No.: **PA 12 0161005** CAS : **NA** Molecular Formula : **C₁₈H₂₀N₄O₃** Molecular Weight : **340.38**



2,2'-(Nitrosoazanediy)bis(N-(2,6-dimethylphenyl)acetamide)

Catalogue No.: **PA 12 0161006** CAS : **NA** Molecular Formula : **C₂₀H₂₄N₄O₃** Molecular Weight : **368.44**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>