

Стандарты на нитрозамин N

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>

Nadolol

Nadolol is used to treat hypertension and for long-term treatment of angina pectoris. It is available as a generic medication. It has also been used to prevent migraine headaches and complications of cirrhosis. Reference standards of Nadolol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitrosodololol

Catalogue No.: **PA 14 0021004** CAS : **134720-06-2** Molecular Formula : **C₁₇H₂₆N₂O₅** Molecular Weight : **338.4**

Naftidrofuryl

Naftidrofuryl is used in the management of peripheral and cerebral vascular disorders. It is also known as nafronyl. Reference standards of Naftidrofuryl API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



2-(Ethyl(nitroso)amino)ethyl 3-(naphthalen-1-yl)-2-((tetrahydrofuran-2-yl)methyl)propanoate

Catalogue No.: **PA 14 0831000** CAS : **2680540-75-2** Molecular Formula : **C₂₂H₂₈N₂O₄** Molecular Weight : **384.48**

Naloxegol

Naloxegol is indicated for the treatment of opioid-induced constipation in patients with chronic non-cancer pain. It is also known as Movantik and Moventiq. Reference standards of Naloxegol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




(4R,4aS,7S,7aR,12bS)-7-((2,5,8,11,14,17,20-Heptaaxadocosan-22-yl)oxy)-3-nitroso-1,2,3,4,5,6,7,7a-octahydro-4aH-4,12-methanobenzofuro[3,2-e]isoquinoline-4a,9-diol

Catalogue No.: **PA 14 0771000** CAS : **NA** Molecular Formula : **C₃₁H₄₈N₂O₁₂** Molecular Weight : **640.73**

Naloxone

Naloxone is used in treating both acute opioid overdose and respiratory or mental depression due to opioids. It is available as a generic medication. It is also known as brand name Narcan. Reference standards of Naloxone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




(4R,4aS,7aR,12bS)-4a,9-Dihydroxy-3-nitroso-2,3,4,4a,5,6-hexahydro-1H-4,12-methanobenzofuro[3,2-e]isoquinolin-7(7aH)-one

Catalogue No.: **PA 14 0051002** CAS : **NA** Molecular Formula : **C₁₆H₁₆N₂O₅** Molecular Weight : **316.31**

Naphazoline Nitrate

A nitrate salt of Naphazoline, which is a vasoconstrictor agent and is used as a decongestant. Reference standards of Naphazoline Nitrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




2-(Naphthalen-1-ylmethyl)-1-nitroso-4,5-dihydro-1H-imidazole

Catalogue No.: **PA 14 0121000** CAS : **2703749-87-3** Molecular Formula : **C₁₄H₁₃N₃O** Molecular Weight : **239.28**

Nifedipine

A calcium channel blocker, Nifedipine is used for the treatment of high blood pressure, angina and early labor. It also acts as an antagonist of the mineralocorticoid receptor. Reference standards of Nifedipine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Nifedipine - Impurity B

Catalogue No.: **PA 14 23020**

CAS : **50428-14-3**

Molecular Formula : **C₁₇H₁₆N₂O₅**

Molecular Weight : **328.32**




Nifedipine Nitrosophenylpyridine Analog (Dimethyl 4-(2-nitrosophenyl)-2,6-dimethylpyridine-3,5-dicarboxylate)

Catalogue No.: **PA USP1463701**

CAS : **NA**

Molecular Formula : **NA**

Molecular Weight : **NA**



Dimethyl 2,6-dimethyl-4-(2-nitrosophenyl)-1-nitroso-1,4-dihydropyridine-3,5-dicarboxylate

Catalogue No.: **PA 14 0231004**


CAS : **NA**

Molecular Formula : **C₁₇H₁₇N₃O₇**

Molecular Weight : **375.34**

Naproxen

A nonselective COX inhibitor, Naproxen is a Non-steroidal anti-inflammatory drug that belongs to class of 2-arylpropionic acid. It is used for the treatment of fever, pain and inflammation. Reference standards of Naproxen API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Disodium 3-hydroxy-4-nitrosophthalene-2,7-disulfonate

Catalogue No.: **PA 14 13700**

CAS : **525-05-3**

Molecular Formula : **C₁₀H₅NNa₂O₈S₂**

Molecular Weight : **377.26**



trans-2-Bromo-β-nitrostyrene

Catalogue No.: **PA 14 0131018**


CAS : **155988-33-3**

Molecular Formula : **C₈H₆BrNO₂**

Molecular Weight : **228.05**

Nebivolol

A cardioselective β₁ receptor blocker, Nebivolol is used for the treatment of hypertension. It works by blocking the action of certain natural substances in your body, such as epinephrine, on the heart and blood vessels. This lowers the heart rate and blood pressure. Reference standards of Nebivolol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso Nebivolol (Mixture of Diastereomers)

Catalogue No.: **PA 14 0151027**


CAS : **1391051-68-5**

Molecular Formula : **C₂₂H₂₄F₂N₂O₅**

Molecular Weight : **434.44**


Nilotinib

Nilotinib is used to treat Philadelphia chromosome positive chronic myelogenous leukaemia. It is sold under the brand name Tasigna. It is not safe for use during pregnancy. Reference standards of Nilotinib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




4-Methyl-N-(3-(4-methyl-1H-imidazol-1-yl)-5-(trifluoromethyl)phenyl)-3-(nitroso(4-(pyridin-3-yl)pyrimidin-2-yl)amino)benzamide

Catalogue No.: **PA 14 0641020** CAS : **2925306-68-7** Molecular Formula : **C₂₈H₂₁F₃N₈O₂** Molecular Weight : **558.53**




4-Methyl-3-(nitroso(4-(pyridin-3-yl)pyrimidin-2-yl)amino)benzoic Acid

Catalogue No.: **PA 14 0641026** CAS : **NA** Molecular Formula : **C₁₇H₁₃N₅O₃** Molecular Weight : **335.32**



N-(3-(4-Methyl-1H-imidazol-1-yl)-5-(trifluoromethyl)phenyl)-3-(nitroso(4-(pyridin-3-yl)pyrimidin-2-yl)amino)benzamide Hydrochloride

Catalogue No.: **PA 14 0641027** CAS : **NA** Molecular Formula : **C₂₇H₂₀ClF₃N₈O₂** Molecular Weight : **580.96**




3-(2-((2-Methyl-5-((3-(4-methyl-1H-imidazol-1-yl)-5-(trifluoromethyl)phenyl)carbamoyl)phenyl)(nitroso)amino)pyrimidin-4-yl)pyridine 1-oxide

Catalogue No.: **PA 14 0641030** CAS : **NA** Molecular Formula : **C₂₈H₂₁F₃N₈O₃** Molecular Weight : **574.52**

Nicardipine Hydrochloride

A dihydropyridine class of medicine which is used in the treatment of high blood pressure and angina. Nicardipine is a calcium channel blocker and treats vascular disorders. Also known as Cardene. Reference standards of Nicardipine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




3-(2-(Benzyl(nitroso)amino)ethyl) 5-methyl 2,6-dimethyl-4-(3-nitrophenyl)-1,4-dihydropyridine-3,5-dicarboxylate

Catalogue No.: **PA 14 0171005** CAS : **NA** Molecular Formula : **C₂₅H₂₆N₄O₇** Molecular Weight : **494.5**

Niraparib

Niraparib is used to treat ovarian cancer, fallopian tube cancer, or a type of cancer of the abdomen. It is an orally active PARP inhibitor. Reference standards of Niraparib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso Niraparib

Catalogue No.: **PA 14 0861001** CAS : **NA** Molecular Formula : **C₁₉H₁₉N₅O₂** Molecular Weight : **349.39**

Norfloxacin

A first generation synthetic antibacterial agent, that belongs to fluoroquinolone family. It is used for the treatment of urinary tract infections. Norfloxacin is a broad spectrum antibiotic and its mode of action is inhibiting DNA gyrase thereby inhibiting cell division. Reference standards of Norfloxacin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitrosonorfloxacin

Catalogue No.: **PA 14 0401004** CAS : **74011-53-3** Molecular Formula : **C₁₆H₁₇FN₄O₄** Molecular Weight : **348.33**

Nintedanib

A Nintedanib is used in the treatment of pulmonary fibrosis, systemic sclerosis-associated interstitial lung disease, and non-small cell lung cancer. It is a small molecule kinase inhibitor. Reference standards of Nintedanib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Methyl (Z)-3-(((4-(N-methyl-2-(4-methylpiperazin-1-yl)acetamido)phenyl)(nitrosoamino)(phenyl)methylene)-2-oxoindoline-6-carboxylate

Catalogue No.: **PA 14 0541034** CAS : **NA**

Molecular Formula : **C₃₁H₃₂N₆O₅**

Molecular Weight : **568.63**




Methyl (Z)-3-(((4-(N-methyl-2-(4-methylpiperazin-1-yl)acetamido)phenyl)amino)(phenyl)methylene)-1-nitroso-2-oxoindoline-6-carboxylate

Catalogue No.: **PA 14 0541038** CAS : **NA**

Molecular Formula : **C₃₁H₃₂N₆O₅**

Molecular Weight : **568.63**




N-nitroso-N-desmethylnintedanib

Catalogue No.: **PA 14 0541039** CAS : **NA**

Molecular Formula : **C₃₀H₃₀N₆O₅**

Molecular Weight : **554.61**



Nintedanib 4-Nitrophenyl 2-(4-Nitroso)


Catalogue No.: **PA 14 0541042** CAS : **2490403-92-2**

Molecular Formula : **C₁₃H₁₇N₅O₄**

Molecular Weight : **307.31**

Nimodipine

A calcium channel blocker which is a dihydropyridine and is used for the treatment of high blood pressure. Nimodipine also act as an antagonist of the mineralocorticoid receptor. It is useful in prevention of cerebral vasospasm. Reference standards of Nimodipine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




3-Isopropyl 5-(2-methoxyethyl) 2,6-dimethyl-4-(3-nitrosophenyl)-1,4-dihydropyridine-3,5-dicarboxylate

Catalogue No.: **PA 14 0301000** CAS : **NA**

Molecular Formula : **C₂₁H₂₆N₂O₆**

Molecular Weight : **402.45**



3-Isopropyl 5-(2-methoxyethyl) 2,6-dimethyl-4-(3-nitrophenyl)-1-nitroso-1,4-dihydropyridine-3,5-dicarboxylate


Catalogue No.: **PA 14 0301003** CAS : **NA**

Molecular Formula : **C₂₁H₂₅N₃O₈**

Molecular Weight : **447.44**

Nitrendipine

A calcium channel blocker, Nitrendipine is a dihydropyridine drug which is used for the treatment of hypertension. Nitrendipine also acts as an antagonist of the mineralocorticoid receptor. Reference standards of Nitrendipine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Dimethyl 2,6-dimethyl-4-(3-nitrophenyl)-1-nitroso-1,4-dihydropyridine-3,5-dicarboxylate


Catalogue No.: **PA 14 0321000** CAS : **NA**

Molecular Formula : **C₁₇H₁₇N₃O₇**

Molecular Weight : **375.34**

Nisoldipine

Nisoldipine is used with or without other medications to treat high blood pressure. It is a pharmaceutical drug. It may be used in alone or in combination with other agents in the management of hypertension. Reference standards of Nisoldipine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Dehydronitrosonisoldipine

Catalogue No.: **PA 14 0661004** CAS : **87375-91-5**

Molecular Formula : **C₂₀H₂₂N₂O₅**

Molecular Weight : **370.41**



3-Isobutyl 5-methyl 2,6-dimethyl-4-(2-nitrophenyl)-1-nitroso-1,4-dihydropyridine-3,5-dicarboxylate


Catalogue No.: **PA 14 0661005** CAS : **NA**

Molecular Formula : **C₂₀H₂₃N₃O₇**

Molecular Weight : **417.42**

Nitrofurantoin

Also known in the name of Macrobid, which is an antibacterial agent. Nitrofurantoin is mainly used for the treatment of urinary tract infections (UTIs). It is a safe drug during pregnancy and it works by slowing the growth of bacteria rather than killing it. Reference standards of Nitrofurantoin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




1-(((5-Nitro-2-furyl)methylene)amino)-3-nitrosoimidazolidine-2,4-dione

Catalogue No.: **PA 14 0341001** CAS : **NA**

Molecular Formula : **C₈H₅N₅O₆**

Molecular Weight : **267.16**



N-(((5-Nitro-2-furyl)methylene)amino)-N-nitrosoglycine


Catalogue No.: **PA 14 0341002** CAS : **NA**

Molecular Formula : **C₇H₆N₄O₆**

Molecular Weight : **242.15**

Nortriptyline

A second-generation antidepressant drug that belongs to the tricyclic antidepressant class. It is mostly marketed as its hydrochloride salt and is used for treating major depression, nocturnal enuresis and panic disorders. Reference standards of Nortriptyline API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso-Nortriptyline

Catalogue No.: **PA 14 0421001** CAS : **55855-42-0**

Molecular Formula : **C₁₉H₂₀N₂O**

Molecular Weight : **292.38**



N-(3-(5-Hydroxy-10,11-dihydro-5H-dibenzo[a,d][7]annulen-5-yl)propyl)-N-methylnitrous amide

Catalogue No.: **PA 14 1501000** CAS : **NA**

Molecular Formula : **C₁₉H₂₂N₂O₂**

Molecular Weight : **310.4**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>