

Стандарты на нитрозамин Р

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70







Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>


Palbociclib

Palbociclib is a drug which is used to treat a certain type of breast cancer. Palbociclib was the first CDK4/6 inhibitor to be approved as a cancer therapy. Reference standards of Palbociclib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	N-(6-Acetyl-8-cyclopentyl-5-methyl-7-oxo-7,8-dihydropyrido[2,3-d]pyrimidin-2-yl)-N-(5-(4-nitrosopiperazin-1-yl)pyridin-2-yl)nitrous amide	Catalogue No.: PA 43 0061044	CAS : NA	Molecular Formula : C₂₄H₂₇N₉O₄	Molecular Weight : 505.54
	tert-Butyl 4-(6-((6-(1-butoxyvinyl)-8-cyclopentyl-5-methyl-7-oxo-7,8-dihydropyrido[2,3-d]pyrimidin-2-yl)(nitroso)amino)pyridin-3-yl)piperazine-1-carboxylate	Catalogue No.: PA 43 0061047	CAS : NA	Molecular Formula : C₃₃H₄₄N₈O₅	Molecular Weight : 632.77
	tert-Butyl 4-(6-((6-bromo-8-cyclopentyl-5-methyl-7-oxo-7,8-dihydropyrido[2,3-d]pyrimidin-2-yl)(nitroso)amino)pyridin-3-yl)piperazine-1-carboxylate	Catalogue No.: PA 43 0061046	CAS : NA	Molecular Formula : C₂₇H₃₃BrN₈O₄	Molecular Weight : 613.52
	tert-Butyl 4-(6-(hydroxy(nitroso)amino)pyridin-3-yl)piperazine-1-carboxylate	Catalogue No.: PA 43 0061045	CAS : NA	Molecular Formula : C₁₄H₂₁N₅O₄	Molecular Weight : 323.35
	1-(6-Nitropyridin-3-yl)-4-nitrosopiperazine	Catalogue No.: PA 43 0061063	CAS : 2089333-12-8	Molecular Formula : C₉H₁₁N₅O₃	Molecular Weight : 237.22
	5-(4-Nitrosopiperazin-1-yl)pyridin-2-amine	Catalogue No.: PA 43 0061068	CAS : NA	Molecular Formula : C₉H₁₃N₅O	Molecular Weight : 207.24


Paroxetine Mesylate

Paroxetine Mesylate is used to treat depression, panic attacks, obsessive-compulsive disorder, and anxiety disorders. It is currently available as a generic medication. Reference standards of Paroxetine Mesylate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	N-Nitroso paroxetine Impurity	Catalogue No.: PA 16 2681003	CAS : 2361294-43-9	Molecular Formula : C₁₉H₁₉FN₂O₄	Molecular Weight : 358.37
--	--------------------------------------	-------------------------------------	---------------------------	--	----------------------------------


Pazopanib

Pazopanib is a drug used in the treatment for advanced/metastatic renal cell carcinoma and advanced soft tissue sarcomas. It is a potent and selective multi-targeted receptor tyrosine kinase inhibitor. Reference standards of Pazopanib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	5-((4-((2,3-Dimethyl-2H-indazol-6-yl)(methyl)amino)pyrimidin-2-yl)(nitroso)amino)-2-methylbenzenesulfonamide	Catalogue No.: PA 43 0361009	CAS : NA	Molecular Formula : C₂₁H₂₂N₈O₃S	Molecular Weight : 466.52
--	---	-------------------------------------	-----------------	--	----------------------------------

Paliperidone

Paliperidone is used for the treatment of schizophrenia and schizoaffective disorder. It is sold under the brand name Invega. Reference standards Paliperidone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



6-Fluoro-3-(1-nitrosopiperidin-4-yl)benzo[d]isoxazole

Catalogue No.: **PA 16 0021018**


CAS : **2416230-38-9**

Molecular Formula : **C₁₂H₁₂N₃O₂**

Molecular Weight : **249.25**

Pantoprazole

A proton pump inhibitor drug, Pantoprazole inhibits gastric acid secretion. It is used in the short term treatment of erosive esophagitis associated with gastroesophageal reflux disease. Reference standards of Pantoprazole API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso Pantoprazole

Catalogue No.: **PA 16 0041011**

CAS : **NA**

Molecular Formula : **C₁₆H₁₄F₂N₄O₅S**

Molecular Weight : **412.37**




5-(Difluoromethoxy)-2-(((3,4-dimethoxypyridin-2-yl)methyl)thio)-1-nitroso-1H-benzo[d]imidazole

Catalogue No.: **PA 16 0041013**

CAS : **NA**

Molecular Formula : **C₁₆H₁₄F₂N₄O₅S**

Molecular Weight : **396.37**



5-(Difluoromethoxy)-1-nitroso-1H-benzo[d]imidazole-2-thiol

Catalogue No.: **PA 16 0041014**


CAS : **NA**

Molecular Formula : **C₈H₅F₂N₃O₂S**

Molecular Weight : **245.2**

Paracetamol

Paracetamol is used for reducing fever in people of all ages. Paracetamol is available as a generic medication with trade names including Tylenol and Panadol, among others. It also known as acetaminophen. Reference standards of Paracetamol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso Paracetamol

Catalogue No.: **PA 16 0061003**

CAS : **146897-60-1**

Molecular Formula : **C₈H₈N₂O₃**

Molecular Weight : **180.16**



N,N-Bis(4-hydroxyphenyl)nitrous amide

Catalogue No.: **PA 16 0061006**


CAS : **NA**

Molecular Formula : **C₁₂H₁₀N₂O₃**

Molecular Weight : **230.22**

Pemigatinib

Pemigatinib, sold under the brand name Pemazyre, is an anti-cancer medication used for the treatment of bile duct cancer (cholangiocarcinoma). Reference standards of Pemigatinib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso Pemigatinib

Catalogue No.: **PA 16 3651000**


CAS : **NA**

Molecular Formula : **C₂₄H₂₆F₂N₆O₅**

Molecular Weight : **516.51**


Penicillamine

A drug used for the treatment of genetic disorder known as Wilson's disease, and kidney stones. Penicillamine is a trifunctional organic compound, and exists in the zwitterionic form out of which L-penicillamine exhibits toxic nature. Reference standards of Penicillamine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-(S-Nitroso-N-acetyl-D,L-penicillamine)-2-amino-2-deoxy-1,3,4,6-tetra-O-acetyl-β-D-glucopyranose

Catalogue No.: **PA 43 0241001** CAS : **202656-49-3** Molecular Formula : **C₂₁H₃₁N₃O₁₂S** Molecular Weight : **549.55**




S-Nitroso-N-heptanoyl-D,L-penicillamine

Catalogue No.: **PA 43 0241002** CAS : **225234-00-4** Molecular Formula : **C₁₂H₂₂N₂O₄S** Molecular Weight : **290.38**




2-Isopropyl-5,5-dimethyl-3-nitrosothiazolidine

Catalogue No.: **PA 43 0241003** CAS : **NA** Molecular Formula : **C₈H₁₆N₂O₂S** Molecular Weight : **188.29**



5-Isopropyl-2,2-dimethyl-3-nitrosothiazolidine-4-carboxylic Acid

Catalogue No.: **PA 43 0241004** CAS : **NA** Molecular Formula : **C₉H₁₆N₂O₃S** Molecular Weight : **232.3**




2-Isopropyl-5,5-dimethyl-3-nitrosothiazolidine-4-carbonitrile

Catalogue No.: **PA 43 0241005** CAS : **NA** Molecular Formula : **C₉H₁₅N₃OS** Molecular Weight : **213.3**

Perazine Dimalonate

An antipsychotic drug that belongs to the class of phenothiazine. A dopamine antagonist drug. Reference standards of Perazine Dimalonate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitrosophenothiazine

Catalogue No.: **PA 16 0121001** CAS : **36144-72-6** Molecular Formula : **C₁₂H₈N₂OS** Molecular Weight : **228.27**

Perindopril

An ACE-inhibiting drug, Perindopril is used to treat high blood pressure, coronary artery disease and other heart diseases. Reference standards of Perindopril API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




(2S,3aS,7aS)-1-(N-((S)-1-Ethoxy-1-oxopentan-2-yl)-N-nitroso-L-alanyl)octahydro-1H-indole-2-carboxylic Acid

Catalogue No.: **PA 16 0141017** CAS : **NA** Molecular Formula : **C₁₉H₃₁N₃O₆** Molecular Weight : **397.47**

Plerixafor

A hematopoietic stem cell-mobilizer, Plerixafor is an immunostimulant. It is an antagonist of the alpha chemokine receptor CXCR4 and an allosteric agonist of CXCR7. A bicyclam compound. Reference standards of Plerixafor API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




1-(4-((1,4,8,11-Tetraazacyclotetradecan-1-yl)methyl)benzyl)-4-nitroso-1,4,8,11-tetraazacyclotetradecane

Catalogue No.: **PA 16 0891022** CAS : **NA**

Molecular Formula : **C₂₈H₅₃N₉O**

Molecular Weight : **531.79**




1-(4-((1,4,8,11-Tetraazacyclotetradecan-1-yl)methyl)benzyl)-11-nitroso-1,4,8,11-tetraazacyclotetradecane

Catalogue No.: **PA 16 0891023** CAS : **NA**

Molecular Formula : **C₂₈H₅₃N₉O**

Molecular Weight : **531.79**




1-(4-((1,4,8,11-Tetraazacyclotetradecan-1-yl)methyl)benzyl)-8-nitroso-1,4,8,11-tetraazacyclotetradecane

Catalogue No.: **PA 16 0891024** CAS : **NA**

Molecular Formula : **C₂₈H₅₃N₉O**

Molecular Weight : **531.79**




1,4-bis((4,8,11-Trinitroso-1,4,8,11-tetraazacyclotetradecan-1-yl)methyl)benzene

Catalogue No.: **PA 16 0891025** CAS : **NA**

Molecular Formula : **C₂₈H₄₈N₁₄O₆**

Molecular Weight : **676.78**




1-Nitroso-1,4,8,11-tetraazacyclotetradecane

Catalogue No.: **PA 16 0891027** CAS : **NA**

Molecular Formula : **C₁₀H₂₃N₅O**

Molecular Weight : **229.33**



1,4,8,11-Tetranitroso-1,4,8,11-tetraazacyclotetradecane


Catalogue No.: **PA 16 0891028** CAS : **850026-49-2**

Molecular Formula : **C₁₀H₂₀N₈O₄**

Molecular Weight : **316.32**

Phenylbutazone

A nonsteroidal anti-inflammatory drug, used in the treatment of pain and fever in animals. Oxyphenbutazone is the active metabolite of Phenylbutazone. Reference standards of Phenylbutazone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Acetylaminoisonitrosoacetanilide

Catalogue No.: **PA 16 21520**


CAS : **123704-98-3**

Molecular Formula : **C₁₀H₁₁N₃O₃**

Molecular Weight : **221.21**

Posaconazole

triazole based is antifungal drug. Posaconazole is active against Candida spp. Aspergillus spp and Zygomycetes spp. It is structurally related to itraconazole. Reference standards of Posaconazole API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




1-((4-(((3R,5R)-5-((1H-1,2,4-Triazol-1-yl)methyl)-5-(2,4-difluorophenyl)tetrahydrofuran-3-yl)methoxy)phenyl)-4-nitrosopiperazine

Catalogue No.: **PA 16 0821033**

CAS : **NA**

Molecular Formula : **C₂₄H₂₆F₂N₆O₃**

Molecular Weight : **484.51**




2-((2S,3S)-2-Hydroxypentan-3-yl)-4-(4-(4-nitrosopiperazin-1-yl)phenyl)-2,4-dihydro-3H-1,2,4-triazol-3-one

Catalogue No.: **PA 16 0821034**

CAS : **NA**

Molecular Formula : **C₁₇H₂₄N₆O₃**

Molecular Weight : **360.42**



4-(4-Nitrosopiperazin-1-yl)phenol

Catalogue No.: **PA 16 0821039**


CAS : **NA**

Molecular Formula : **C₁₀H₁₃N₃O₂**

Molecular Weight : **207.23**

Phenylephrine

Phenylephrine belongs to phenylethylamine class of medicine. It is a selective α_1 -adrenergic receptor agonist used as decongestant. It is an over-the-counter medicine in many countries. Reference standards of Phenylephrine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso Phenylephrine

Catalogue No.: **PA 43 0181012**


CAS : **78658-64-7**

Molecular Formula : **C₉H₁₂N₂O₃**

Molecular Weight : **196.21**

Pomalidomide

An anti-angiogenic and anti-myeloma drug, Pomalidomide is a derivative of thalidomide. Reference standards of Pomalidomide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



4-Amino-2-(1-nitroso-2,6-dioxopiperidin-3-yl)isoindoline-1,3-dione

Catalogue No.: **PA 43 0551028**


CAS : **NA**

Molecular Formula : **C₁₃H₁₀N₄O₅**

Molecular Weight : **302.25**

Pralidoxime Chloride

Pralidoxime Chloride is used as an antidote to treat poisoning by a chemical or pesticide or by a drug used to treat a muscle disorder. It is a white solid. Reference standards of Pralidoxime Chloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Syn-2-Pyridinealldoxime

Catalogue No.: **PA 43 0931001**


CAS : **1193-96-0**

Molecular Formula : **C₆H₆N₂O**

Molecular Weight : **122.13**

Prazosin

An $\alpha 1$ -blocker which is used in the treatment of high blood pressure and anxiety. Prazosin is a sympatholytic drug and shows an inverse agonist at alpha-1 adrenergic receptors. Reference standards of Prazosin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




6,7-Dimethoxy-2-(4-nitrosopiperazin-1-yl)quinazolin-4-amine

Catalogue No.: **PA 69 0271002**

CAS : **NA**

Molecular Formula : **C₁₄H₁₈N₆O₃**

Molecular Weight : **318.34**



Furan-2-yl(4-nitrosopiperazin-1-yl)methanone

Catalogue No.: **PA 69 0271003**


CAS : **NA**

Molecular Formula : **C₉H₁₁N₃O₃**

Molecular Weight : **209.21**

Praziquantel

A drug used to treat gastrointestinal infections caused by parasitic worms. Praziquantel is mainly used in treating most schistosome and many cestode infestations. It works by causing severe spasms and paralysis of the worms' muscles. Reference standards of Praziquantel API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Praziquantel Nitroso

Catalogue No.: **PA 16 0421002**


CAS : **115822-46-3**

Molecular Formula : **C₁₂H₁₃N₃O₂**

Molecular Weight : **231.26**

Prilocaine

An amino amide derivative which is used as a local anesthetic agent in dentistry. It works by binding to the intracellular surface of sodium channels which blocks the subsequent influx of sodium into the cell. Reference standards of Prilocaine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




2-(Nitroso(propyl)amino)-N-(o-tolyl)propanamide

Catalogue No.: **PA 43 0031002**

CAS : **211490-46-9**

Molecular Formula : **C₁₃H₁₉N₃O₂**

Molecular Weight : **249.31**



N-Nitroso-2-(propylamino)-N-(o-tolyl)propanamide

Catalogue No.: **PA 43 0031005**


CAS : **NA**

Molecular Formula : **C₁₃H₁₉N₃O₂**

Molecular Weight : **249.31**

Primaquine

An anti-malarial drug. It is an oral medication used to treat Pneumocystis pneumonia. Primaquine is an analog of pamaquine, first drug of the 8-aminoquinoline class. Reference standards of Primaquine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-(5-Aminopentan-2-yl)-N-(6-methoxyquinolin-8-yl)nitrous amide

Catalogue No.: **PA 69 0201002**


CAS : **NA**

Molecular Formula : **C₁₅H₂₀N₄O₂**

Molecular Weight : **288.35**

Proguanil

Proguanil is used in combination with chloroquine. Proguanil is a rodrug of its active metabolite cycloguanil, which is an inhibitor of dihydrofolate reductase (DHFR). It is also known as chlroguanide and chloroguanide. Reference standards of Proguanil API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Proguanil Nitroso Impurity 2

Catalogue No.: **PA 43 0841000** CAS : **NA**

Molecular Formula : **C₁₁H₁₅ClN₆O**

Molecular Weight : **282.73**



Proguanil Nitroso Impurity 3


Catalogue No.: **PA 43 0841001** CAS : **NA**

Molecular Formula : **C₁₁H₁₅ClN₆O**

Molecular Weight : **282.73**

Proline

An α-amino acid which is a derivative of L-glutamate. Proline is used in the biosynthesis of proteins. It is a precursor (with vitamin C) for collagen, and also helps in healing wounds. Reference standards of Proline API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso-D,L-proline-d3

Catalogue No.: **PA STI 068710** CAS : **65807-08-1**

Molecular Formula : **C₅H₅D₃N₂O₃**

Molecular Weight : **147.15**



N-Nitroso-D-proline


Catalogue No.: **PA 43 0211004** CAS : **42022-03-7**

Molecular Formula : **C₅H₈N₂O₃**

Molecular Weight : **144.13**

Promethazine

A phenothiazine derivative, Promethazine is a first-generation antihistamine drug. It shows antiemetic and anticholinergic properties . Promethazine is used in treating motion sickness and has strong sedative effects. Reference standards of Promethazine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-(1-(10H-Phenothiazin-10-yl)propan-2-yl)-N-methylnitrous Amide


Catalogue No.: **PA 43 0671004** CAS : **94511-44-1**

Molecular Formula : **C₁₆H₁₇N₃OS**

Molecular Weight : **299.39**

Propafenone

An anti-arrhythmic medication which works by slowing the influx of sodium ions into the cardiac muscle cells. It helps in treating atrial and ventricular arrhythmias. Reference standards of Propafenone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso-Propafenone


Catalogue No.: **PA 43 0501002** CAS : **NA**

Molecular Formula : **C₂₁H₂₆N₂O₄**

Molecular Weight : **370.45**


Propranolol

A beta-blocker drug, Propranolol is used to treat angina, hypertension and heart rhythm disorders. It is a non-cardioselective sympatholytic beta blocker that crosses the blood–brain barrier. Reference standards of Propranolol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitrosopropranolol

Catalogue No.: **PA 69 0301007** CAS : **84418-35-9** Molecular Formula : **C₁₆H₂₀N₂O₃** Molecular Weight : **288.35**




N-Nitroso Propranolol D7 [Mixture of isomers]

Catalogue No.: **PA STI 089720** CAS : **NA** Molecular Formula : **C₁₆H₁₃D₇N₂O₃** Molecular Weight : **295.39**

Prucalopride

A serotonin (5-HT₄) receptor agonist, Prucalopride is used for the treatment of chronic constipation. Prucalopride belongs to dihydro-benzofuran-carboxamide class and helps in stimulating colonic mass movements. Reference standards of Prucalopride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



4-Amino-5-chloro-N-(1-nitrosopiperidin-4-yl)-2,3-dihydrobenzofuran-7-carboxamide

Catalogue No.: **PA 43 0351014** CAS : **NA** Molecular Formula : **C₁₄H₁₇ClN₄O₃** Molecular Weight : **324.77**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>