

Стандарты на нитрозамин Т

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70








Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>


Tadalafil

Tadalafil is used to treat male erectile dysfunction. It is marketed worldwide under the brand name Cialis. Tadalafil is an orally administered drug. Reference standards of Tadalafil API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	N-Nitroso Tadalafil	Catalogue No.: PA 20 0021014	CAS : NA	Molecular Formula : C₂₂H₁₈N₄O₅	Molecular Weight : 418.41
	Methyl (1R,3R)-1-(benzo[d][1,3]dioxol-5-yl)-9-nitroso-2,3,4,9-tetrahydro-1H-pyrido[3,4-b]indole-3-carboxylate	Catalogue No.: PA 20 0021017	CAS : NA	Molecular Formula : C₂₀H₁₇N₃O₅	Molecular Weight : 379.37
	Methyl (1R,3R)-1-(benzo[d][1,3]dioxol-5-yl)-2-nitroso-2,3,4,9-tetrahydro-1H-pyrido[3,4-b]indole-3-carboxylate	Catalogue No.: PA 20 0021018	CAS : NA	Molecular Formula : C₂₀H₁₇N₃O₅	Molecular Weight : 379.37
	Methyl (1R,3R)-1-(benzo[d][1,3]dioxol-5-yl)-2,9-dinitroso-2,3,4,9-tetrahydro-1H-pyrido[3,4-b]indole-3-carboxylate	Catalogue No.: PA 20 0021019	CAS : NA	Molecular Formula : C₂₀H₁₆N₄O₆	Molecular Weight : 408.37
	Methyl (1R,3R)-1-(benzo[d][1,3]dioxol-5-yl)-2-(2-chloroacetyl)-9-nitroso-2,3,4,9-tetrahydro-1H-pyrido[3,4-b]indole-3-carboxylate	Catalogue No.: PA 20 0021020	CAS : NA	Molecular Formula : C₂₂H₁₈ClN₃O₆	Molecular Weight : 455.85
	(1R,3R)-1-(Benzo[d][1,3]dioxol-5-yl)-2,3,4,9-tetrahydro-1H-pyrido[3,4-b]indole-3-carboxylic Acid	Catalogue No.: PA 20 0021030	CAS : NA	Molecular Formula : C₁₉H₁₆N₂O₄	Molecular Weight : 336.35
	(1R,3R)-1-(Benzo[d][1,3]dioxol-5-yl)-2-nitroso-2,3,4,9-tetrahydro-1H-pyrido[3,4-b]indole-3-carboxylic Acid	Catalogue No.: PA 20 0021031	CAS : NA	Molecular Formula : C₁₉H₁₅N₃O₅	Molecular Weight : 365.35






Taurine

A major constituent of bile, Taurine is also known as 2-aminoethanesulfonic acid. Conjugation of bile acids, antioxidation, osmoregulation, membrane stabilization, and modulation of calcium signaling are some of the biological functions performed by Taurine. Reference standards of Taurine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	N-Nitroso-N-Methyl-Taurine	Catalogue No.: PA 20 0831001	CAS : NA	Molecular Formula : C₃H₈N₂O₄S	Molecular Weight : 168.17
---	-----------------------------------	-------------------------------------	-----------------	--	----------------------------------


Tamsulosin

An alpha-blocker drug, Tamsulosin is used to treat symptoms of a prostate gland condition called BPH (benign prostatic hyperplasia). It is a selective α_1 receptor antagonist. It is also used to treat acute urinary retention. Reference standards of Tamsulosin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Teneligliptin

Teneligliptin belongs to the dipeptidyl peptidase-4 inhibitors class of drugs. This anti-diabetic drug is used for the treatment of type 2 diabetes mellitus. Reference standards of Teneligliptin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.












Tenofovir

Tenofovir disoproxil is used for HIV-1 infection and chronic hepatitis B treatment. It is available as a generic medication. It is sold under the trade name Viread. Reference standards of Tenofovir API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Telmisartan

An angiotensin II receptor blocker, which is indicated in the treatment of essential hypertension. Telmisartan is also used to lower your risk for heart attack, stroke. It works by blocking the action of angiotensin and widening blood vessels that reduces blood pressure. Reference standards of Telmisartan API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	1,7'-Dimethyl-3'-nitroso-2'-propyl-1H,3'H-2,5'-bibenzo[d]imidazole	Catalogue No.: PA 20 0071023	CAS : NA	Molecular Formula : C₁₉H₁₉N₅O	Molecular Weight : 333.4
	4'-((7'-Methyl-1-nitroso-2'-propyl-1H,3'H-[2,5'-bibenzo[d]imidazol]-3'-yl)methyl)-[1,1'-biphenyl]-2-carboxylic Acid	Catalogue No.: PA 20 0071024	CAS : NA	Molecular Formula : C₃₂H₂₇N₅O₃	Molecular Weight : 529.6
	4'-(((2-(Methylamino)phenyl)(nitroso)amino)methyl)-[1,1'-biphenyl]-2-carboxylic Acid	Catalogue No.: PA 20 0071036	CAS : NA	Molecular Formula : C₂₁H₁₉N₃O₃	Molecular Weight : 361.4
	4'-(((2-(Methyl(nitroso)amino)phenyl)amino)methyl)-[1,1'-biphenyl]-2-carboxylic Acid	Catalogue No.: PA 20 0071037	CAS : NA	Molecular Formula : C₂₁H₁₉N₃O₃	Molecular Weight : 361.4
	4'-(((2-(Methyl(nitroso)amino)phenyl)(nitroso)amino)methyl)-[1,1'-biphenyl]-2-carboxylic Acid	Catalogue No.: PA 20 0071038	CAS : NA	Molecular Formula : C₂₁H₁₈N₄O₄	Molecular Weight : 390.4
	4'-(((2-(Aminophenyl)(nitroso)amino)methyl)-[1,1'-biphenyl]-2-carboxylic Acid	Catalogue No.: PA 20 0071039	CAS : NA	Molecular Formula : C₂₀H₁₇N₃O₃	Molecular Weight : 347.37
	4'-(((2-(((2'-Carboxy-[1,1'-biphenyl]-4-yl)methyl)(methyl)amino)phenyl)(nitroso)amino)methyl)-[1,1'-biphenyl]-2-carboxylic Acid	Catalogue No.: PA 20 0071040	CAS : NA	Molecular Formula : C₃₅H₂₉N₃O₅	Molecular Weight : 571.63
	4'-(((2-(((2'-Carboxy-[1,1'-biphenyl]-4-yl)methyl)(nitroso)amino)phenyl)amino)methyl)-[1,1'-biphenyl]-2-carboxylic Acid	Catalogue No.: PA 20 0071041	CAS : NA	Molecular Formula : C₃₄H₂₇N₃O₅	Molecular Weight : 557.61
	4',4'''-((1,2-Phenylenebis(nitrosoazanediyl))bis(methylene))bis(((1,1'-biphenyl)-2-carboxylic Acid))	Catalogue No.: PA 20 0071042	CAS : NA	Molecular Formula : C₃₄H₂₆N₄O₆	Molecular Weight : 586.6

Theophylline

A methyl xanthine derivative, Theophylline is used in the treatment of chronic obstructive pulmonary disease (COPD) and asthma. A competitive nonselective phosphodiesterase inhibitor, Theophylline is found naturally in cocoa plant. Reference standards of Theophylline API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




1,3-Dimethyl-9-nitroso-3,9-dihydro-1H-purine-2,6-dione

Catalogue No.: **PA 20 0251005** CAS : **NA**

Molecular Formula : **C₇H₇N₅O₃**

Molecular Weight : **209.17**




N-(6-Amino-1,3-dimethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-5-yl)-N-nitrosoformamide

Catalogue No.: **PA 20 0251006** CAS : **NA**

Molecular Formula : **C₇H₉N₅O₄**

Molecular Weight : **227.18**



1,3-Dimethyl-7-nitroso-3,7-dihydro-1H-purine-2,6-dione


Catalogue No.: **PA 20 0251007** CAS : **NA**

Molecular Formula : **C₇H₇N₅O₃**

Molecular Weight : **209.17**

Terazosin

A quinazoline derivative which is an alpha-1-selective adrenoceptor blocking agent used on once-a-day basis for therapy of mild-to-moderate hypertension. Terazosin is indicated for the treatment of symptomatic benign prostatic hyperplasia (BPH). Reference standards of Terazosin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




(4-Nitrosopiperazin-1-yl)(tetrahydrofuran-2-yl)methanone

Catalogue No.: **PA 20 3061000** CAS : **2470438-57-2** Molecular Formula : **C₉H₁₅N₃O₃**

Molecular Weight : **213.24**

Terbinafine

A hydrochloride salt of Terbinafine that belongs to the allylamines family of medications and is used as an antifungal drug. Terbinafine works by decreasing the ability of fungi to make sterols. It is used for treating skin and nail infections. Reference standards of Terbinafine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Methyl-N-(naphthalen-1-ylmethyl)nitrous Amide

Catalogue No.: **PA 47 0631003** CAS : **296760-88-8** Molecular Formula : **C₁₂H₁₂N₂O**

Molecular Weight : **200.24**

Teriflunomide

An immunomodulatory drug which is an active metabolite of leflunomide, which is an immunosuppressive disease-modifying antirheumatic drug (DMARD). Reference standards of Teriflunomide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



(Z)-2-Cyano-3-hydroxy-N-nitroso-N-(4-(trifluoromethyl)phenyl)but-2-enamide


Catalogue No.: **PA 47 0391007** CAS : **NA**

Molecular Formula : **C₁₂H₈F₃N₃O₃**

Molecular Weight : **299.21**

Tetracycline

A broad spectrum antibacterial agent. It works by inhibiting the protein synthesis in bacteria. Reference standards of Tetracycline API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



(4S,4aS,5aS,6S,12aS)-3,6,10,12,12a-Pentahydroxy-6-methyl-4-(methyl(nitroso)amino)-1,11-dioxo-1,4,4a,5,5a,6,11,12a-octahydrotetracene-2-carboxamide

Catalogue No.: **PA 47 0281003** CAS : **NA**


Molecular Formula : **C₂₁H₂₁N₃O₉**

Molecular Weight : **459.41**

Ticagrelor

A P2Y₁₂ receptor antagonist drug, used as a platelet aggregation inhibitor. Ticagrelor is a nucleoside analogue used in the treatment of heart attacks, myocardial infarction, and other pulmonary diseases. Reference standards of Ticagrelor API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

4,6-Dichloro-5-nitroso-2-(propylthio)pyrimidine




Catalogue No.: **PA 47 11910**

CAS : **2512210-19-2**

Molecular Formula : **C₇H₇Cl₂N₃OS**

Molecular Weight : **252.12**

N-Nitrosamine Ticagrelor



Catalogue No.: **PA 47 0111008**


CAS : **2476859-55-7**

Molecular Formula : **C₂₃H₂₇F₂N₇O₅S**

Molecular Weight : **551.57**

SIMILAR PRODUCTS ▼

N-Nitrosamine PG Tica




Catalogue No.: **PA 47 0111009**

CAS : **2476859-56-8**

Molecular Formula : **C₂₆H₃₁F₂N₇O₅S**

Molecular Weight : **591.63**

N-(4-Chloro-6-(((3aS,4R,6S,6aR)-6-(2-hydroxyethoxy)-2,2-dimethyltetrahydro-4H-cyclopenta[d][1,3]dioxol-4-yl)(nitroso)amino)-2-(propylthio)pyrimidin-5-yl)formamide




Catalogue No.: **PA 47 0111014**

CAS : **NA**

Molecular Formula : **C₁₈H₂₆ClN₅O₆S**

Molecular Weight : **475.95**

(1S,2S,3R,5S)-3-(7-(((E)-2-(3,4-Difluorophenyl)-3-nitrosoprop-1-en-1-yl)amino)-5-(propylthio)-3H-[1,2,3]triazolo[4,5-d]pyrimidin-3-yl)-5-(2-hydroxyethoxy)cyclopentane-1,2-diol




Catalogue No.: **PA 47 0111091**

CAS : **NA**

Molecular Formula : **C₂₃H₂₇F₂N₇O₅S**

Molecular Weight : **551.57**

N-(5-Amino-6-chloro-2-(propylsulfinyl)pyrimidin-4-yl)-N-((1R,2S,3S,4S)-2,3-dihydroxy-4-(2-hydroxyethoxy)cyclopentyl)nitrous amide




Catalogue No.: **PA 47 0111107**

CAS : **NA**

Molecular Formula : **C₁₄H₂₂ClN₅O₆S**

Molecular Weight : **423.87**

N-(2-(3,4-Difluorophenyl)cyclopropyl)-N-(5-(propylthio)-3-((1R,2S,3S,4R)-2,3,4-trihydroxycyclopentyl)-3H-[1,2,3]triazolo[4,5-d]pyrimidin-7-yl)nitrous Amide




Catalogue No.: **PA 47 0111114**

CAS : **NA**

Molecular Formula : **C₂₁H₂₃F₂N₇O₄S**

Molecular Weight : **507.52**

Benzyl ((1R,2S,3R,4S)-2,3,4-trihydroxycyclopentyl)carbamate




Catalogue No.: **PA 47 0111115**

CAS : **NA**

Molecular Formula : **C₁₃H₁₇NO₅**

Molecular Weight : **267.28**

N-Nitrosamine Ticagrelor Hydrochloride



Catalogue No.: **PA 47 0111118**

CAS : **NA**


Molecular Formula : **C₂₃H₂₈ClF₂N₇O₅S**

Molecular Weight : **588.03**

SIMILAR PRODUCTS ▼

Tigecycline

A glycylicycline antibacterial drug. Tigecycline is a tetracycline derivative and is active against both gram positive and gram negative strains of bacteria. Reference standards of Tigecycline API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




(4S,4aS,5aR,12aS)-4,7-bis(dimethylamino)-3,10,12,12a-tetrahydroxy-9-nitroso-1,11-dioxo-1,4,4a,5,5a,6,11,12a-octahydrotetracene-2-carboxamide

Catalogue No.: **PA 20 95570**

CAS : **488817-78-3**

Molecular Formula : **C₂₃H₂₆N₄O₈**

Molecular Weight : **486.48**




(4S,4aS,5aR,12aS)-4,7-bis(dimethylamino)-3,10,12,12a-tetrahydroxy-8-nitroso-1,11-dioxo-1,4,4a,5,5a,6,11,12a-octahydrotetracene-2-carboxamide

Catalogue No.: **PA 20 95590**

CAS : **NA**

Molecular Formula : **C₂₃H₂₆N₄O₈**

Molecular Weight : **486.48**




N-Nitroso Tigecycline

Catalogue No.: **PA 20 0951000**

CAS : **NA**

Molecular Formula : **C₂₉H₃₈N₆O₉**

Molecular Weight : **614.66**




(4S,4aS,5aR,12aS)-9-(2-(tert-Butylamino)acetamido)-7-(dimethylamino)-3,10,12,12a-tetrahydroxy-4-(methyl(nitroso)amino)-1,11-dioxo-1,4,4a,5,5a,6,11,12a-octahydrotetracene-2-carboxamide

Catalogue No.: **PA 20 0951001**

CAS : **NA**

Molecular Formula : **C₂₈H₃₆N₆O₉**

Molecular Weight : **600.63**



(4S,4aS,5aR,12aS)-9-(2-(tert-Butylamino)acetamido)-4-(dimethylamino)-3,10,12,12a-tetrahydroxy-7-(methyl(nitroso)amino)-1,11-dioxo-1,4,4a,5,5a,6,11,12a-octahydrotetracene-2-carboxamide

Catalogue No.: **PA 20 0951002**


CAS : **NA**

Molecular Formula : **C₂₈H₃₆N₆O₉**

Molecular Weight : **600.63**

Tetracaine

A local anesthetic agent, Tetracaine is used to numb eyes, nose, or throat. A long standing agent for spinal anesthesia. Reference standards of Tetracaine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Nitrosotetracaine-D6

Catalogue No.: **PA 47 0821002**

CAS : **NA**

Molecular Formula : **C₁₅H₁₇D₆N₃O₃**

Molecular Weight : **299.4**



N-Nitroso Tetracaine

Catalogue No.: **PA 47 0821003**







CAS : **NA**

Molecular Formula : **C₁₅H₂₃N₃O₃**

Molecular Weight : **293.37**


Tofacitinib

Tofacitinib is used to treat psoriatic arthritis and moderate-to-severe forms of rheumatoid arthritis. It is sold under the brand Xeljanz. Reference standards of Tofacitinib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	N-Methyl-N-((3R,4R)-4-methyl-1-nitrosopiperidin-3-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine	Catalogue No.: PA 73 0061031	CAS : NA	Molecular Formula : C₁₃H₁₈N₆O	Molecular Weight : 274.33
	3-((3R,4R)-4-Methyl-3-(methyl(7-nitroso-7H-pyrrolo[2,3-d]pyrimidin-4-yl)amino)piperidin-1-yl)-3-oxopropanenitrile	Catalogue No.: PA 73 0061032	CAS : NA	Molecular Formula : C₁₆H₁₉N₇O₂	Molecular Weight : 341.38
	1-((4R)-4-Methyl-3-(methyl(7-nitroso-7H-pyrrolo[2,3-d]pyrimidin-4-yl)amino)piperidin-1-yl)propan-1-one	Catalogue No.: PA 73 0061037	CAS : NA	Molecular Formula : C₁₆H₂₂N₆O₂	Molecular Weight : 330.39
	N-Methyl-N-((3R,4R)-4-methylpiperidin-3-yl)nitrous amide	Catalogue No.: PA 73 0061045	CAS : NA	Molecular Formula : C₇H₁₅N₃O	Molecular Weight : 157.22
	(3R,4R)-N,4-Dimethyl-1-nitrosopiperidin-3-amine	Catalogue No.: PA 73 0061046	CAS : NA	Molecular Formula : C₇H₁₅N₃O	Molecular Weight : 157.22
	N-Methyl-N-((3R,4R)-4-methyl-1-nitrosopiperidin-3-yl)nitrous amide	Catalogue No.: PA 73 0061047	CAS : NA	Molecular Formula : C₇H₁₄N₄O₂	Molecular Weight : 186.22


Tolvaptan

Tolvaptan is used to treat hyponatremia associated with congestive heart failure, cirrhosis, and the syndrome of inappropriate antidiuretic hormone. It is an aquaretic drug. Reference standards of Tolvaptan API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	7-Chloro-1-nitroso-2,3,4,5-tetrahydro-1-benzazepin-5-ol	Catalogue No.: PA 20 0981004	CAS : NA	Molecular Formula : C₁₀H₁₁ClN₂O₂	Molecular Weight : 226.66
---	--	-------------------------------------	-----------------	---	----------------------------------


Trandolapril

Trandolapril is used to treat high blood pressure, and to improve survival after a heart attack. It is marketed by Abbott Laboratories under the brand name Mavik. Reference standards of Trandolapril API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	(2S,3aR,7aS)-1-(N-((S)-1-Ethoxy-1-oxo-4-phenylbutan-2-yl)-N-nitroso-L-alanyl)octahydro-1H-indole-2-carboxylic Acid	Catalogue No.: PA 20 0441005	CAS : NA	Molecular Formula : C₂₄H₃₃N₃O₆	Molecular Weight : 459.54
---	---	-------------------------------------	-----------------	---	----------------------------------

Torsemide

Torsemide is used to treat fluid overload due to heart failure and high blood pressure. It is available as a generic medication. Torasemide, also known as torsemide. Reference standards of Torsemide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




(S)-4-((3-(2-(Dimethylamino)ethyl)-1-nitroso-1H-indol-5-yl)methyl)oxazolidin-2-one

Catalogue No.: **PA 20 0871004** CAS : **NA**

Molecular Formula : **C₁₆H₂₀N₄O₃**

Molecular Weight : **316.36**




N-(Isopropylcarbamoyl)-4-(nitroso(m-tolyl)amino)pyridine-3-sulfonamide

Catalogue No.: **PA 20 0871006** CAS : **NA**

Molecular Formula : **C₁₆H₁₉N₅O₄S**

Molecular Weight : **377.42**



4-(Nitroso(m-tolyl)amino)pyridine-3-sulfonamide


Catalogue No.: **PA 20 0871009** CAS : **NA**

Molecular Formula : **C₁₂H₁₂N₄O₃S**

Molecular Weight : **292.31**

Triamterene

Triamterene is used to decrease swelling caused by conditions such as cancer, congestive heart failure, liver disease, and kidney disease. It is a potassium-sparing diuretic. Reference standards of Triamterene API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Triamterene - Impurity A

Catalogue No.: **PA 20 73010** CAS : **1006-23-1**

Molecular Formula : **C₄H₆N₆O**

Molecular Weight : **154.13**



Triamterene Related Compound A (2,4,6-triamino-5-nitrosopyrimidine) (1680018)


Catalogue No.: **PA USP1680018** CAS : **1006-23-1**

Molecular Formula :

Molecular Weight : **NA**

Trimebutine

Trimebutine is used for the treatment of irritable bowel syndrome and other gastrointestinal disorders. It is a drug with antimuscarinic and weak mu opioid agonist effects. Reference standards of Trimebutine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso-Trimebutine Impurity


Catalogue No.: **PA 20 0541005** CAS : **NA**

Molecular Formula : **C₂₁H₂₆N₂O₆**

Molecular Weight : **402.45**

Tranexamic Acid

Tranexamic acid is frequently used following major trauma. It is available as a generic medication. Reference standards of Tranexamic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



(1R,1'R,4r,4'r)-4,4'-((Nitrosoazanediy)bis(methylene))bis(cyclohexane-1-carboxylic Acid)


Catalogue No.: **PA 20 0451002** CAS : **NA**

Molecular Formula : **C₁₆H₂₆N₂O₅**

Molecular Weight : **326.39**

Trimetazidine


Trimetazidine is an anti-ischemic metabolic agent. It is a drug for angina pectoris sold under many brand names. Reference standards of Trimetazidine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



1-Nitroso-4-(2,3,4-trimethoxy-benzyl)-piperazine

Catalogue No.: **PA 20 0551001** CAS : **92432-50-3** Molecular Formula : **C₁₄H₂₁N₃O₄** Molecular Weight : **295.34**


SIMILAR PRODUCTS ▼



1-Nitroso-4-(2,3,4-trimethoxybenzyl)piperazine dihydrochloride

Catalogue No.: **PA 20 0561001** CAS : **94025-61-3** Molecular Formula : **C₁₄H₂₃Cl₂N₃O₄** Molecular Weight : **368.26**

SIMILAR PRODUCTS ▼




N-Nitrosamine Trimetazidine

Catalogue No.: **PA 20 0561002** CAS : **NA** Molecular Formula : **C₁₄H₂₂ClN₃O₄** Molecular Weight : **331.8**


Tryptophan

Tryptophan is used in the biosynthesis of proteins. It is a precursor of serotonin. It can be a precursor to niacin, albeit inefficiently, in mammals. Reference standards of Tryptophan API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




1-Nitroso-L-tryptophan

Catalogue No.: **PA 20 0621015** CAS : **68807-89-6** Molecular Formula : **C₁₁H₁₁N₃O₃** Molecular Weight : **233.23**




1-Nitroso-D-tryptophan

Catalogue No.: **PA 20 0621016** CAS : **NA** Molecular Formula : **C₁₁H₁₁N₃O₃** Molecular Weight : **233.23**



Methyl 1-nitroso-D-tryptophanate

Catalogue No.: **PA 20 0621019** CAS : **NA** Molecular Formula : **C₁₂H₁₃N₃O₃** Molecular Weight : **247.25**




N-Acetyl-N-nitroso-tryptophan

Catalogue No.: **PA 20 0621020** CAS : **53602-74-7** Molecular Formula : **C₁₃H₁₃N₃O₄** Molecular Weight : **275.26**

Tulobuterol

Tulobuterol is usually used to improve symptoms such as respiratory distress caused by airway obstruction of bronchial asthma, acute bronchitis, chronic bronchitis, or emphysema. Reference standards of Tulobuterol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso Tulobuterol

Catalogue No.: **PA 20 0841000** CAS : **NA** Molecular Formula : **C₁₂H₁₇ClN₂O₂** Molecular Weight : **256.73**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>