

Стандарты на нитрозамин D

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>

Dabigatran

Dabigatran, sold under the brand name Pradaxa. It is used to prevent strokes in those with atrial fibrillation not caused by heart valve issues, as well as deep vein thrombosis and pulmonary embolism in persons who have been treated for 5–10 days with parenteral anticoagulant and to prevent deep vein thrombosis and pulmonary embolism in some circumstances.. Reference standards of Dabigatran API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




Ethyl 3-(3-amino-4-(methyl(nitroso)amino)-N-(pyridin-2-yl)benzamido)propanoate

Catalogue No.: **PA 04 0011039** CAS : **NA**

Molecular Formula : **C₁₈H₂₁N₅O₄**

Molecular Weight : **371.4**




Ethyl 3-(2-(((4-cyanophenyl)(nitroso)amino)methyl)-1-methyl-N-(pyridin-2-yl)-1H-benzo[d]imidazole-5-carboxamido)propanoate

Catalogue No.: **PA 04 0011040** CAS : **NA**

Molecular Formula : **C₂₇H₂₅N₇O₄**

Molecular Weight : **511.54**




Ethyl 3-(2-(((4-(ethoxy(imino)methyl)phenyl)(nitroso)amino)methyl)-1-methyl-N-(pyridin-2-yl)-1H-benzo[d]imidazole-5-carboxamido)propanoate

Catalogue No.: **PA 04 0011041** CAS : **NA**

Molecular Formula : **C₂₉H₃₁N₇O₅**

Molecular Weight : **557.61**




Ethyl 3-(2-(((4-carbamimidoylphenyl)(nitroso)amino)methyl)-1-methyl-N-(pyridin-2-yl)-1H-benzo[d]imidazole-5-carboxamido)propanoate

Catalogue No.: **PA 04 0011042** CAS : **NA**

Molecular Formula : **C₂₇H₂₈N₈O₄**

Molecular Weight : **528.57**




Ethyl 2-(((4-carbamimidoylphenyl)(nitroso)amino)methyl)-1-methyl-1H-benzo[d]imidazole-5-carboxylate

Catalogue No.: **PA 04 0011043** CAS : **NA**

Molecular Formula : **C₁₉H₂₀N₆O₃**

Molecular Weight : **380.41**




3-(2-(((4-Carbamidoylphenyl)(nitroso)amino)methyl)-1-methyl-N-(pyridin-2-yl)-1H-benzo[d]imidazole-5-carboxamido)propanoic Acid

Catalogue No.: **PA 04 0011044** CAS : **NA**

Molecular Formula : **C₂₅H₂₄N₈O₄**

Molecular Weight : **500.52**




Ethyl 3-(2-(((4-(N-((hexyloxy)carbonyl)carbamimidoyl)phenyl)(nitroso)amino)methyl)-1-methyl-N-(pyridin-2-yl)-1H-benzo[d]imidazole-5-carboxamido)propanoate

Catalogue No.: **PA 04 0011049** CAS : **NA**

Molecular Formula : **C₃₄H₄₀N₈O₆**

Molecular Weight : **656.74**



Methyl 3-(3-amino-4-(methyl(nitroso)amino)-N-(pyridin-2-yl)benzamido)propanoate


Catalogue No.: **PA 04 0011058** CAS : **NA**

Molecular Formula : **C₁₇H₁₉N₅O₄**

Molecular Weight : **357.37**

Dapsone

Dapsone, also known as diaminodiphenyl sulfone. It is used with pyrimethamine in the treatment of malaria. A sulfone active against a wide range of bacteria but mainly employed for its actions against mycobacterium leprae.. Reference standards of Dapsone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



4,4'-Sulfonylbis(nitrosobenzene)


Catalogue No.: **PA 04 0841005** CAS : **NA**

Molecular Formula : **C₁₂H₈N₂O₄S**

Molecular Weight : **276.27**

Dasatinib

A Bcr-Abl tyrosine kinase inhibitor, Dasatinib is an anti cancer drug. It is administered orally and used for the treatment of prostate cancer and many other cancers. It is a Src family tyrosine kinase inhibitor used for treating leukemia.. Reference standards of Dasatinib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




N-(2-Chloro-6-methylphenyl)-2-((6-(4-(2-hydroxyethyl)piperazin-1-yl)-2-methylpyrimidin-4-yl)(nitroso)amino)thiazole-5-carboxamide

Catalogue No.: **PA 04 0071022** CAS : **NA**

Molecular Formula : **C₂₂H₂₅ClN₈O₃S**

Molecular Weight : **517.01**



N-(2-Chloro-6-methylphenyl)-2-((2-methyl-6-(4-nitrosopiperazin-1-yl)pyrimidin-4-yl)amino)thiazole-5-carboxamide


Catalogue No.: **PA 04 0071040** CAS : **2135905-86-9**

Molecular Formula : **C₂₀H₂₁ClN₈O₂S**

Molecular Weight : **472.95**

Deferasirox

An oral ironchelator, Deferasirox is used to reduce chronic iron overload in patients suffering from beta-thalassemia and anemia.. Reference standards of Deferasirox API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



4-(1-Nitrosohydrazinyl)benzoic Acid


Catalogue No.: **PA 04 0131010** CAS : **NA**

Molecular Formula : **C₇H₇N₃O₃**

Molecular Weight : **181.15**

Dexmedetomidine

Dexmedetomidine is used in veterinary medicine for its analgesic and sedative properties. It is the racemate of dexmedetomidine. Dexmedetomidine, sold under the trade name Precedex. Reference standards of Dexmedetomidine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



(S)-4-(1-(2,3-Dimethylphenyl)ethyl)-1-nitroso-1H-imidazole


Catalogue No.: **PA 04 1920001** CAS : **NA**

Molecular Formula : **C₁₃H₁₅N₃O**

Molecular Weight : **229.28**


Darolutamide

Darolutamide is used to treat certain types of prostate cancer that has not spread to other parts of the body in men who have not been helped by other medical treatments. It is sold under the brand name Nubeqa. Reference standards of Darolutamide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-((S)-1-(3-(3-Chloro-4-cyanophenyl)-1H-pyrazol-1-yl)propan-2-yl)-5-(1-hydroxyethyl)-1-nitroso-1H-pyrazole-3-carboxamide

Catalogue No.: **PA 04 1941001** CAS : **NA** Molecular Formula : **C₁₉H₁₈ClN₇O₃** Molecular Weight : **427.85**




2-Chloro-4-(1-nitroso-1H-pyrazol-3-yl)benzonitrile

Catalogue No.: **PA 04 1941002** CAS : **NA** Molecular Formula : **C₁₀H₅ClN₄O** Molecular Weight : **232.63**



(S)-5-Acetyl-N-(1-(3-(3-chloro-4-cyanophenyl)-1H-pyrazol-1-yl)propan-2-yl)-1-nitroso-1H-pyrazole-3-carboxamide

Catalogue No.: **PA 04 1941003** CAS : **NA** Molecular Formula : **C₁₉H₁₆ClN₇O₃** Molecular Weight : **425.83**




N-Nitroso Darolutamide

Catalogue No.: **PA 04 1941004** CAS : **NA** Molecular Formula : **C₁₉H₁₈ClN₇O₃** Molecular Weight : **427.85**

Dorzolamide

A carbonic anhydrase inhibitor, Dorzolamide is used for the treatment of glaucoma and ocular hypertension. It is administered as topical ophthalmic form and decreases the aqueous humour production.. Reference standards of Dorzolamide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




N-Nitroso Dorzolamide

Catalogue No.: **PA 04 0621006** CAS : **NA** Molecular Formula : **C₁₀H₁₅N₃O₅S₃** Molecular Weight : **353.43**

Drotaverine Hydrochloride

Drotaverine is a selective inhibitor of phosphodiesterase 4. It is an antispasmodic drug. It is used to enhance cervical dilation during childbirth. Reference standards of Drotaverine Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




1-(3,4-Diethoxybenzylidene)-6,7-diethoxy-2-nitroso-1,2,3,4-tetrahydroisoquinoline

Catalogue No.: **PA 04 0671004** CAS : **NA** Molecular Formula : **C₂₄H₃₀N₂O₅** Molecular Weight : **426.51**

Desipramine

Desipramine is primarily used for the treatment of depression. It is sold under the brand name Norpramin and Pertofrane. Reference standards of Desipramine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitrosodesipramine

Catalogue No.: **PA 04 2241002**

CAS : **57164-17-7**

Molecular Formula : **C₁₈H₂₁N₃O**

Molecular Weight : **295.39**




1-(5-Nitroso-10,11-dihydro-5H-dibenzo[b,f]azepin-3-yl)ethan-1-one

Catalogue No.: **PA 04 2241003**

CAS : **NA**

Molecular Formula : **C₁₆H₁₄N₂O₂**

Molecular Weight : **266.3**



5-Nitroso-10,11-dihydro-5H-dibenzo[b,f]azepin-3-amine

Catalogue No.: **PA 04 2241004**


CAS : **NA**

Molecular Formula : **C₁₄H₁₃N₃O**

Molecular Weight : **239.28**

Doxycycline

Doxycycline is used to treat many different bacterial infections, such as acne, urinary tract infections, intestinal infections, respiratory infections, eye infections, gonorrhea, chlamydia, syphilis, periodontitis. It is available as a generic medicine and is generally inexpensive. Reference standards of Doxycycline API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso-N-Desmethyl Doxycycline

Catalogue No.: **PA 04 2141000**


CAS : **NA**

Molecular Formula : **C₂₁H₂₁N₃O₉**

Molecular Weight : **459.41**

Donepezil

A reversible acetylcholinesterase inhibitor, Donepezil is used for the treatment of Alzheimer's disease. It is a medication used in palliative treatment. It works by inhibiting the hydrolysis of acetylcholine. Reference standards of Donepezil API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



5,6-Dimethoxy-2-((1-nitrosopiperidin-4-yl)methyl)-2,3-dihydro-1H-inden-1-one

Catalogue No.: **PA 04 0391017**


CAS : **NA**

Molecular Formula : **C₁₇H₂₂N₂O₄**

Molecular Weight : **318.37**

Dobutamine

Dobutamine is used to treat acute but potentially reversible heart failure. It is available as a generic medication. Reference standards of Dobutamine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso Dobutamine

Catalogue No.: **PA 04 2591003**


CAS : **NA**

Molecular Formula : **C₁₈H₂₂N₂O₄**

Molecular Weight : **330.38**


Desloratadine

An active metabolite of loratadine, Desloratadine is a tricyclic non sedative type H1-antihistamine which is used to treat allergies and congestion. Also helps in treating acne. Reference standards of Desloratadine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




N-Nitroso-Desloratadine

Catalogue No.: **PA 04 0141011** CAS : **1246819-22-6** Molecular Formula : **C₁₉H₁₈ClN₃O** Molecular Weight : **339.82**



(1-Nitrosopiperidin-4-yl)diphenylmethanol

Catalogue No.: **PA 04 0141012** CAS : **1038-06-8** Molecular Formula : **C₁₈H₂₀N₂O₂** Molecular Weight : **296.37**




N-Nitroso Desloratadine-D4

Catalogue No.: **PA STI 089658** CAS : **2733579-31-0** Molecular Formula : **C₁₉H₁₄D₄ClN₃O** Molecular Weight : **343.85**

Dextromethorphan

An antitussive drug, it belongs to the family of morphine. It is a nonselective serotonin reuptake inhibitor and a sigma-1 receptor agonist. Dextromethorphan is an over the counter drug.. Reference standards of Dextromethorphan API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




N-Nitroso Desmethyl Dextromethorphan

Catalogue No.: **PA 31 0111009** CAS : **NA** Molecular Formula : **C₁₇H₂₂N₂O₂** Molecular Weight : **286.38**

Diltiazem Hydrochloride

An antianginal, and antiarrhythmic drug. Diltiazem Hydrochloride is a calcium channel blocker. It is used to treat hypertension and angina pectoris. This potent vasodilator, is a 1,4-thiazepine derivative.. Reference standards of Diltiazem Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




(2S,3S)-2-(4-Methoxyphenyl)-5-(2-(methyl(nitroso)amino)ethyl)-4-oxo-2,3,4,5-tetrahydrobenzo[b][1,4]thiazepin-3-yl Acetate

Catalogue No.: **PA 04 0261012** CAS : **NA** Molecular Formula : **C₂₁H₂₃N₃O₅S** Molecular Weight : **429.49**


Dimenhydrinate

An antiemetic drug which is used for the treatment of motion sickness. Dimenhydrinate is an over-the-counter drug. It is a combination of two drugs: diphenhydramine and 8-chlorotheophylline. Reference standards of Dimenhydrinate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




N-Nitroso Diphenhydramine

Catalogue No.: **PA 04 0271004** CAS : **55855-43-1** Molecular Formula : **C₁₆H₁₈N₂O₂** Molecular Weight : **270.33**



8-Chloro-1,3-dimethyl-9-nitroso-3,9-dihydro-1H-purine-2,6-dione compound with 2-(benzhydryloxy)-N,N-dimethylethan-1-amine (1:1)

Catalogue No.: **PA 04 0271006** CAS : **NA** Molecular Formula : **C₂₄H₂₇ClN₆O₄** Molecular Weight : **498.97**




8-Chloro-1,3-dimethyl-7-nitroso-3,7-dihydro-1H-purine-2,6-dione

Catalogue No.: **PA 04 0271008** CAS : **NA** Molecular Formula : **C₇H₆ClN₅O₃** Molecular Weight : **243.61**


Diclofenac

A nonsteroidal anti-inflammatory drug, Diclofenac sodium is used to treat inflammation and as a pain killer. It inhibits prostaglandin synthesis by inhibition of cyclooxygenase (COX). Reference standards of Diclofenac API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso-Diclofenac

Catalogue No.: **PA 04 2521003** CAS : **66505-80-4** Molecular Formula : **C₁₄H₁₀Cl₂N₂O₃** Molecular Weight : **325.15**




N-Nitroso Diclofenac D4

Catalogue No.: **PA STI 089699** CAS : **NA** Molecular Formula : **C₁₄H₆D₄Cl₂N₂O₃** Molecular Weight : **329.17**


Dofetilide

Dofetilide is marketed under the trade name Tikosyn. Dofetilide is used for the maintenance of sinus rhythm in individuals prone to the occurrence of atrial fibrillation and flutter arrhythmias. it is a antiarrhythmic agent. Reference standards of Dofetilide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below



N-(4-(2-((4-(Methylsulfonamido)phenethyl)(nitroso)amino)ethoxy)phenyl)methanesulfonamide

Catalogue No.: **PA 04 0741006** CAS : **NA** Molecular Formula : **C₁₈H₂₄N₄O₆S₂** Molecular Weight : **456.53**




N-(4-(2-(Methyl(nitroso)amino)ethoxy)phenyl)methanesulfonamide

Catalogue No.: **PA 04 0741007** CAS : **NA** Molecular Formula : **C₁₀H₁₅N₃O₄S** Molecular Weight : **273.31**

Doxepin

Doxepin is a psychotropic agent with tricyclic antidepressant and anxiolytic properties. It is a tertiary amine that can be presented as an and stereoisomers.. Reference standards of Doxepin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




N-Nitroso Doxepin Impurity

Catalogue No.: **PA 31 0381004** CAS : **NA**

Molecular Formula : **C₁₈H₁₈N₂O₂**

Molecular Weight : **294.35**




N-Nitroso Nordoxepin

Catalogue No.: **PA 31 0381005** CAS : **NA**

Molecular Formula : **C₁₈H₁₈N₂O₂**

Molecular Weight : **294.35**



N-Nitroso Desmethyl Cis-Doxepin


Catalogue No.: **PA 31 0381006** CAS : **NA**

Molecular Formula : **C₁₈H₁₈N₂O₂**

Molecular Weight : **294.35**

Doxylamine

Doxylamine is used to relieve symptoms of allergy, hay fever, and the common cold. It is a first-generation antihistamine. Reference standards of Doxylamine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso N-Desmethyl Doxylamine

Catalogue No.: **PA 31 0851002** CAS : **NA**

Molecular Formula : **C₁₆H₁₉N₃O₂**

Molecular Weight : **285.35**




N,C-Didesmethyl Doxylamine N-Nitroso

Catalogue No.: **PA 31 0851003** CAS : **NA**

Molecular Formula : **C₁₅H₁₇N₃O₂**

Molecular Weight : **271.32**



N-Nitroso-N-Desmethyl-Doxylamine-D5

Catalogue No.: **PA STI 089578** CAS : **NA**

Molecular Formula : **C₁₆H₁₄D₅N₃O₂**

Molecular Weight : **290.38**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>