

Стандарты на нитрозамин F

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132


Киргизия +996(312)96-26-47


эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>

Famotidine

Famotidine is a medicine used for the treatment of gastric ulcers, stomach acid production, heartburn and gastroesophageal reflux . It is a histamine H2 receptor antagonist and it is an over-the-counter drug. Reference standards of Famotidine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.


	N-Nitroso Famotidine - I	Catalogue No.: PA 06 0011004	CAS : NA	Molecular Formula : C₈H₁₄N₈O₃S₃	Molecular Weight : 366.43
---	---------------------------------	-------------------------------------	-----------------	---	----------------------------------


	N-Nitroso Famotidine 2	Catalogue No.: PA 06 0011014	CAS : NA	Molecular Formula : C₈H₁₄N₈O₃S₃	Molecular Weight : 366.43
---	-------------------------------	-------------------------------------	-----------------	---	----------------------------------

	N-nitroso N-Propyl Sulfamide	Catalogue No.: PA 06 0011017	CAS : NA	Molecular Formula : C₃H₉N₃O₃S	Molecular Weight : 167.18
---	-------------------------------------	-------------------------------------	-----------------	--	----------------------------------

Frovatriptan


Frovatriptan is used to treat migraine headaches that narrows blood vessels around the brain. Reference standards of Frovatriptan API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	(R)-3-(Methyl(nitroso)amino)-2,3,4,9-tetrahydro-1H-carbazole-6-carboxamide	Catalogue No.: PA 06 1831000	CAS : NA	Molecular Formula : C₁₄H₁₆N₄O₂	Molecular Weight : 272.31
---	---	-------------------------------------	-----------------	---	----------------------------------

	(R)-3-(Methylamino)-9-nitroso-2,3,4,9-tetrahydro-1H-carbazole-6-carboxamide	Catalogue No.: PA 06 1831001	CAS : NA	Molecular Formula : C₁₄H₁₆N₄O₂	Molecular Weight : 272.31
---	--	-------------------------------------	-----------------	---	----------------------------------


Formoterol Fumarate Dihydrate

A bronchodilator drug, which is used for treating Chronic obstructive pulmonary disease and Exercise-induced bronchospasm . It is a beta2-agonists. Reference standards of Formoterol Fumarate Dihydrate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	N-Nitroso Formoterol Amine	Catalogue No.: PA 06 0451034	CAS : NA	Molecular Formula : C₁₇H₂₀N₂O₂	Molecular Weight : 284.36
---	-----------------------------------	-------------------------------------	-----------------	---	----------------------------------


Fluvoxamine

Fluvoxamine is used in OCD, and social anxiety disorder. It is sold under the brand name Luvox. It is also used to treat depression and such as panic disorder, post-traumatic stress disorder. Reference standards of Fluvoxamine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

	(E)-N-(2-(((5-Methoxy-1-(4-(trifluoromethyl)phenyl)pentylidene)amino)oxy)ethyl)-N-nitrosoaspartic Acid	Catalogue No.: PA 06 0891001	CAS : NA	Molecular Formula : C₁₉H₂₄F₃N₃O₇	Molecular Weight : 463.41
---	---	-------------------------------------	-----------------	--	----------------------------------

Felodipine

Felodipine acts primarily on vascular smooth muscle cells by stabilizing voltage-gated L-type calcium channels in their inactive conformation. It is a long-acting 1,4-dihydropyridine calcium channel blocker b.. Reference standards of Felodipine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




3-Ethyl 5-methyl 4-(2,3-dichlorophenyl)-2,6-dimethyl-1-nitroso-1,4-dihydropyridine-3,5-dicarboxylate

Catalogue No.: **PA 06 0051004** CAS : **NA**

Molecular Formula : **C₁₈H₁₈Cl₂N₂O₅**

Molecular Weight : **413.25**




Dimethyl 4-(2,3-dichlorophenyl)-2,6-dimethyl-1-nitroso-1,4-dihydropyridine-3,5-dicarboxylate

Catalogue No.: **PA 06 0051010** CAS : **NA**

Molecular Formula : **C₁₇H₁₆Cl₂N₂O₅**

Molecular Weight : **399.22**



Diethyl 4-(2,3-dichlorophenyl)-2,6-dimethyl-1-nitroso-1,4-dihydropyridine-3,5-dicarboxylate


Catalogue No.: **PA 06 0051011** CAS : **NA**

Molecular Formula : **C₁₉H₂₀Cl₂N₂O₅**

Molecular Weight : **427.28**

Fingolimod

A sphingosine-1-phosphate receptor modulator, Fingolimod is an immunomodulating drug which is used for the treatment of multiple sclerosis. It is a derivative of myriocin and a metabolite of fungus Isaria sinclairii.. Reference standards of Fingolimod API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below




2-Nitroso-2-(4-octylphenethyl)propane-1,3-diol

Catalogue No.: **PA 06 55670** CAS : **NA**

Molecular Formula : **C₁₉H₃₁NO₃**

Molecular Weight : **321.45**



N-Nitroso N-Ethyl Fingolimod


Catalogue No.: **PA 06 0961031** CAS : **NA**

Molecular Formula : **C₂₁H₃₆N₂O₃**

Molecular Weight : **364.53**

Flecainide Acetate

An antiarrhythmic drug which is used for the treatment of paroxysmal atrial fibrillation, ventricular arrhythmia, and paroxysmal supra ventricular tachycardia. It is a blocker of Nav1. 5 sodium channel in the heart. Reference standards of Flecainide Acetate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



(1-Nitrosopiperidin-2-yl)methanamine


Catalogue No.: **PA 06 0581006** CAS : **NA**

Molecular Formula : **C₆H₁₃N₃O**

Molecular Weight : **143.19**

Furosemide


A diuretic drug, used to treat edema caused due to kidney failure, heart failure and liver scarring. It is an inhibitor of NKCC2, the luminal Na-K-Cl cotransporter. Reference standards of Furosemide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso-Furosemide

Catalogue No.: **PA 06 0491001** CAS : **2708280-93-5** Molecular Formula : **C₁₂H₁₀ClN₃O₆S** Molecular Weight : **359.74**


SIMILAR PRODUCTS ▼



N-Nitroso-Furosemide Sodium Salt


Catalogue No.: **PA 06 0491002** CAS : **NA** Molecular Formula : **C₁₂H₉ClN₃NaO₆S** Molecular Weight : **381.72**

SIMILAR PRODUCTS ▼




2-((Furan-2-ylmethyl)(nitroso)amino)-4-((furan-2-ylmethyl)amino)-5-sulfamoylbenzoic Acid

Catalogue No.: **PA 06 0491004** CAS : **NA** Molecular Formula : **C₁₇H₁₆N₄O₇S** Molecular Weight : **420.4**




4-((Furan-2-ylmethyl)(nitroso)amino)-2-((furan-2-ylmethyl)amino)-5-sulfamoylbenzoic Acid

Catalogue No.: **PA 06 0491005** CAS : **NA** Molecular Formula : **C₁₇H₁₆N₄O₇S** Molecular Weight : **420.4**




2,4-Bis((furan-2-ylmethyl)(nitroso)amino)-5-sulfamoylbenzoic Acid

Catalogue No.: **PA 06 0491006** CAS : **NA** Molecular Formula : **C₁₇H₁₅N₅O₈S** Molecular Weight : **449.39**



4-Chloro-2-((nitroso((tetrahydrofuran-2-yl)methyl)amino)-5-sulfamoylbenzoic Acid

Catalogue No.: **PA 06 0491007** CAS : **NA** Molecular Formula : **C₁₂H₁₄ClN₃O₆S** Molecular Weight : **363.77**




2-Chloro-4-((furan-2-ylmethyl)(nitroso)amino)-5-sulfamoylbenzoic Acid

Catalogue No.: **PA 06 0491008** CAS : **NA** Molecular Formula : **C₁₂H₁₀ClN₃O₆S** Molecular Weight : **359.74**

Flecainide

Flecainide is used in the treatment of many types of supraventricular tachycardias, including AV nodal re-entrant tachycardia and Wolff-Parkinson-White syndrome. It is available as a generic medication. Reference standards of Flecainide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Flecainide Nitroso Impurity

Catalogue No.: **PA 33 0291001** CAS : **2901109-58-6** Molecular Formula : **C₁₇H₁₉F₆N₃O₄** Molecular Weight : **443.35**

Formoterol Fumarate

Formoterol Fumarate is used as a bronchodilator in the management of asthma and COPD. It is also known as eformoterol. It is also marketed in the combination formulations budesonide/formoterol and mometasone/formoterol. Reference standards of Formoterol Fumarate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-(2-Hydroxy-5-((S)-1-hydroxy-2-(((S)-1-(4-methoxyphenyl)propan-2-yl)(nitroso)amino)ethyl)phenyl)formamide

Catalogue No.: **PA 33 0371004** CAS : **NA**

Molecular Formula : **C₁₉H₂₃N₃O₅**

Molecular Weight : **373.41**




Formoterol Nitroso Impurity

Catalogue No.: **PA 33 0371008** CAS : **NA**

Molecular Formula : **C₁₉H₂₃N₃O₅**

Molecular Weight : **373.41**



N-(2-Hydroxy-5-((R)-1-hydroxy-2-(((R)-1-(4-methoxyphenyl)propan-2-yl)(nitroso)amino)ethyl)phenyl)formamide


Catalogue No.: **PA 33 0371011** CAS : **NA**

Molecular Formula : **C₁₉H₂₃N₃O₅**

Molecular Weight : **373.41**

Folic Acid

Folic Acid is a dietary supplement for pregnant women used to prevent neural tube defects. It is a form of folate which is a Vitamin B form. It helps in preventing heart strokes, improves fertility, and helps in production of new cells in the body. Reference standards of Folic Acid API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitrosofolic acid

Catalogue No.: **PA 06 0441010** CAS : **29291-35-8**

Molecular Formula : **C₁₉H₁₈N₈O₇**

Molecular Weight : **470.4**




N-Nitroso-Folic Acid

Catalogue No.: **PA 06 0441014** CAS : **26360-21-4**

Molecular Formula : **C₁₉H₁₈N₈O₇**

Molecular Weight : **470.4**



N-Nitroso Folic Acid-d4


Catalogue No.: **PA STI 089390** CAS : **NA**

Molecular Formula : **C₁₉H₁₄D₄N₈O₇**

Molecular Weight : **474.43**

Finerenone

Finerenone, sold under the brand name Kerendia, is a medication used to reduce the risk of kidney function decline, kidney failure, cardiovascular death, non-fatal heart attacks. Reference standards of Finerenone API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Finerenone Nitroso Impurity


Catalogue No.: **PA 06 1841005** CAS : **NA**

Molecular Formula : **C₂₁H₂₁N₅O₄**

Molecular Weight : **407.43**

Flupirtine Maleate

Flupirtine Maleate is used as an analgesic for acute pain, in moderate-to-severe cases. It is an aminopyridine. Reference standards of Flupirtine Maleate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Isopropyl(2-amino-6-((4-fluorobenzyl)(nitroso)amino)pyridin-3-yl)carbamate

Catalogue No.: **PA 06 0601000** CAS : **NA**

Molecular Formula : **C₁₆H₁₈FN₅O₃**

Molecular Weight : **347.35**




N-Nitroso Flupirtine

Catalogue No.: **PA 06 0601001** CAS : **NA**

Molecular Formula : **C₁₅H₁₆FN₅O₃**

Molecular Weight : **333.32**



Methyl (2-amino-6-((4-fluorobenzyl)(nitroso)amino)pyridin-3-yl)carbamate


Catalogue No.: **PA 06 0601002** CAS : **NA**

Molecular Formula : **C₁₄H₁₄FN₅O₃**

Molecular Weight : **319.3**

Fenoterol

Fenoterol is used to treat acute asthma and other lung problems in which the air passages can become narrowed. It is a β adrenoreceptor agonist. Reference standards of Fenoterol API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Fenoterol Nitroso Impurity


Catalogue No.: **PA 06 1871000** CAS : **NA**

Molecular Formula : **C₁₇H₂₀N₂O₅**

Molecular Weight : **332.36**

Fenoldopam

A hydrobromide salt of Fenoldopam, a dopamine D1 receptor agonist, which is used for the treatment of hypertension. Through arteriolar vasodilation, Fenoldopam helps in lowering of the blood pressure. It is a derivative of benzazepine. Reference standards of Fenoldopam API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-Nitroso Fenoldopam Impurity


Catalogue No.: **PA 06 1471003** CAS : **NA**

Molecular Formula : **C₁₆H₁₅ClN₂O₄**

Molecular Weight : **334.76**


Fluoxetine

Fluoxetine, sold under the brand names Prozac and Sarafem. Fluoxetine is a 2nd generation antidepressant categorized as a selective serotonin reuptake inhibitor. It is frequently used to treat major depressive disorder, obsessive-compulsive disorder, post-traumatic stress disorder, bulimia nervosa, panic disorder, premenstrual dysphoric disorder, and trichotillomania. Reference standards of Fluoxetine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso Fluoxetine

Catalogue No.: **PA 06 0991004** CAS : **150494-06-7** Molecular Formula : **C₁₇H₁₇F₃N₂O₂** Molecular Weight : **338.33**




N-(3-Hydroxy-3-phenylpropyl)-N-methylnitrous amide

Catalogue No.: **PA 06 0991007** CAS : **2659259-65-9** Molecular Formula : **C₁₀H₁₄N₂O₂** Molecular Weight : **194.23**



N-Methyl-N-(3-phenylpropyl)nitrous Amide

Catalogue No.: **PA 06 0991011** CAS : **259547-00-7** Molecular Formula : **C₁₀H₁₄N₂O** Molecular Weight : **178.24**




N-Nitroso Fluoxetine-D5

Catalogue No.: **PA STI 089691** CAS : **NA** Molecular Formula : **C₁₇H₁₂D₅F₃N₂O₂** Molecular Weight : **343.36**


Fesoterodine

Fesoterodine is used to treat overactive bladder with symptoms of urinary frequency, urgency, and incontinence. It is an antimuscarinic drug. Reference standards of Fesoterodine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



(R)-3-(2-(Benzyloxy)-5-methylphenyl)-N-isopropyl-N-nitroso-3-phenylpropanamide

Catalogue No.: **PA 33 0311023** CAS : **NA** Molecular Formula : **C₂₆H₂₈N₂O₃** Molecular Weight : **416.52**



(R)-4-(Hydroxymethyl)-2-(3-(isopropyl(nitroso)amino)-1-phenylpropyl)phenyl Isobutyrate

Catalogue No.: **PA 33 0311024** CAS : **NA** Molecular Formula : **C₂₃H₃₀N₂O₄** Molecular Weight : **398.5**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>