

Стандарты на нитрозамин G

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>

Gabapentin

An anti-epileptic and anticonvulsant drug, Gabapentin is used to treat epilepsy, neuropathic pain, hot flashes and other anxiety disorders. It possibly inhibits neurotransmitter γ -aminobutyric acid (GABA). Reference standards of Gabapentin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



2-(1-(Nitrosomethyl)cyclohexyl)acetic Acid


Catalogue No.: **PA 07 0011001** CAS : **NA**

Molecular Formula : **C₉H₁₅NO₃**

Molecular Weight : **185.22**

Glycopyrronium Bromide

Glycopyrronium Bromide is used to inhibit salivation and excessive secretions of the respiratory tract preoperatively reversal of neuromuscular blockade. It is also known as glycopyrrolate. Reference standards of Glycopyrronium Bromide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



1-Nitrosopyrrolidin-3-yl 2-cyclopentyl-2-hydroxy-2-phenylacetate


Catalogue No.: **PA 07 0131006** CAS : **NA**

Molecular Formula : **C₁₇H₂₂N₂O₄**

Molecular Weight : **318.37**

Gentamicin

Gentamicin, sold under brand name Garamycin among others, it is an antibiotic, which is used to treat several types of bacterial infections. Reference standards of Gentamicin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso Gentamicin-2

Catalogue No.: **PA 07 0431009** CAS : **NA**

Molecular Formula : **C₂₁H₄₁N₇O₉**

Molecular Weight : **535.6**



N-Nitroso Gentamicin-3


Catalogue No.: **PA 07 0431011** CAS : **NA**

Molecular Formula : **C₂₁H₄₂N₆O₈**

Molecular Weight : **506.6**

Gliclazide

Gliclazide is an oral antihyperglycemic agent which is used for the treatment of non-insulin-dependent diabetes mellitus. It is considered a first-generation sulfonylurea due to the structural presence of a sulfonamide group able to release a proton and the presence of one aromatic group. Reference standards of Gliclazide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Gliclazide - Impurity B

Catalogue No.: **PA 07 08020**


CAS : **54786-86-6**

Molecular Formula : **C₇H₁₂N₂O**

Molecular Weight : **140.18**

Gatifloxacin

Gatifloxacin is an antibiotic agent and a member of the fourth-generation fluoroquinolone family. It works by inhibiting the bacterial enzymes DNA gyrase and topoisomerase IV. It is available as tablets and in various aqueous solutions for intravenous therapy. It is also available as eye drops under the brand name Zymar® marketed by Allergan. Reference standards of Gatifloxacin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso Gatifloxacin

Catalogue No.: **PA 07 0041004** CAS : **NA**

Molecular Formula : **C₁₉H₂₁FN₄O₅**

Molecular Weight : **404.4**



N-Nitroso-3-Methyl Piperazine Impurity


Catalogue No.: **PA 07 0041005** CAS : **NA**

Molecular Formula : **C₅H₁₁N₃O**

Molecular Weight : **129.16**

Glipizide

Glipizide is an anti-diabetic medication of the sulfonylurea class used to treat type 2 diabetes. It is used together with a diabetic diet. Reference standards of Glipizide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-(4-(N-(Cyclohexylcarbamoyl)sulfamoyl)phenethyl)-5-methyl-N-nitrosopyrazine-2-carboxamide

Catalogue No.: **PA 07 0101005** CAS : **NA**

Molecular Formula : **C₂₁H₂₆N₆O₅S**

Molecular Weight : **474.54**



N-(4-(N-(Cyclohexylcarbamoyl)-N-nitrososulfamoyl)phenethyl)-5-methylpyrazine-2-carboxamide


Catalogue No.: **PA 07 0101006** CAS : **NA**

Molecular Formula : **C₂₁H₂₆N₆O₅S**

Molecular Weight : **474.54**

Glutathione

Glutathione is capable of preventing damage to important cellular components caused by reactive oxygen species such as free radicals, peroxides, lipid peroxides, and heavy metals. It is an antioxidant. Reference standards of Glutathione API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



S-Nitroso-L-glutathione

Catalogue No.: **PA 07 12740**


CAS : **57564-91-7**

Molecular Formula : **C₁₀H₁₆N₄O₇S**

Molecular Weight : **336.3**

Gefitinib

Gefitinib is used to treat lung cancer. Acting in a similar manner to erlotinib gefitinib selectively targets the mutant proteins in malignant cells. It is marketed by AstraZeneca under the trade name Iressa. Reference standards of Gefitinib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Gefitinib Nitroso Impurity


Catalogue No.: **PA 07 0241003** CAS : **NA**

Molecular Formula : **C₂₂H₂₃ClFN₅O₄**

Molecular Weight : **475.91**

Granisetron

Granisetron used as an antiemetic to treat nausea and vomiting following chemotherapy and radiotherapy. It is a serotonin 5-HT₃ receptor antagonist. Reference standards of Granisetron API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




1-Nitroso-1H-indazole-3-carbonitrile

Catalogue No.: **PA 07 0911000**

CAS : **98556-68-4**

Molecular Formula : **C₈H₄N₄O**

Molecular Weight : **172.15**




1-Nitroso-1H-indazole-3-Carboxylic Acid

Catalogue No.: **PA 07 0911001**

CAS : **NA**

Molecular Formula : **C₈H₅N₃O₃**

Molecular Weight : **191.15**




1-Methyl-N-((1R,3s,5S)-9-methyl-9-azabicyclo[3.3.1]nonan-3-yl)-N-nitroso-1H-indazole-3-carboxamide

Catalogue No.: **PA 07 0911003**

CAS : **NA**

Molecular Formula : **C₁₈H₂₃N₅O₂**

Molecular Weight : **341.42**




N-((1R,3r,5S)-9-methyl-9-azabicyclo[3.3.1]nonan-3-yl)-1-nitroso-1H-indazole-3-carboxamide

Catalogue No.: **PA 07 0911004**

CAS : **NA**

Molecular Formula : **C₁₇H₂₁N₅O₂**

Molecular Weight : **327.39**



1-Methyl-N-((1R,3r,5S)-9-nitroso-9-azabicyclo[3.3.1]nonan-3-yl)-1H-indazole-3-carboxamide

Catalogue No.: **PA 07 0911005**

CAS : **NA**

Molecular Formula : **C₁₇H₂₁N₅O₂**

Molecular Weight : **327.39**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>