

Стандарты на нитрозамин I

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>


Ibrutinib

Ibrutinib is used to treat chronic lymphocytic leukemia Waldenström's macroglobulinemia, and as a second-line treatment for mantle cell lymphoma, marginal zone lymphoma, and chronic graft vs host disease. It is a small molecule drug. Reference standards of Ibrutinib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



1-(1-Nitrosopiperidin-3-yl)-3-(4-phenoxyphenyl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine

Catalogue No.: **PA 09 0271021** CAS : **2256059-43-3** Molecular Formula : **C₂₂H₂₁N₇O₂** Molecular Weight : **415.46**




(R)-1-(1-Nitrosopiperidin-3-yl)-3-(4-phenoxyphenyl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine

Catalogue No.: **PA 09 0271027** CAS : **NA** Molecular Formula : **C₂₂H₂₁N₇O₂** Molecular Weight : **415.46**

Imatinib


Imatinib is a small molecule kinase inhibitor used to treat certain types of cancer. It is occasionally referred to as CGP57148B or STI571. It is used in treating chronic myelogenous leukemia, gastrointestinal stromal tumors and a number of other malignancies. Reference standards of Imatinib API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



N-(4-Methyl-3-(nitroso(4-(pyridin-3-yl)pyrimidin-2-yl)amino)phenyl)-4-((4-methylpiperazin-1-yl)methyl)benzamide

Catalogue No.: **PA 09 0051007** CAS : **NA** Molecular Formula : **C₂₉H₃₀N₈O₂** Molecular Weight : **522.61**

SIMILAR PRODUCTS




N-(4-Methyl-3-(nitroso(4-(pyridin-3-yl)pyrimidin-2-yl)amino)phenyl)-4-((4-methylpiperazin-1-yl)methyl)benzamide Acetate

Catalogue No.: **PA 09 0051013** CAS : **NA** Molecular Formula : **C₃₁H₃₄N₈O₄** Molecular Weight : **582.67**

Imidapril

Imidapril used as an antihypertensive drug and for the treatment of chronic heart failure. It is an ACE inhibitor. Reference standards of Imidapril API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso Imidapril

Catalogue No.: **PA 09 1091003** CAS : **NA** Molecular Formula : **C₂₀H₂₆N₄O₇** Molecular Weight : **434.45**

Isoproterenol Hydrochloride

Isoproterenol Hydrochloride used for the treatment of bradycardia heart block, and rarely for asthma. Isoproterenol, is a medication. Reference standards of Isoproterenol Hydrochloride API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Nitroso Isoproterenol

Catalogue No.: **PA 09 0471005** CAS : **NA** Molecular Formula : **C₁₁H₁₆N₂O₄** Molecular Weight : **240.26**

Isoleucine

Isoleucine is an α-amino acid, which is used in the biosynthesis of proteins. Reference standards of Isoleucine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




N-Acetyl-N-nitroso-L-leucine

Catalogue No.: **PA 09 0481001** CAS : **78814-91-2** Molecular Formula : **C₈H₁₄N₂O₄** Molecular Weight : **202.21**

Ivacaftor

Ivacaftor is used for the treatment of cystic fibrosis in people having one of several specific mutations in the cystic fibrosis transmembrane conductance regulator protein. It is one of the most expensive drugs. Reference standards of Ivacaftor API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




1-Nitroso-4-oxo-1,4-dihydroquinoline-3-carboxylic Acid

Catalogue No.: **PA 09 0401005** CAS : **NA**

Molecular Formula : **C₁₀H₆N₂O₄**

Molecular Weight : **218.17**




N-(4-(Tert-butyl)-3-hydroxyphenyl)-1-nitroso-4-oxo-1,4-dihydroquinoline-3-carboxamide

Catalogue No.: **PA 09 0401007** CAS : **NA**

Molecular Formula : **C₂₀H₁₉N₃O₄**

Molecular Weight : **365.39**




Ivacaftor Nitroso Impurity

Catalogue No.: **PA 09 0401008** CAS : **NA**

Molecular Formula : **C₂₄H₂₇N₃O₄**

Molecular Weight : **421.5**




N-Nitroso Ivacaftor Ortho Isomer

Catalogue No.: **PA 09 0401010** CAS : **NA**

Molecular Formula : **C₂₄H₂₇N₃O₄**

Molecular Weight : **421.5**




Ethyl 1-nitroso-4-oxo-1,4-dihydroquinoline-3-carboxylate

Catalogue No.: **PA 09 0401011** CAS : **NA**

Molecular Formula : **C₁₂H₁₀N₂O₄**

Molecular Weight : **246.22**




Diethyl 2-((nitroso(phenyl)amino)methylene)malonate

Catalogue No.: **PA 09 0401013** CAS : **NA**

Molecular Formula : **C₁₄H₁₆N₂O₅**

Molecular Weight : **292.29**



N-(4,6-Di-tert-butyl-3-hydroxy-2-nitrosophenyl)-4-oxo-1,4-dihydroquinoline-3-carboxamide


Catalogue No.: **PA 09 0401014** CAS : **NA**

Molecular Formula : **C₂₄H₂₇N₃O₄**

Molecular Weight : **421.5**

Indomethacin

Indomethacin is used to relieve pain, swelling, and joint stiffness caused by arthritis, gout, bursitis, and tendonitis. It is also known as indomethacin. It is marketed under more than twelve different trade names. Reference standards of Indomethacin API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



2-(5-Methoxy-2-methyl-1-nitroso-1H-indol-3-yl)acetic Acid

Catalogue No.: **PA 09 0121004** CAS : **NA**


Molecular Formula : **C₁₂H₁₂N₂O₄**

Molecular Weight : **248.24**

Ivabradine

Ivabradine is used for the symptomatic treatment of chronic stable angina pectoris in patients with normal sinus rhythm who cannot take beta blockers. It is marketed under the trade name Corlanor. Reference standards of Ivabradine API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

N-Nitroso N-Desmethyl DEBA




Catalogue No.: **PA 09 0581016** CAS : **NA**

Molecular Formula : **C₉H₂₀N₂O₃**

Molecular Weight : **204.27**

N-Nitroso N-Desmethyl Ivabradine




Catalogue No.: **PA 09 0581017** CAS : **NA**

Molecular Formula : **C₂₆H₃₃N₃O₆**

Molecular Weight : **483.57**

7,8-Dimethoxy-3-nitroso-1,3,4,5-tetrahydro-2H-benzo[d]azepin-2-one



Catalogue No.: **PA 09 0581030** CAS : **NA**


Molecular Formula : **C₁₂H₁₄N₂O₄**

Molecular Weight : **250.25**

Isosorbide

This medication belongs to a class of drugs known as nitrates. Isosorbide is used to prevent chest pain in patients with a certain heart condition. Reference standards of Isosorbide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Isosorbide Dinitrate




Catalogue No.: **PA 09 20520**

CAS : **87-33-2**

Molecular Formula : **C₆H₈N₂O₈**

Molecular Weight : **236.14**

Isosorbide-13C6 Dinitrate



Catalogue No.: **PA STI 054320** CAS : **1246815-45-1**


Molecular Formula : **¹³C₆H₈N₂O₈**

Molecular Weight : **242.09**

Indacaterol Maleate

Indacaterol Maleate Used for treatment of chronic obstructive pulmonary disease. It is marketed in Europe as Onbrez and in America as Arcapta Neohaler. Reference standards of Indacaterol Maleate API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.

Indacaterol Nitroso Impurity




Catalogue No.: **PA 09 0621008**

CAS : **NA**

Molecular Formula : **C₂₄H₂₇N₃O₄**

Molecular Weight : **421.5**

N-Nitroso O-Benzyl Indacaterol



Catalogue No.: **PA 09 0621009**


CAS : **NA**

Molecular Formula : **C₃₁H₃₃N₃O₄**

Molecular Weight : **511.62**

Indapamide

Indapamide is used in the treatment of hypertension, as well as decompensated heart failure. It is a thiazide-like diuretic drug. Reference standards of Indapamide API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.



Indapamide - Impurity A (Freebase)

Catalogue No.: **PA 09 11010**

CAS : **85440-79-5**

Molecular Formula : **C₉H₁₀N₂O**

Molecular Weight : **162.19**




Indapamide Related Compound D (2-Methyl-1-nitroso-2,3-dihydro-1H-indole) (1338845)

Catalogue No.: **PA USP1338845**

CAS : **85440-79-5**

Molecular Formula : **NA**

Molecular Weight : **NA**




4-Chloro-N-(2-methylindolin-1-yl)-3-(nitrososulfonyl)benzamide

Catalogue No.: **PA 09 0111004**

CAS : **NA**

Molecular Formula : **C₁₆H₁₄ClN₃O₄S**

Molecular Weight : **379.82**




4-Chloro-N-(2-methyl-1H-indol-1-yl)-3-(nitrososulfonyl)benzamide

Catalogue No.: **PA 09 0111005**

CAS : **NA**

Molecular Formula : **C₁₆H₁₂ClN₃O₄S**

Molecular Weight : **377.8**



2-(Methyl-d3)-1-nitrosoindoline

Catalogue No.: **PA STI 089659**

CAS : **NA**

Molecular Formula : **C₉H₇D₃N₂O**

Molecular Weight : **165.21**

Irbesartan

Irbesartan is a medication used to treat high blood pressure, heart failure, and diabetic kidney disease. It is sold under the trade name Avapro. It is taken by mouth. Reference standards of Irbesartan API, and its pharmacopeial, non pharmacopeial impurities, and stable isotopes are listed below.




Nitroso Irbesartan

Catalogue No.: **PA 09 0141000**

CAS : **2768787-11-5**

Molecular Formula : **C₂₅H₂₇N₇O₂**

Molecular Weight : **457.54**




2-Butyl-3-nitroso-1,3-diazaspiro[4.4]non-1-en-4-one

Catalogue No.: **PA 09 0141001**

CAS : **NA**

Molecular Formula : **C₁₁H₁₇N₃O₂**

Molecular Weight : **223.28**



2-Butyl-3-((2'-(1-nitroso-1H-tetrazol-5-yl)-[1,1'-biphenyl]-4-yl)methyl)-1,3-diazaspiro[4.4]non-1-en-4-one

Catalogue No.: **PA 09 0141005**

CAS : **NA**

Molecular Formula : **C₂₅H₂₇N₇O₂**

Molecular Weight : **457.54**

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: peb@nt-rt.ru || сайт: <https://pharmaffiliates.nt-rt.ru/>